

AGREEMENT COVER MEMORANDUM

| To: | Barbara Torres, City Clerk's Office | From: | Tyler Harrel, Finance | Date: | 07/30/2018 | |
|-----|-------------------------------------|-------|-----------------------|-------|------------|---|
| | | | | | | - |

Please route the two (2) attached agreements, as described below, for execution and please return one (1) executed copy to me.

| Company: | Weekley Asphalt Paving, Inc. | | | | | | | |
|-------------------|---|------------------------------------|--------------------------------|--|--|--|--|--|
| Contract Purpose: | Continuing Services – Engineering Depart | tment | | | | | | |
| Contract | This agreement is for the purchase of General Road Preservation, Repair and Maintenance items | | | | | | | |
| Description: | on an as needed basis. | | | | | | | |
| Contract Groups | Purchase Effective Date: Date of execut | | | | | | | |
| Contract Group: | Purchase | | Date of execution | | | | | |
| | | Expiration Date: | 2 years from date of execution | | | | | |
| | Mastar | Persual Ontional | | | | | | |
| Agreement Type: | Master | Renewal Options: | Not Applicable | | | | | |
| Contract Type | Evnonco | | | | | | | |
| Contract Type: | Expense | | | | | | | |
| Location: | City Clerk's Office (Routing) | Notice Period: | 120 | | | | | |
| Location | City Clerk's Office (Routing) | Notice Period. | 120 | | | | | |
| Contract Value: | As needed basis | Notice Date: | TBD | | | | | |
| Contract Value | The Contract Value for this agreement is | | | | | | | |
| Description: | needed basis. | unknown at this time as it will be | | | | | | |
| Description. | | | | | | | | |
| Department: | Engineering (Environmental Services) | Approved by Commission: | Passed | | | | | |
| | | | | | | | | |
| Contract | Karl Kennedy | Commission Date | 6/6/2018 | | | | | |
| Manager: | Karricely | (if Approved or Pending): | 0/0/2010 | | | | | |
| - | | | | | | | | |
| Procurement | Formal Solicitation (RFQ, RFP, IFB, RLI, | For Commission Review: | Yes | | | | | |
| Method: | etc.) | | | | | | | |
| File ID: | 18-0481 | | | | | | | |
| Procurement | IFB #PSEN-18-01 | | | | | | | |
| Summary: | | Reason For Commission | Contract value | | | | | |
| Summary. | | Review: | exceeds \$25,000 | | | | | |
| Account | | | Vec | | | | | |
| Account | 100-541-6003-461645 (R&M | Insurance Required: | Yes | | | | | |
| Coding(s): | Resurfacing) | Dondo Donuiro de | NI / A | | | | | |
| | | Bonds Required: | N/A | | | | | |
| Additional Notes: | None. | | | | | | | |
| Attachments | (2) Originals, Signed/Notarized/Witnesse | d by Vendor | | | | | | |
| | Exhibit A – PSEN-18-01 | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | Bid Comparison Analysis | | | | | | | |



CONTINUING SERVICES AGREEMENT

THIS CONTINUING SERVICES AGREEMENT FOR WEEKLEY ASPHALT PAVING, INC. ("Agreement") is dated this 1st day of 4ugus to 2018 by and between:

CITY OF PEMBROKE PINES, a municipal corporation organized and operating pursuant to the laws of the State of Florida, with a business address of 601 City Center Way, Pembroke Pines, Florida 33025 (hereinafter referred to as the "CITY"),

and

WEEKLEY ASPHALT PAVING, INC., a Company, with a business address of 20701 Stirling Road, Pembroke Pines, FL 33332 (hereinafter referred to as the "CONTRACTOR"). CITY and CONTRACTOR may hereinafter be referred to collectively as the "Parties."

RECITALS:


WHEREAS, the CITY advertised its IFB No. PSEN-18-01 entitled Asphalt Surface Treatment with High Density Mineral Bond for NW 178 Ave and NW 17 St including Repair Line Items (hereinafter "IFB") which set forth the CITY's desire to hire a firm to provide General Road Preservation, Repair and Maintenance items on an as needed basis ; and

WHEREAS, on June 6, 2018 the CITY approved the ranking of the firms responding to the referenced solicitation and authorized the negotiation of Continuing Services Agreements for an initial two (2) year term; and

WHEREAS, the CONTRACTOR is one of the two (2) highest ranked qualified firms referenced above and is willing and able to provide General Road Preservation, Repair and Maintenance Items for the CITY on an as needed basis, pursuant to the basic terms and conditions set forth in this Agreement (hereinafter referred to as "Continuing Services Agreement"); and

WHEREAS, the purpose of this Continuing Services Agreement is not to authorize any specific services, but to set forth certain terms and conditions which shall apply when and if CONTRACTOR is chosen from the "library" of consultants resulting from a request to submit a bid on a Road Repair Project; and

WHEREAS, the CITY intends and the CONTRACTOR acknowledges that any future services pursuant to this Agreement shall be non-exclusive and performed on an as needed basis and at the sole discretion of CITY, with no guaranty as to any minimum amount of work to be performed by CONTRACTOR.



NOW THEREFORE, in consideration of the mutual promises detailed herein and other good and valuable consideration, the receipt and sufficiency of which is hereby acknowledged, the Parties hereby agree as follows:

ARTICLE 1 SCOPE OF SERVICES

- 1.1 CITY agrees to purchase and CONTRACTOR agrees to provide professional services to the City for specified projects as may be identified by CITY from time to time in CITY's sole discretion (the "Services") all of which shall be the subject of this Agreement. CITY makes no representation to CONTRACTOR of exclusivity nor of any minimum amount of work to be assigned to CONTRACTOR by CITY.
- 1.2 CONTRACTOR shall provide the Services as identified herein and in the CITY's **IFB** and CONTRACTOR's response thereto, collectively incorporated herein as **Exhibit "A"** and made a specific part hereof, according to the prices and terms contained therein.
- 1.3 The Parties acknowledge that this Agreement is a term contract and that CITY shall purchase and CONTRACTOR shall provide the Services on an as-needed basis upon written request of the CITY. Nothing contained herein or in any exhibit or amendment hereto, shall require the CITY to procure any Services identified in **Exhibit "A"**.
- 1.4 As needed, the CITY shall communicate with CONTRACTOR to determine CONTRACTOR's availability to perform a particular assignment or project pursuant to the terms and conditions of this Agreement. In the event CONTRACTOR agrees to provide such Services, CITY shall issue a written authorization to proceed. No work may be undertaken without a prior written authorization from the CITY. Any such Services performed by CONTRACTOR without such written authorization or Notice to Proceed, shall be at CONTRACTOR's own risk and shall not incur any liability to CITY.
- 1.5 All specifications and plans prepared or to be used for the Services provided herein shall be certified and approved by CONTRACTOR and submitted to the CITY for approval prior to advertisement or implementation as applicable.
- 1.6 All Services provided by CONTRACTOR shall be provided in a professional manner and CONTRACTOR acknowledges that CITY is relying upon CONTRACTOR's professional knowledge and expertise to perform under this Agreement. Services performed by CONTRACTOR shall be in accordance with the schedule provided by CITY, unless the parties agree in writing to modify or change the schedule. CONTRACTOR's failure to maintain the implementation schedule may warrant a full review by the CITY.
- 1.7 In the event the CONTRACTOR requires the services of any subconsultants /subcontractors or other professional associates in connection with services covered by this Agreement, the CONTRACTOR must secure the prior written approval of the CITY.




- 1.8 Any subcontract with a subcontractor or subconsultant shall afford to the CONTRACTOR rights against the subcontractor or subconsultant which correspond to those rights afforded to the CITY against the CONSULTANT herein, including but not limited to those rights of termination as set forth herein.
- 1.9 No reimbursement shall be made to the CONTRACTOR for any subconsultants that have not been previously approved by the CITY for use by the CONTRACTOR.

ARTICLE 2 TERM AND TERMINATION

- 2.1 CONTRACTOR shall provide the Services as identified herein and in Exhibit "A" attached hereto and made part hereof, for an initial two (2) year period commencing on the date of execution and ending two (2) years thereafter.
- 2.2 *Post Contractual Obligations:* In the event that the term of this agreement expires, the CONTRACTOR agrees to continue providing services, at the current rates, on a month to month basis until the CITY establishes a new contract for services.
- 2.3 *Termination for Convenience:* CITY may terminate this Agreement for convenience, upon **seven (7) days** of written notice by the terminating party to the other party for such termination.
- 2.4 In the event CONTRACTOR abandons or terminates this Agreement or causes it to be terminated by CITY for any reason, CONTRACTOR shall indemnify CITY against any loss pertaining to this termination.

For purposes of this Agreement, termination by CITY for cause includes, but is not limited to, any of the following circumstances:

- 2.4.1 CONTRACTOR's failure to keep, perform and observe each and every provision of this Agreement and such failure continues for a period of more than fifteen (15) days after CITY's delivery of a written notice to CONTRACTOR's of such breach or default;
- 2.4.2 CONTRACTOR becomes insolvent;
- 2.4.3 CONTRACTOR takes the benefit of any present or future insolvency statute;
- 2.4.4 CONTRACTOR makes a general assignment for the benefit of creditors,
- 2.4.5 CONTRACTOR files a voluntary petition in bankruptcy or a petition or answer seeking an arrangement of its reorganization or the readjustment of its indebtedness under the Federal Bankruptcy laws or under any other law or statute of the United States or any state thereof;



- 2.4.6 CONTRACTOR consents to the appointment of a receiver, trustee or liquidator of all or substantially all of its property;
- 2.4.7 A petition under any present or future insolvency laws or statute is filed against CONTRACTOR and such petition is not dismissed within thirty (30) days after its filing; or
- 2.4.8 Any assignment of this Agreement in whole or in part, or any of CONTRACTOR's rights and obligations hereunder.

ARTICLE 3 COMPENSATION AND METHOD OF PAYMENT


- 3.1 Unless stated otherwise on attached **Exhibit "A"**, CITY's sole compensation to CONTRACTOR for the provision of Services hereunder shall be based on the as-needed services provided and governed by **road repair projects** subject to the applicable rules and regulations governing those programs. Upon delivery, the CITY shall make final inspection of the Services rendered. If this inspection shows that the Services have been delivered in a satisfactory manner and in accordance with the specifications of this Agreement or purchase order submitted by the CITY, the CITY shall receive the same. Final payment due the CONTRACTOR shall be withheld until inspection is made by the CITY and merits of performance evaluated. This total acceptance will be done in a reasonable and timely manner. Upon acceptance, CONTRACTOR shall submit to CITY an invoice for the Commodities provided and CITY, upon approval of the invoice, shall pay the same within thirty (30) days.
- 3.2 If any of the Services is required to be rejected for any reason, the CONTRACTOR shall be required to perform the Services to the satisfaction of the CITY.

ARTICLE 4 GUARANTEE OF SERVICES

4.1 CONTRACTOR warrants and guarantees that the Services provided, and each individual good or item, including all components and all installed accessories and equipment, shall be fit for the intended use of the Commodities and CONTRACTOR shall provide a warranty as to fitness of the Commodities for a period of one hundred and eighty (180) days or the time designated in the standard factory warranty, whichever is longer. The warranty will cover parts, labor and any necessary shipping for repair or replacement of the Commodities, or each individual good or item, including all components and all installed accessories and equipment.

ARTICLE 5 INDEMNIFICATION

5.1 CONTRACTOR shall indemnify and hold harmless the CITY, its trustees, elected and appointed officers, agents, servants, assigns and employees, from and against any and all



claims, demands, or causes of action whatsoever, and the resulting losses, costs, expenses, reasonable attorneys' fees, including paralegal expenses, liabilities, damages, orders, judgments, or decrees, sustained by the CITY or any third party arising out of, by reason of, or resulting from the CONTRACTOR's acts, errors, or omissions or consequence of the goods and/or Commodities furnished pursuant to this Agreement or those of any subcontractor, agents, officers, employees, or independent contractor retained by CONTRACTOR.

- 5.2 CONTRACTOR shall indemnify and hold harmless the CITY, its trustees, elected and appointed officers, agents, servants, assigns and employees, from and against any and all claims, demands, or causes of action whatsoever, and the resulting losses, costs, expenses, reasonable attorneys' fees, including paralegal expenses, liabilities, damages, orders, judgments, or decrees, sustained by the CITY or any third party arising out of, by reason of, or resulting from any alleged infringement of copyrights, patent rights and/or the unauthorized or unlicensed use of any invention, process, material, property or other work manufactured or used in connection with the performance of the Agreement, including the use of the Commodities by the City.
- 5.3 CITY reserves the right to select its own legal counsel to conduct any defense in any such proceeding and all costs and fees associated therewith shall be the responsibility of CONTRACTOR.
- 5.4 Upon completion of all Services, obligations and duties provided for in this Agreement, or in the event of termination of this Agreement for any reason, the terms and conditions of this Article shall survive indefinitely.
- 5.5 Nothing contained herein is intended nor shall be construed to waive City's rights and immunities under the common law or §768.28, Florida Statutes, as may be amended from time to time.

ARTICLE 6 INSURANCE

6.1 The CONTRACTOR shall indemnify and hold harmless the CITY and its officers, employees, agents and instrumentalities from any and all liability, losses or damages, including attorneys' fees and costs of defense, which the CITY or its officers, employees, agents or instrumentalities may incur as a result of claims, demands, suits, causes of actions or proceedings of any kind or nature arising out of, relating to or resulting from the performance of this Agreement by the CONTRACTOR or its employees, agents, servants, partners principals or subcontractors. The CONTRACTOR shall pay all claims and losses in connection therewith and shall investigate and defend all claims, suits or actions of any kind or nature in the name of the CITY, where applicable, including appellate proceedings, and shall pay all costs, judgments, and attorney's fees which may issue thereon. The CONTRACTOR expressly understands and agrees that any insurance protection required by this Agreement or otherwise provided by the CONTRACTOR shall in no way limit the responsibility to indemnify, keep and save harmless and defend the CITY or its officers, employees, agents and instrumentalities as herein provided. 6.2 CONTRACTOR shall not commence work under this Agreement until it has obtained all insurance required under this paragraph and such insurance has been approved by the Risk Manager of the CITY nor shall the CONTRACTOR allow any subcontractor to commence work on his subcontract until all similar such insurance required of the subcontractor has been obtained and similarly approved.

6.3 Certificates of Insurance, reflecting evidence of the required insurance, shall be filed with the City's Risk Manager prior to the commencement of this Agreement. Policies shall be issued by companies authorized to do business under the laws of the State of Florida. The insurance company shall be rated no less than "A" as to management, and no less than "Class VI" as to financial strength according to the latest edition of Best's Insurance Guide published by A.M. Best Company.

6.4 Policies shall be endorsed to provide the CITY thirty (30) days notice of cancellation or the CONTRACTOR shall obtain written agreement from its Agent to provide the CITY thirty (30) days notice of cancellation.


6.5 Insurance shall be in force until all obligations required to be fulfilled under the terms of the Agreement are satisfactorily completed as evidenced by the formal acceptance by the CITY. In the event the insurance certificate provided indicates that the insurance shall terminate and lapse during the period of this Agreement, then in that event, the CONTRACTOR shall furnish, at least fifteen (15) days prior to the expiration of the date of such insurance, a renewed certificate of insurance as proof that equal and like coverage for the balance of the period of the Agreement and extension thereunder is in effect. The CONTRACTOR shall not commence nor continue to provide any services pursuant to this Agreement unless all required insurance remains in full force and effect. CONTRACTOR shall be liable to CITY for any lapses in service resulting from a gap in insurance coverage.

6.6 The insurance requirements specified in this Agreement are minimum requirements and in no way reduce any liability the CONTRACTOR has assumed in the indemnification/hold harmless section(s) of this Agreement.

6.7 REQUIRED INSURANCE

6.7.1 Comprehensive General Liability Insurance written on an occurrence basis including, but not limited to: coverage for bodily injury and property damage, personal & advertising injury, products & completed operations, and contractual liability. Coverage must be written on an occurrence basis, with limits of liability no less than:

- 1. Each Occurrence Limit \$1,000,000
- 2. Fire Damage Limit (Damage to rented premises) \$100,000
- 3. Personal & Advertising Injury Limit \$1,000,000
- 4. General Aggregate Limit \$2,000,000
- 5. Products & Completed Operations Aggregate Limit \$2,000,000
- 6. Pollution Limit \$1,000,000



Products & Completed Operations Coverage shall be maintained for ten (10) years after the final payment under this contract.

The City of Pembroke Pines must be shown as an additional insured with respect to this coverage. City's Additional Insured status shall extend to any coverage beyond the minimum requirements for limits of liability found herein.


6.7.2 Worker's Compensation and Employers Liability Insurance covering all employees, and/or volunteers of the CONTRACTOR engaged in the performance of the scope of work associated with this Agreement. In the case any work is sublet, the CONTRACTOR shall require the subcontractors similarly to provide Workers Compensation Insurance for all the latter's employees unless such employees are covered by the protection afforded by the CONTRACTOR. Coverage for the CONTRACTOR and his subcontractors shall be in accordance with applicable state and/or federal laws that may apply to Workers' Compensation Insurance with limits of liability no less than:

| 1. Workers' Compensation: | 0 | 2 |
|---------------------------|------------|-----------------------------------|
| 2. Employers Liability: | Coverage B | \$500,000 Each Accident |
| | | \$500,000 Disease – Policy Limit |
| | | \$500,000 Disease – Each Employee |

If CONTRACTOR claims to be exempt from this requirement, CONTRACTOR shall provide CITY proof of such exemption along with a written request for CITY to exempt CONTRACTOR, written on CONTRACTOR letterhead.

6.7.3 Comprehensive Auto Liability Insurance covering all owned, leased, non-owned, employee non-owned and hired vehicles used in connection with the performance of work under this Agreement, with a combined single limit of liability for bodily injury and property damage no less than:

- Any Auto (Symbol 1) Combined Single Limit (Each Accident) - \$1,000,000
 Hired Autos (Symbol 8) Combined Single Limit (Each Accident) - \$1,000,000
 Nen Owned Autos (Symbol 0)
- 3. Non-Owned Autos (Symbol 9) Combined Single Limit (Each Accident) - \$1,000,000
- 6.7.4 Professional Liability/Errors & Omissions Insurance, when applicable, with a limit of liability no less than \$1,000,000 per wrongful act. This coverage shall be maintained for a period of no less than ten (10) years after final payment of the contract.
- 6.7.5 Sexual Abuse may not be excluded from any policy.



6.8 REQUIRED ENDORSEMENTS

- 6.8.1 The City of Pembroke Pines shall be named as an Additional Insured on each of the General Liability policies required herein
- 6.8.2 Waiver of all Rights of Subrogation against the CITY
- 6.8.3 30 Day Notice of Cancellation or Non-Renewal to the CITY
- 6.8.4 CONTRACTORs' policies shall be Primary & Non-Contributory
- 6.8.5 All policies shall contain a "severability of interest" or "cross liability" liability clause without obligation for premium payment of the CITY
- 6.8.6 The City of Pembroke Pines shall be named as a Loss Payee on all Property and/or Inland Marine Policies as their interest may appear.

6.9 CONTRACTOR shall name the CITY, as an additional insured on each of the General Liability policies required herein and shall hold the CITY, its agents, officers and employees harmless on account of claims for damages to persons, property or premises arising out of the services provided hereunder.

6.10 Any insurance required of the CONTRACTOR pursuant to this Agreement must also be required by any subcontractor in the same limits and with all requirements as provided herein, including naming the CITY as an additional insured, in any work that is subcontracted unless such subcontractor is covered by the protection afforded by the CONTRACTOR and provided proof of such coverage is provided to CITY. The CONTRACTOR and any subcontractors shall maintain such policies during the term of this Agreement.

6.11 The City reserves the right to require any other additional types of insurance coverage and/or higher limits of liability it deems necessary based on the nature of work being performed under this Contract.

ARTICLE 7 NON-DISCRIMINATION & EQUAL OPPORTUNITY EMPLOYMENT

7.1 During the performance of the Agreement, neither CONTRACTOR nor its subcontractors shall discriminate against any employee or applicant for employment because of race, religion, color, gender, national origin, sex, age, marital status, political affiliation, familial status, sexual orientation, or disability if qualified. CONTRACTOR will take affirmative action to ensure that employees are treated during employment, without regard to their race, religion, color, gender, national origin, sex, age, marital status, political affiliation, familial status, sexual orientation, or disability if qualified. Such actions must include, but not be limited to, the following: employment, promotion; demotion or transfer; recruitment or recruitment advertising, layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. CONTRACTOR shall agree to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the contracting officer setting forth the provisions of this nondiscrimination clause. CONTRACTOR further agrees that he/she/it will ensure that



subcontractors, if any, will be made aware of and will comply with this nondiscrimination clause.

ARTICLE 8 INDEPENDENT CONTRACTOR

8.1 This Agreement does not create an employee/employer relationship between the parties. It is the intent of the parties that the CONTRACTOR is an independent CONTRACTOR under this Agreement and not the CITY's employee for all purposes, including but not limited to, the application of the Fair Labor Standards Act minimum wage and overtime payments, Federal Insurance Contribution Act, the Social Security Act, the Federal Unemployment Tax Act, the provisions of the Internal Revenue Code, the State Workers' Compensation Act, and the State unemployment insurance law. The CONTRACTOR shall retain sole and absolute discretion in the judgment of the manner and means of carrying out CONTRACTOR activities and responsibilities hereunder provided, further that administrative procedures applicable to services rendered under this Agreement shall be those of CONTRACTOR which policies of CONTRACTOR shall not conflict with CITY, State, or United States policies, rules or regulations relating to the use of CONTRACTOR Services as provided for herein. The CONTRACTOR agrees that it is a separate and independent enterprise from the CITY, that it has full opportunity to find other business, that it has made its own investment in its business, and that it will utilize a high level of skill necessary to perform the work. This Agreement shall not be construed as creating any joint employment relationship between the CONTRACTOR and the CITY and the CITY will not be liable for any obligation incurred by CONTRACTOR including but not limited to unpaid minimum wages and/or overtime premiums.

ARTICLE 9 SIGNATORY AUTHORITY


9.1 CONTRACTOR shall provide CITY with copies of requisite documentation evidencing that the signator for CONTRACTOR has the authority to enter into this Agreement.


ARTICLE 10 MERGER; AMENDMENT

10.1 This Agreement constitutes the entire Agreement between CONTRACTOR and CITY, and negotiations and oral understandings between the parties are merged herein. This Agreement can be supplemented or amended only by a written document executed by both CONTRACTOR and CITY with the same formality and equal dignity herewith.

ARTICLE 11 DEFAULT OF CONTRACT & REMEDIES

11.1 CITY reserves the right to recover any ascertainable actual damages incurred as a result of the failure of CONTRACTOR to perform in accordance with the requirements of this





ARTICLE 12 BANKRUPTCY

12.1 It is agreed that if CONTRACTOR is adjudged bankrupt, either voluntarily or involuntarily, then this Agreement shall terminate effective on the date and at the time the bankruptcy petition is filed.

ARTICLE 13 DISPUTE RESOLUTION


- 13.1 In addition to any other remedy provided hereunder, CITY, at its option, may use arbitration to resolve any controversy or claim arising out of or relating to this Agreement if arbitration is elected by CITY. Any controversy or claim arising out of or relating to this Agreement, or breach thereof, may be settled by arbitration in accordance with the rules of the American Arbitration Association and judgment upon the award rendered by the arbitrators may be entered into by any court having jurisdiction thereof. In the event arbitration is elected by CITY, such controversy or claim shall be submitted to one arbitrator selected by the CITY from the National Panel of The American Arbitration Association.
- 13.2 Operations During Dispute.

13.2.1 In the event that a dispute, if any, arises between CITY and CONTRACTOR relating to this Agreement, performance or compensation hereunder, CONTRACTOR shall continue to provide the Services in full compliance with all terms and conditions of this Agreement as interpreted by CITY regardless of such dispute.

13.2.2 Notwithstanding the other provisions in this Section, CITY reserves the right to terminate the Agreement at any time, whenever the subject Services provided by CONTRACTOR fail to meet reasonable standards of the trade or any guarantee, express or implied contained herein, after CITY gives written notice to the CONTRACTOR of the deficiencies as set forth in Section 2.4.1 of this Agreement.

ARTICLE 14 <u>PUBLIC RECORDS</u>

- 14.1 The City of Pembroke Pines is public agency subject to Chapter 119, Florida Statutes. The Contractor shall comply with Florida's Public Records Law. Specifically, the Contractor shall:
 - 14.1.1 Keep and maintain public records required by the CITY to perform the service;
 - 14.1.2 Upon request from the CITY's custodian of public records, provide the CITY with a copy of the requested records or allow the records to be



inspected or copied within a reasonable time at a cost that does not exceed the cost provided in chapter 119, Fla. Stat., or as otherwise provided by law;

- 14.1.3 Ensure that public records that are exempt or that are confidential and exempt from public record disclosure requirements are not disclosed except as authorized by law for the duration of the contract term and, following completion of the contract, CONTRACTOR shall destroy all copies of such confidential and exempt records remaining in its possession after the CONTRACTOR transfers the records in its possession to the CITY; and
- 14.1.4 Upon completion of the contract, CONTRACTOR shall transfer to the CITY, at no cost to the CITY, all public records in CONTRACTOR's possession. All records stored electronically by the CONTRACTOR must be provided to the CITY, upon request from the CITY's custodian of public records, in a format that is compatible with the information technology systems of the CITY.
- 14.2 The failure of Contractor to comply with the provisions set forth in this Article shall constitute a Default and Breach of this Agreement and the CITY shall enforce the Default in accordance with the provisions set forth in **Article 11**.

IF THE CONTRACTOR HAS QUESTIONS REGARDING THE APPLICATION OF CHAPTER 119, FLORIDA STATUTES, TO THE CONTRACTOR'S DUTY TO PROVIDE PUBLIC RECORDS RELATING TO THIS CONTRACT, CONTACT THE CUSTODIAN OF PUBLIC RECORDS AT

CITY CLERK 601 CITY CENTER WAY, 4th FLOOR PEMBROKE PINES, FL 33026 (954) 450-1050 mgraham@ppines.com

ARTICLE 15 MISCELLANEOUS

- 15.1 <u>Ownership of Documents</u>. All reports, surveys, studies, documents, completed or incomplete, including but not limited to detailed plans, drawings, surveys, maps, models, photographs, specifications and any other data provided in connection with this Agreement, are and shall remain, the property of CITY without restriction, reservation or limitation of their use, whether or not the project for which they are made is completed and shall be delivered by CONSULTANT to CITY within ten (10) calendar days following receipt of written notice requesting delivery of same.
- 15.2 <u>Legal Representation</u>. It is acknowledged that each party to this agreement had the opportunity to be represented by counsel in the preparation of this Agreement, and




accordingly, the rule that a contract shall be interpreted strictly against the party preparing same shall not apply herein due to the joint contributions of both parties.

- 15.3 <u>Records</u>. CONTRACTOR shall keep such records and accounts and require any and all subcontractors to keep records and accounts as may be necessary in order to record complete and correct entries as to the provision of Commodities or purchases hereunder for which CONTRACTOR. Such books and records will be available at all reasonable times for examination and audit by CITY and shall be kept for a period of seven (7) years after the completion of all work to be performed pursuant to this Agreement, or as otherwise required by Florida law. Incomplete or incorrect entries in such books and records will be grounds for disallowance by CITY of any fees or expenses based upon such entries.
- 15.4 <u>Assignments: Amendments</u>. This Agreement, and any interests herein, shall not be assigned, transferred or otherwise encumbered, under any circumstances, by CONTRACTOR without the prior written consent of CITY. For purposes of this Agreement, any change of ownership of CONTRACTOR shall constitute an assignment which requires CITY approval. However, this Agreement shall run to the benefit of CITY and its successors and assigns.

It is further agreed that no modification, amendment, or alteration in the terms or conditions contained herein shall be effective unless contained in a written document executed with the same formality and of equal dignity herewith.

- 15.5 <u>No Contingent Fees</u>. CONTRACTOR warrants that it has not employed or retained any company or person, other than a bona fide employee working solely for CONTRACTOR to solicit or secure this Agreement, and that it has not paid or agreed to pay any person, company, corporation, individual or firm, other than a bona fide employee working solely for CONTRACTOR any fee, commission, percentage, gift, or other consideration contingent upon or resulting from the award or making of this Agreement. For the breach or violation of this provision, CITY shall have the right to terminate the Agreement without liability at its discretion, to deduct from the contract price, or otherwise recover the full amount of such fee, commission, percentage, gift or consideration.
- 15.6 <u>Notice</u>. Whenever any party desires to give notice unto any other party, it must be given by written notice, sent by certified United States mail, with return receipt requested, addressed to the party for whom it is intended and the remaining party, at the places last specified, and the places for giving of notice shall remain such until they shall have been changed by written notice in compliance with the provisions of this section. For the present, CONTRACTOR and CITY designate the following as the respective places for giving of notice:
 - CITY Charles F. Dodge, City Manager City of Pembroke Pines 601 City Center Way Pembroke Pines, Florida 33025 Telephone No. (954) 450-1040



| Сору То: | Samuel S. Goren, City Attorney Goren, Cherof, Doody & Ezrol, P.A. 3099 East Commercial Boulevard, Suite 200 Fort Lauderdale, Florida 33308 | | | | | |
|------------|---|--------------------|--|--|--|--|
| | Telephone No. | (954) 771-4500 | | | | |
| | Facsimile No. | (954) 771-4923 | | | | |
| Contractor | Daniel D. Weekley, President | | | | | |
| | Weekley Asphalt Paving, Inc. | | | | | |
| | 20701 Stirling Road | | | | | |
| | Pembroke Pines, FL 33334 | | | | | |
| | E-mail: | weekleyasp@aol.com | | | | |
| | Telephone No: | (954) 680-8005 | | | | |
| | Facsimile No: (954) 680-8671 | | | | | |

- 15.7 **<u>Binding Authority</u>**. Each person signing this Agreement on behalf of either party individually warrants that he or she has full legal power to execute this Agreement on behalf of the party for whom he or she is signing, and to bind and obligate such party with respect to all provisions contained in this Agreement.
- 15.8 <u>Headings</u>. Headings herein are for the convenience of reference only and shall not be considered in any interpretation of this Agreement.
- 15.9 <u>Exhibits</u>. Each Exhibit referred to in this Agreement forms an essential part of this Agreement. The exhibits if not physically attached should be treated as part of this Agreement and are incorporated herein by reference.
- 15.10 <u>Severability</u>. If any provision of this Agreement or application thereof to any person or situation shall to any extent, be held invalid or unenforceable, the remainder of this Agreement, and the application of such provisions to persons or situations other than those as to which it shall have been held invalid or unenforceable, shall not be affected thereby, and shall continue in full force and effect, and be enforced to the fullest extent permitted by law.
- 15.11 <u>Extent of Agreement and Conflicts</u>. This Agreement represents the entire and integrated agreement between CITY and CONTRACTOR and supersedes all prior negotiations, representations or agreements, either written or oral.
- 15.12 **Waiver.** Failure of CITY to insist upon strict performance of any provision or condition of this Agreement, or to execute any right herein contained, shall not be constructed as a waiver or relinquishment for the future of any such provision, condition, or right, but the same shall remain in full force and effect.
- 15.13 **Disputes**. Any claim, objection, or dispute arising out of the terms of this Agreement shall be litigated in Broward County, Florida.

City of Pembroke Pines



- 15.14 <u>Attorney's Fees</u>. In the event that either party brings suit for enforcement of this Agreement, each party shall bear its own attorney's fees and court costs, except as otherwise provided under the indemnification provisions set forth herein above.
- 15.15 <u>Counterparts and Execution</u>. This Agreement may be executed in multiple originals or counterparts, each of which shall be deemed to be an original and together shall constitute one and the same agreement. Execution and delivery of this Agreement by the Parties shall be legally binding, valid and effective upon delivery of the executed documents to the other party through facsimile transmission, email, or other electronic delivery.

THE REMAINDER OF THIS PAGE

HAS BEEN INTENTIONALLY LEFT BLANK

City of Pembroke Pines

ATTEST:

IN WITNESS OF THE FOREGOING, the parties have set their hands and seals the day and year first written above.

<u>CITY:</u>

CITY OF PEMBROKE PINES, FLORIDA

By: MARLENE D. GRAHAM, CITY CLERK CHARLES F. DODGE, CIT MANAGER 18 APPROVED AS TO FORM: OFFICE OF THE CITY ATTORNEY **CONTRACTOR:** WEEKLEY ASPHALT PAVING, INC. By: Danie D. Weektev Name: Title: President Florida STATE OF COUNTY OF Broward

BEFORE ME, an officer duly authorized by law to administer oaths and take acknowledgments, personally appeared <u>Daniel D. Weekley</u> as <u>President</u> of **WEEKLEY ASPHALT PAVING, INC.**, a company authorized to conduct business in the State of Florida, and acknowledged execution of the foregoing Agreement as the proper official of **WEEKLEY ASPHALT PAVING, INC.** for the use and purposes mentioned in it and affixed the official seal of the corporation, and that the instrument is the act and deed of that corporation.

IN WITNESS OF THE FOREGOING, I have set my hand and official seal at in the State and County aforesaid on this 18th ______ day of ______, 2018.

OTARY PUBLIC

(Name of Notary Typed, Printed or Stamped)



Page 15 of 15



City of Pembroke Pines, FL

Agenda Request Form

601 City Center Way Pembroke Pines, FL 33025 www.ppines.com

| Agenda Number: 2. | | | | | | |
|-------------------|--|--|--|--------------------------|--|--|
| File ID: | 18-0481 | Type: Commission Items | Status: | Passed | | |
| Version: | 1 | Agenda Section: | In Control: | City Commission | | |
| | | | File Created: | 05/14/2018 | | |
| Short Title: | | urfacing Plan for NW 178 & ad repair and maintenance items | Final Action: | 06/06/2018 | | |
| Title: | WITH HIGH DENS TO THE MOST RI ASPHALT PAVING IN THE AMOUNT CONTINGENCY I | ARD PSEN-18-01 "ASPHALT SUF SITY MINERAL BOND FOR NW 1 ESPONSIVE/RESPONSIBLE BID G, INC. FOR THE 3/4 INCH MILL OF \$637,387.50 WHICH INCLUE N THE AMOUNT OF \$55,425 AN | 178 AVE. AND NW DER, WEEKLEY ING AND RESURF DES A 10% OWNE D A 5% PERMIT | 17 ST." FACING R'S | | |

CONTINGENCY IN THE AMOUNT OF \$55,425 AND A 5% PERMIT ALLOWANCE IN THE AMOUNT OF \$27,712.50, AND TO APPROVE TO ENTER INTO AN AGREEMENT WITH WEEKLEY ASPHALT PAVING, INC. AND ISG STRATEGIC PARTNERS FOR THE UTILIZATION OF GENERAL ROAD PRESERVATION, REPAIR AND MAINTENANCE ITEMS ON AN AS NEEDED BASIS.

*Agenda Date: 06/06/2018

Agenda Number: 2.

Internal Notes:

Attachments: 1. Specimen Agreement, 2. Engineering Department's Bid Comparison Analysis, 3. PSEN-18-01 -Bid Tabulation, 4. Proposal from Weekley Asphalt Paving, Inc., 5. Proposal from ISG Strategic Partners, LLC., 6. PSEN-18-01 - Road Repair and Resurfacing Plan for NW 178

| 1 | City Commission | 06/06/2018 | ар | pprov | e | Pass |
|---|-----------------|------------------------|-----|-------|---|------|
| | Action Text: | A motion was made to a | ppr | rove | on the Consent Agenda | |
| | | Aye: | - | | Mayor Ortis, Commissioner Castillo, Commissioner Schwartz, Commissioner Siple, and Vice Mayor Good Jr. | |
| | | Nay: | - | 0 | | |

MOTION TO AWARD PSEN-18-01 "ASPHALT SURFACE TREATMENT WITH HIGH DENSITY MINERAL BOND FOR NW 178 AVE. AND NW 17 ST." TO THE MOST RESPONSIVE/RESPONSIBLE BIDDER, WEEKLEY ASPHALT PAVING, INC. FOR THE 3/4 INCH MILLING AND RESURFACING IN THE AMOUNT OF \$637,387.50 WHICH INCLUDES A 10% OWNER'S CONTINGENCY IN THE AMOUNT OF \$55,425 AND A 5% PERMIT ALLOWANCE IN THE AMOUNT OF \$27,712.50, AND TO APPROVE TO ENTER INTO AN AGREEMENT WITH WEEKLEY ASPHALT PAVING, INC. AND ISG STRATEGIC PARTNERS FOR THE UTILIZATION OF GENERAL ROAD PRESERVATION, REPAIR AND MAINTENANCE ITEMS ON AN AS NEEDED BASIS.

SUMMARY EXPLANATION AND BACKGROUND:

1. On February 7, 2018, the City Commission authorized the advertisement of PSEN-18-01 Asphalt Surface Treatment with High Density Mineral Bond for NW 178 Ave. and NW 17th St. including Repair Line Items" which was later advertised on April 13, 2018.

2. The purpose of this solicitation was to seek bids from qualified firms to provide milling and resurfacing of NW 178th Ave and NW 17th St., resurfacing with an asphalt preservation material known as High Density Mineral Bond (HDMB) and replacement of thermoplastic pavement markings. There was an alternate bid for supplying a ³/₄ inch mill and resurfacing on the entire area in lieu of the HDMB. Contractors were also asked to submit on a menu of unit priced bid items for use at the City's discretion for small roadway repair projects.

3. The Public Services Department estimated the cost of this project to be approximately \$175,000 for the HDMB project and \$630,000 for a full 1 inch mill and resurface of the roadway.

4. On May 8, 2018, the City opened four (4) proposals from the following vendors:

| Vendor Name | Base Bid | Alternate Bid |
|------------------------------|-----------------|-----------------|
| Weekley Asphalt Paving, Inc. | \$ 446,302.50 | \$ 554,250.00 |
| ISG Strategic Partners | \$ 394,952.50 | \$ 756,168.00 |
| Whitaker Contracting Corp | \$ 563,250.00 | No Bid |
| PaveCo Inc. | \$ 138,450.00 * | \$ 102,400.00 * |
| *Partial Bid | | |

5. PaveCo Inc. did not attend the mandatory pre-bid meeting, and therefore has been deemed unresponsive.

6. The Public Services Department has reviewed the proposals and has deemed Weekley Asphalt Paving, Inc. to be the most responsive/responsible proposer using the mill and resurfacing method (alternate bid). The Engineering Department's Bid Comparison Analysis is attached in the backup as Exhibit 2. The full mill and resurface was selected as the price differential between the HDMB Resurfacing and the full Mill and Resurfacing was not significant enough to make the HDMB cost efficient for this project.

7. The Public Services Department would like to add a 10% owner's contingency to the project

to cover any additional services needed along with a 5% permit allowance which will increase the total cost from \$554,250 to \$637,387.50.

8. Included in this bid were general road preservation, repair and maintenance items. The Public Services Department would like to establish a two year agreement and utilize this list of items that the City may use on an as needed basis for miscellaneous roadway repairs. The quantities provided in the bid were only an estimate and are not a guarantee to be utilized. The Public Services Department has reviewed the proposals and has deemed Weekley Asphalt Paving, Inc. and ISG Strategic Partners to be the most responsive/responsible proposers for these general road preservation, repair and maintenance items. Whitaker Contracting Corp. did not respond to this section of the bid, and therefore cannot be included in the award.

9. In addition, Weekley Asphalt Paving, Inc. and ISG Strategic Partners have also completed the Equal Benefits Certification Form and have stated that the "Contractor currently complies with the requirements of this section."

10. Request Commission to award PSEN-18-01 "Asphalt Surface Treatment with High Density Mineral Bond for NW 178 Ave. and NW 17 St." to the most responsive/responsible bidder, Weekley Asphalt Paving, Inc. for the 3/4 inch milling and resurfacing in the amount of \$637,387.50 which includes a 10% owner's contingency in the amount of \$55,425 and a 5% permit allowance in the amount of \$27,712.50, and to approve to enter into an agreement with Weekley Asphalt Paving, Inc. and ISG Strategic Partners for the utilization of general road preservation, repair and maintenance items on an as needed basis.

FINANCIAL IMPACT DETAIL:

a) Initial Cost: \$637,387.50 (In addition, the miscellaneous repair and maintenance line items will be used on an as needed basis and as a result the needs may fluctuate, therefore an estimated annual cost has not been determined.)

b) Amount budgeted for this item in Account No: Funds are currently budgeted for this project in account # 100-541-6003-46164 - (R&M Resurfacing)

- c) Source of funding for difference, if not fully budgeted: Not Applicable.
- d) 5 year projection of the operational cost of the project: Not Applicable.
- e) Detail of additional staff requirements: Not Applicable.



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

WEEKLASP

| THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER. | | | | | | | | |
|--|-----------------------------------|--|---|---------------------------------------|--|--------------|--|--|
| IMPORTANT: If the certificate holder If SUBROGATION IS WAIVED, subject this certificate does not confer rights | to the te | rms and conditions of th | ie policy, certain p | olicies may | | | | |
| PRODUCER | | | CONTACT | , | | | | |
| Commercial Lines - (305) 443-4886 | | | NAME: Francys I PHONE (A/C, No, Ext): 786.78 | | FAX (A/C, No): 786 | 2649232 | | |
| USI Insurance Services National, Inc. | | | | s.tolon@usi.c | | | | |
| 2601 South Bayshore Drive, Suite 1600 | | | | | RDING COVERAGE | NAIC # | | |
| Coconut Grove, FL 33133 | | | | | ince Company | 24147 | | |
| INSURED | | | | can Guarante | e and Liability Insurance Com | 26247 | | |
| Weekley Asphalt Paving, Inc. | | | INSURER C: Allied | World Assura | nce Co (US) | 19489 | | |
| 20701 Stirling Road | | | INSURER D: AGCS | Marine Insur | ance Company | 22837 | | |
| | | | INSURER E : | | | | | |
| Pembroke Pines FL 33332 | | | INSURER F : | | | | | |
| | | E NUMBER: 13331848 | | | REVISION NUMBER: See | | | |
| THIS IS TO CERTIFY THAT THE POLICIES INDICATED. NOTWITHSTANDING ANY RI CERTIFICATE MAY BE ISSUED OR MAY EXCLUSIONS AND CONDITIONS OF SUCH | equireme Pertain, Policies. | NT, TERM OR CONDITION THE INSURANCE AFFORD LIMITS SHOWN MAY HAVE | OF ANY CONTRACT ED BY THE POLICIE BEEN REDUCED BY | OR OTHER S DESCRIBE PAID CLAIMS | DOCUMENT WITH RESPECT T D HEREIN IS SUBJECT TO AL | O WHICH THIS | | |
| INSR LTR TYPE OF INSURANCE | ADDL SUBR | POLICY NUMBER | POLICY EFF (MM/DD/YYYY) | POLICY EXP (MM/DD/YYYY) | LIMITS | | | |
| | X | MWZY 312426 | 03/01/2018 | 03/01/2019 | EACH OCCURRENCE \$ | 1,000,000 | | |
| CLAIMS-MADE X OCCUR | | | | | PREMISES (Ea occurrence) \$ | 500,000 | | |
| | | | | | MED EXP (Any one person) \$ PERSONAL & ADV INJURY \$ | 10,000 | | |
| GEN'L AGGREGATE LIMIT APPLIES PER: | | | | | GENERAL AGGREGATE \$ | 2,000,000 | | |
| POLICY X PRO- | | | | | PRODUCTS - COMP/OP AGG \$ | 2,000,000 | | |
| A AUTOMOBILE LIABILITY | | MWTB 312425 | 03/01/2018 | 03/01/2019 | COMBINED SINGLE LIMIT \$ | 1,000,000 | | |
| | | IVIVVID 312425 | 03/01/2018 | 03/01/2019 | BODILY INJURY (Per person) \$ | 1,000,000 | | |
| OWNED SCHEDULED | | | | | BODILY INJURY (Per accident) \$ | | | |
| AUTOS ONLY AUTOS HIRED NON-OWNED AUTOS ONLY AUTOS ONLY | | | | | PROPERTY DAMAGE \$ | | | |
| | | | | | \$ | | | |
| B X UMBRELLA LIAB X OCCUR | | AUC593410904 | 03/01/2018 | 03/01/2019 | EACH OCCURRENCE \$ | 5,000,000 | | |
| EXCESS LIAB CLAIMS-MADE | | | | | AGGREGATE \$ | 5,000,000 | | |
| DED RETENTION \$ | | | | | \$ | | | |
| A WORKERS COMPENSATION AND EMPLOYERS' LIABILITY | | MWC 312427 00 | 03/01/2018 | 03/01/2019 | X PER OTH- STATUTE ER | | | |
| AND EMPLOYERS LIABILITY Y/N ANYPROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBEREXCLUDED? | N/A | | | | E.L. EACH ACCIDENT \$ | 1,000,000 | | |
| (Mandatory in NH) | | | | | E.L. DISEASE - EA EMPLOYEE \$ | 1,000,000 | | |
| If yes, describe under DESCRIPTION OF OPERATIONS below | | 0040.0004 | 00/04/0047 | 00/04/0000 | E.L. DISEASE - POLICY LIMIT \$ | 1,000,000 | | |
| C Pollution Legal Liability | | 0310-8694 | 08/04/2017 | 08/04/2020 | \$1,000,000 Each Incident Limit | | | |
| DESCRIPTION OF OPERATIONS / LOCATIONS / VEHIC | |) 101 Additional Remarks Schoolu | le may be attached if mor | e snace is requir | ed) | | | |
| RE: IFB # PSEN-18-01 | | ron, Additional Kemarka Schedu | ie, may be attached if mor | e space is requi | | | | |
| | | | | | | | | |
| City of Pembroke Pines is listed as an add | itional insu | ared with respects to the ge | eneral liability covera | ge. | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| CERTIFICATE HOLDER | | | CANCELLATION | | | | | |
| | | | | | | | | |
| City of Pembroke Pines | | | | | ESCRIBED POLICIES BE CANC EREOF, NOTICE WILL BE | | | |
| 601 City Center Way | | | ACCORDANCE W | | | | | |
| Pembroke Pines, FL 33025 | | | | | | | | |
| | | | AUTHORIZED REPRESE | | | | | |
| | | | | Year | Brandon | | | |
| | | | 1 | / | | | | |

The ACORD name and logo are registered marks of ACORD © 1988-2015 ACORD CORPORATION. All rights reserved.

Client Code: WEEKLASP

ſ

SID: 13331848

| Certificate of Insurance | (Con't) |
|---------------------------------|---------|
|---------------------------------|---------|

| THE | R Coverage | | | | | | |
|------------|---------------------------|--------------|-------------|---------------|------------------------------|-------------------------------|--|
| NSR LTR | TYPE OF INSURANCE | ADDL INSR | WVD SUBR | POLICY NUMBER | EFFECTIVE DATE (MM/DD/YY) | EXPIRATION DATE (MM/DD/YY) | LIMIT |
| D | Leased & Rented Equipment | | | MXI93071287 | 03/01/2018 | 03/01/2019 | L&R Equipment \$200,000 Deduc \$5,000 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |



Asphalt Surface Treatment with High Density Mineral Bond for NW 178 Ave and NW 17 St including Repair Line Items

Invitation for Bids # PSEN-18-01

| General Information | | | | | | |
|----------------------------------|--|-----------------|--|--|--|--|
| Evaluation of Proposals | Staff | See Section 1.6 | | | | |
| Project Timeline | 28 days after NTP | See Section 1.7 | | | | |
| Mandatory Pre-Bid Meeting | April 18, 2018 at 10:00 a.m. City of | See Section 1.7 | | | | |
| | Pembroke Pines Public Services Building, | | | | | |
| | 8300 South Palm Drive, Pembroke Pines | | | | | |
| | Pembroke Pines, FL 33025 | | | | | |
| Question Due Date | April 23, 2018 | See Section 1.7 | | | | |
| Proposals will be accepted until | 2:00 p.m. on May 08, 2018 | See Section 1.7 | | | | |
| 5% Proposal Security / Bid Bond | Required in the event that the proposal | See Section 4.1 | | | | |
| | exceeds \$200,000 | | | | | |
| 110% Payment and Performance | Required in the event that the proposal | See Section 4.2 | | | | |
| Bonds | exceeds \$200,000 | | | | | |

THE CITY OF PEMBROKE PINES PURCHASING DIVISION 8300 S. Palm Drive PEMBROKE PINES, FLORIDA 33025 (954) 704-1259



Table of Contents

| SECTION | I 1 - INSTRUCTIONS | 5 |
|---------|---|------|
| 1.1 | NOTICE | 5 |
| 1.2 | PURPOSE | 5 |
| 1.3 | PRINCIPLE FEATURES OF THE WORK | 6 |
| 1.4 | ENGINEER'S ESTIMATE & PERMITS | 8 |
| 1.4.1 | PERMITS | 8 |
| 1.4.2 | PERMIT ALLOWANCE | 8 |
| 1.5 | PROPOSAL REQUIREMENTS | 9 |
| 1.5.1 | Attachment A: Proposal Form | 9 |
| 1.5.2 | Attachment B: Vendor Information Form and a W-9 | . 10 |
| 1.5.3 | Attachment C: Non-Collusive Affidavit | . 10 |
| 1.5.4 | Attachment D: Sworn Statement on Public Entity Crimes Form | . 10 |
| 1.5.5 | Attachment E: Local Vendor Preference Certification | . 10 |
| 1.5.6 | Attachment F: Veteran Owned Small Business Preference Certification | . 10 |
| 1.5.7 | Attachment G: Equal Benefits Certification Form | . 10 |
| 1.5.8 | Attachment H: Proposer's Completed Qualification Statement | . 10 |
| 1.5.9 | Attachment K: References Form | . 10 |
| 1.5.10 | Professional Licenses, Special Requirements and Business Tax Receipts | . 11 |
| 1.5.1 | Proposal Security (Bid Bond Form or Cashier's Check) | . 11 |
| 1.6 | EVALUATION OF PROPOSALS & PROCESS OF SELECTION | . 12 |
| 1.7 | TENTATIVE SCHEDULE OF EVENTS | . 12 |
| 1.8 | SUBMISSION REQUIREMENTS | . 12 |
| SECTION | 2 - INSURANCE REQUIREMENTS | . 14 |
| 2.1 | REQUIRED INSURANCE | . 15 |
| 2.2 | REQUIRED ENDORSEMENTS | . 17 |
| SECTION | 3 - GENERAL TERMS & CONDITIONS | . 18 |
| 3.1 | EXAMINATION OF CONTRACT DOCUMENTS | . 18 |
| 3.2 | CONFLICT OF INSTRUCTIONS | . 18 |
| 3.3 | ADDENDA or ADDENDUM | . 18 |
| 3.4 | INTERPRETATIONS AND QUESTIONS | . 18 |
| 3.5 | RULES, REGULATIONS, LAWS, ORDINANCES and LICENSES | . 18 |
| 3.6 | WARRANTIES FOR USAGE | . 19 |



| 3.7 | BRAND NAMES | |
|--------|--|----|
| 3.8 | QUALITY | |
| 3.9 | SAMPLES | |
| 3.10 | DEVELOPMENT COSTS | |
| 3.11 | PRICING | |
| 3.12 | DELIVERY POINT | 19 |
| 3.13 | TAX EXEMPT STATUS | 19 |
| 3.14 | CONTRACT TIME | 19 |
| 3.15 | COPYRIGHT OR PATENT RIGHTS | |
| 3.16 | PUBLIC ENTITY CRIMES | |
| 3.17 | CONFLICT OF INTEREST | |
| 3.18 | FACILITIES | |
| 3.29 | ENVIRONMENTAL REGULATIONS | |
| 3.20 | SIGNATURE REQUIRED | |
| 3.21 | MANUFACTURER'S CERTIFICATION | |
| 3.22 | MODIFICATION OR WITHDRAWAL OF PROPOSAL | |
| 3.23 | PUBLIC BID; BID OPENING AND GENERAL EXEMPTIONS | |
| 3.24 | RESERVATIONS FOR REJECTION AND AWARD | |
| 3.25 | BID PROTEST | |
| 3.26 | INDEMNIFICATION | |
| 3.27 | DEFAULT PROVISION | |
| 3.28 | ACCEPTANCE OF MATERIAL | |
| 3.29 | LOCAL GOVERNMENT PROMPT PAYMENT ACT | |
| SECTIO | N 4 - SPECIAL TERMS & CONDITIONS | |
| 4.1 | PROPOSAL SECURITY | |
| 4.2 | PAYMENT AND PERFORMANCE BONDS | |
| 4.3 | OWNER'S CONTINGENCY | |
| 4.4 | RELEASE OF LIEN | |



ATTACHMENTS

Attachment A: Proposal Form Attachment B: Vendor Information Form and a W-9 Attachment C: Non-Collusive Affidavit Attachment D: Sworn Statement on Public Entity Crimes Form Attachment E: Local Vendor Preference Certification Attachment F: Veteran Owned Small Business Preference Certification Attachment G: Equal Benefits Certification Form Attachment H: Proposers Qualifications Statement Attachment I: Sample Insurance Certificate Attachment J: Specimen Contract Attachment K: References Form Attachment L: Plans Attachment M: Standard Release of Lien Attachment N: Special License Requirements Attachment O: Florida Department of Transportation Asphalt Requirements Attachment P: High Density Mineral Bond (HDMB) Requirements



SECTION 1 - INSTRUCTIONS

1.1 NOTICE

Notice is hereby given that the City Commission of the City of Pembroke Pines is seeking sealed proposals for:

IFB # PSEN-18-01

Asphalt Surface Treatment with High Density Mineral Bond for NW 178 Ave and NW 17 St including Repair Line Items

Solicitations may be obtained from the City of Pembroke Pines website at <u>http://www.ppines.com/index.aspx?NID=667</u> and on the <u>www.BidSync.com</u> website.

If you have any problems downloading the solicitation, please contact the BidSync Support line at 1-800-990-9339.

If additional information help is needed with downloading the solicitation package please contact the Purchasing Office at (954) 704-1259 or by email at <u>purchasing@ppines.com</u>. The Purchasing Office hours are between 7:00 a.m. - 6:00 p.m. on Monday through Thursday and is located at 8300 South Palm Drive, Pembroke Pines, Florida 33025.

The City requires all questions relating to the solicitation be entered through the "Ask a Question" option tab available on the BidSync website. Responses to the questions will be provided online at www.bidsync.com. Such request must be received by the "Question Due Date" stated in the solicitation. The issuance of a response via BidSync is considered an Addendum and shall be the only official method whereby such an interpretation or clarification will be made.

Proposals will be accepted until 2:00 p.m., Tuesday, May 08, 2018. Proposals must be **submitted electronically at <u>www.BidSync.com</u>.** . The sealed electronic proposals will be publicly opened at 2:30 p.m. by the City Clerk's Office, in the City Hall Administration Building, 4th Floor Conference Room located at 601 City Center Way, Pembroke Pines, Florida, 33025.

Bid Security in the form of a bid bond or certified check made payable to the City of Pembroke Pines, in an amount of five percent (5%) of the bid amount will be required.

1.2 PURPOSE

The City of Pembroke Pines is seeking bids from qualified firms, hereinafter referred to as Contractor(s), to provide services for constructing mineral aggregate and asphalt binder surface treatment installed as a High Density Mineral Bond (HDMB) over NW 178 Ave and NW 17 St. NW 178 Ave and NW 17 St. Prior to application of HDMB the areas identified in the attached plans are to be repaired as indicated below. Included in this bid are general road preservation, repair and maintenance items. This is a list of items that the City may use on an as needed basis for miscellaneous roadway repairs. The quantities are only an estimate and are not a guarantee



that any or all of the items will be utilized. The price portion of the proposal will be based on the work required for NW 178th Ave and NW 17th St. only and not the items listed as being on an as needed basis. All thermoplastic pavement markings shall be replaced and or repaired unless they can be protected during construction and pass the BCTED final inspection. Crack sealing, if required, will be determined by field measurements and paid at the unit price.

<u>1.3 PRINCIPLE FEATURES OF THE WORK</u>

The following is being provided for information purposes only and <u>MUST BE VERIFIED BY</u> <u>THE BIDDER</u>. In case of a conflict the information shown on the plans (take-off from the drawings) shall supersede the information shown below.

- 1. Working hours are limited to Monday through Friday 7:00 a.m. To 6:00 p.m. Lane closures are limited to Monday through Friday between 9:00 a.m. and 4:00 p.m. and as noted on the plans. No work is permitted on Saturday or Sunday without the permission of the city engineer or his designee.
- 2. Contractor acknowledges that they have inspected the site and that contractor is familiar with existing site conditions.
- 3. Contractor is responsible for milling 1" asphalt from the roadways within the limits outlined on the areas to be repaired in the attached set of plans. Contractor shall install HDMB from edge of pavement to edge of pavement, including all intersections and turn lanes unless noted otherwise on the plans. The asphalt may vary in depth throughout the project limits. The Contractor is required to mill 1" of the asphalt from all areas outlined as needing repair unless the rock base is exposed. If the rock base is exposed the Contractor shall adjust the mill depth to a depth such that the rock base is no longer exposed.
- 4. All new asphalt is to be 1" Type SP-9.5. Contractor shall adhere to the Florida Department of Transportation Hot Mix Asphalt for Local Agencies Specifications Section 334 (Revision 2-27-10; FA 8-3-10), per Attachment O. High Density Mineral Bond (HDMB) shall adhere to specifications contained in Attachment P.
- 5. No milling or asphalt work is permitted on rain days. All milling and asphalt work must be completed by 4:00 p.m. Each day.
- 6. All Thermoplastic Markings installed on this project are required to meet Broward County Traffic Engineering Division Standards. A detail sheet is attached to the plans.
- 7. The Contractor is responsible for protecting, replacing, repairing, and/or restoring any driveways, mailboxes, sod, signs or other public and private property damaged as a result of the Contractor's work (e.g. milling, paving, striping operations, etc.).
- 8. Permanent asphalt is to be a single lift of SP-9.5 asphalt. The asphalt price must include mobilization, milling, installation, all materials, all labor, tack coat, prime coat for



exposed rock, asphalt preparation, and replacement of all existing traffic markings. A leveling course or additional asphalt will be required where the rock is exposed/gouged during the milling process – these services must be included in the total cost of the project. All exposed rock must be proof-rolled before it is paved.

- 9. Contractor is responsible for removing all grass from the edge of pavement prior to paving and application of HDMB.
- 10. Contractor must provide proper maintenance of traffic at all times per FDOT index series# 600. A flag person and an arrow board must be present on both ends of construction, and advanced warning signs must be provided per FDOT index series #600 when any work is being performed, lanes are being closed, or a detour is in place. The Contractor is required to submit and have approved by Broward County Traffic Engineering Division, and the City Engineer, maintenance of traffic (MOT) plan prior to starting work.
- 11. Contractor must provide access to all homes, schools, business, and parks at all times by residents and emergency response personnel. During HDMB application the approved MOT plan shall be followed.
- 12. Contractor must adjust all new asphalt at all driveways to be flush with the existing driveway, if needed
- 13. Contractor is to keep the priming and tacking equipment as close as possible to the asphalt machine to minimize the amount of exposed prime and/or tack coat. Contractor is responsible for cleaning/replacing all roads, markings, sidewalks or other property damaged by the tacking and/or priming operation.
- 14. Any asphalt areas, which are not straight and/or loose, will be removed and replaced at the Contractor's expense.
- 15. Contractor is to use extreme care not to damage pavers, concrete or decorative driveways adjacent to this project. Contractor shall repair any damage caused by this project.
- 16. Contractor is responsible for adjusting all manhole covers and water valves with ring risers after milling and prior to paving, if needed. Contractor must also seal risers with ramnek.
- 17. Contractor must clean all catch basins, manhole covers & valves and/or take precautions to keep basins, covers & valves free from asphalt. Contractor must install filter cloth in all catch basins within the work limits prior to starting the milling and paving operation, and remove the filter cloth after the paving operation is complete.
- 18. Contractor acknowledges that they have read the liquidated damage section of the contract (section 18.1.2 of the attached contract) and are aware of the \$500 per day in liquidated damages it will be assessed if it fails to complete the project on time, comply

with proper maintenance of traffic, or not following the plans with respect to the specifications and application for milling, asphalt operations, or the installation of temporary asphalt and/or markings before the end of each working day.

- 19. The Contractor further acknowledges that the City may hire an independent asphalt Contractor of its choice, to make temporary repairs to the roads in the event the Contractor fails to maintain paved access to the entrances to businesses, subdivisions, private driveways, and lift station driveways. Contractor agrees to pay for these repairs.
- 20. The Contractor is responsible for providing proper erosion control and for properly protecting all catch basins and drainage inlets.

<u>1.4 ENGINEER'S ESTIMATE & PERMITS</u>

The City's Engineer's estimate of project cost is approximately **\$175,000**, which does not include permit costs or contingency funds.

Please note the City will include a Permit Allowance for this project, **therefore proposers should not include permit costs in their total proposal price.** Obtaining any needed permits remains the sole responsibility of the Contractor.

In addition, work shall be completed within 120 days from issuance of CITY's Notice to Proceed.

1.4.1 PERMITS

The City anticipates this project to require the following permits:

| Permit | Agency | Estimated Cost (or related method of calculation) |
|-------------|---------------------------------------|---|
| Engineering | City of Pembroke Pines Engineering | 4.79567% of construction costs |

1.4.2 PERMIT ALLOWANCE

The City shall include a "Permit Allowance" for this project. The Contractor shall obtain all required permits to complete the work, however the City shall utilize the Permit Allowance to reimburse the contractor for the related permit, license, impact or inspection fees. Payments will be made to the contractor based on the actual cost of permits upon submission of paid permit receipts. The City shall not pay for other costs related to obtaining or securing permits.

The City shall determine the amount of the allowance at time of award. The allowance may be based on a specified percent of the proposed project amount and shall be



established for the specific project being performed under the contract. This dollar amount shall be shown on the specific project purchase order as a distinct item from the vendor's overall offer to determine the total potential dollar value of the contract. Any Permit Allowance funds that have not been utilized at the end of the project will remain with the City, if the City Permit fees exceed the allowance indicated, the City will reimburse the contractor the actual amount of City Permit Fees required for project completion.

1.5 PROPOSAL REQUIREMENTS

The following documents will need to be completed, scanned and submitted through <u>www.bidsync.com</u> as part of the bidder's submittal. The proposer interested in responding to this solicitation must provide the information requested below. Submittals that do not respond completely too all requirements specified herein may be considered non-responsive and eliminated from the process.

1.5.1 Attachment A: Proposal Form

- a. Attached is proposal form (Attachment A) where the vendor will complete the proposal checklist and enter their contact information. Proposal form shall be signed by the contact person authorized to represent the contractor. This form must be completed, scanned and submitted through <u>www.bidsync.com</u> as part of the bidder's submittal. The vendor must provide their pricing through the designated lines items listed on the BidSync website.
- b. Proposals must contain a manual signature of the authorized representative of the Proposer. Proposals shall contain an acknowledgment of receipt of all Addenda. The address and telephone number for communications regarding the Proposal must be shown.
- c. Proposals by corporations must be executed in the corporate name by the President or other corporate officer accompanied by evidence of authority to sign. The corporate address and state of incorporation must be shown below the signature.
- d. Proposals by partnerships must be executed in the partnership name and signed by a partner whose title must appear under the signature and the official address of the partnership must be shown below the signature.



1.5.2 Attachment B: Vendor Information Form and a W-9

a. In addition to the Vendor Information Form, please ensure that you provide the completed W-9 (Rev. December 2014), as previously dated versions of this form will delay the processing of any payments to the awarded vendor.

1.5.3 Attachment C: Non-Collusive Affidavit

1.5.4 Attachment D: Sworn Statement on Public Entity Crimes Form

1.5.5 Attachment E: Local Vendor Preference Certification

- a. If claiming Local Pembroke Pines Vendor Preference, business must attach a current business tax receipt from the City of Pembroke Pines
- b. If claiming Local Broward County Vendor Preference, business must attach a current business tax receipt from Broward County or the city within Broward County where the business resides.
- c. The Local Vendor Preference Certification form must be completed by/for the proposer; the proposer <u>WILL NOT</u> qualify for Local Vendor Preference based on their sub-contractors' qualifications.

1.5.6 Attachment F: Veteran Owned Small Business Preference Certification

- a. If claiming Veteran Owned Small Business Preference Certification, business must attach the "Determination Letter" from the United States Department of Veteran Affairs Center for Verification and Evaluation notifying the business that they have been approved as a Veteran Owned Small Business (VOSB).
- b. The Veteran Owned Small Business Preference Certification form must be completed by/for the proposer; the proposer <u>WILL NOT</u> qualify for Veteran Owned Small Business Preference based on their sub-contractors' qualifications.

1.5.7 Attachment G: Equal Benefits Certification Form

1.5.8 Attachment H: Proposer's Completed Qualification Statement

1.5.9 Attachment K: References Form

- a. Proposer must have completed 3 milling and resurfacing projects of the same type within the last two years.
- b. Complete **Attachment K: References Form**, for at least three other municipalities or contracts where similar services have been satisfactorily performed within the past two years. For each contract listed, include the name



and telephone number of a representative for whom the contract was undertaken who can verify satisfactory performance.

c. As part of the proposal evaluation process, the City may conduct an investigation of references, including a record check or consumer affairs complaints. Proposers' submission of a proposal constitutes acknowledgment of the process and consent to investigate. The City is the sole judge in determining Proposers qualifications.

1.5.10 Professional Licenses, Special Requirements and Business Tax Receipts

- a. Submit a copy of the certification of qualification in Hot Plant mixed Bitum and flexible paving.
- b. Submit a certificate of competency from Broward County for your Striping subcontractor in the area of striping, marking and signage of major roads to include pavements (3F or approved equal). Note the striper can be changed at any time provided a copy of the certificate of competency is submitted to the Environmental Services Division.
- c. Copies of any other necessary city, county, and state professional licenses and business tax receipts.

1.5.11 Proposal Security (Bid Bond Form or Cashier's Check)

- a. Each Proposal must be accompanied by a certified or cashier's check or by a Bid Bond made payable to the City of Pembroke Pines on an approved form, duly executed by the Proposer as principal and having as surety thereon a surety company acceptable to CITY and authorized to write such Bond under the laws of the State of Florida, in an amount not less than five percent (5%) of the amount of the base Proposal price.
- b. Contingency is not to be counted in the total amount the proposal security is based on.
- c. Proposers must submit a scanned copy of their bid security (bid bond form or cashier's check) with their bid submittal through BidSync.
- d. Proposers must also submit their original bid security (bid bond form or cashier's check) at time of the bid due date, or they may be deemed as non-responsive.
- e. The original Bid Bond or Cashier's Check should be in a sealed envelope, plainly marked "BID SECURITY IFB # PSEN-18-01 Road Repair and Resurfacing Plan for NW 178 Ave and NW 17 St" and sent to the City of Pembroke Pines, City Clerk's Office, 5th Floor, 10100 Pines Boulevard, Pembroke Pines, FL 33026.



1.6 EVALUATION OF PROPOSALS & PROCESS OF SELECTION

- A. Staff will evaluate all responsive proposals received from proposers who meet or exceed the bid requirements contained in the IFB. Evaluations shall be based upon the information contained in the proposals as submitted.
- B. Staff will make a recommendation to the City Commission for award of contract.

<u>1.7 TENTATIVE SCHEDULE OF EVENTS</u>

| Event | Time &/or Date |
|---|---|
| Issuance of Solicitation (Posting Date) | April 12, 2018 |
| Mandatory Pre-Bid Meeting | 10:00 a.m. on April 18, 2018 |
| Question Due Date | April 23, 2018 |
| Anticipated Date of Issuance for the Addenda with | April 26, 2018 |
| Questions and Answers | |
| Proposals will be accepted until | 2:00 p.m. on May 08, 2018 |
| Proposals will be opened at | 2:30 p.m. on May 08, 2018 |
| Evaluation of Proposals by Staff | TBD |
| Commission Award | TBD |
| Notice to Proceed | 7 days after Commission Award |
| Construction Commencement | 28 days after NTP |
| Substantial Construction Completion | 60 days after Construction Commencement |
| Final Completion | 90 days after Construction Commencement |

<u>1.8 SUBMISSION REQUIREMENTS</u>

There will be a **Mandatory** scheduled pre-bid meeting on **April 18, 2018 at 10:00 a.m.** Meeting location will be at the **City of Pembroke Pines Public Services Building, 8300 South Palm Drive, Pembroke Pines, FL, Pembroke Pines, FL 33025.**

All vendors will be required to complete **Attachment L ''Mandatory Pre-Bid Meeting Form''** at the meeting and submit it as part of their proposal to show proof of attendance to the mandatory meeting.

Please note vendors should be registered on BidSync under the name of the organization that they are operating as and it should match the organization name on the documents that they are submitting and utilizing when responding to the solicitation.



The vendor must provide the necessary information on the BidSync website and upload all of the requested documents listed in the **PROPOSAL REQUIREMENTS** section of this solicitation.

Unless otherwise specified, the City requests for vendors to upload their documents as one (1) PDF document in the order that is outline in the bid package.

The City recommends for proposers to submit their proposals as soon as they are ready to do so. Please allow ample time to submit your proposals on the BidSync website. Proposals may be modified or withdrawn prior to the deadline for submitting Proposals. BidSync Support is happy to help you with submitting your proposal and to ensure that you are submitting your proposals correctly, but we ask that you contact their support line at 1-800-990-9339 with ample time before the bid closing date and time.

PLEASE DO NOT SUBMIT ANY PROPOSALS VIA MAIL, E-MAIL OR FAX.

However please note that the original Bid Bond or Cashier's Check should be in a sealed envelope, plainly marked **"BID SECURITY - IFB # PSEN-18-01 - Road Repair and Resurfacing Plan for NW 178 Ave and NW 17 St"** and sent to the City of Pembroke Pines, City Clerk's Office, City Hall Administration Building 601 City Center Way, Pembroke Pines, Florida, 33025..



SECTION 2 - INSURANCE REQUIREMENTS

The CONTRACTOR shall indemnify and hold harmless the CITY and its officers, employees, agents and instrumentalities from any and all liability, losses or damages, including attorneys' fees and costs of defense, which the CITY or its officers, employees, agents or instrumentalities may incur as a result of claims, demands, suits, causes of actions or proceedings of any kind or nature arising out of, relating to or resulting from the performance of this Agreement by the CONTRACTOR or its employees, agents, servants, partners principals or subcontractors. The CONTRACTOR shall pay all claims and losses in connection therewith and shall investigate and defend all claims, suits or actions of any kind or nature in the name of the CITY, where applicable, including appellate proceedings, and shall pay all costs, judgments, and attorney's fees which may issue thereon. The CONTRACTOR expressly understands and agrees that any insurance protection required by this Agreement or otherwise provided by the CONTRACTOR shall in no way limit the responsibility to indemnify, keep and save harmless and defend the CITY or its officers, employees, agents and instrumentalities as herein provided.

CONTRACTOR shall not commence work under this Agreement until it has obtained all insurance required under this paragraph and such insurance has been approved by the Risk Manager of the CITY nor shall the CONTRACTOR allow any subcontractor to commence work on his subcontract until all similar such insurance required of the subcontractor has been obtained and similarly approved.

CERTIFICATES OF INSURANCE, reflecting evidence of the required insurance, shall be filed with the City's Risk Manager prior to the commencement of this Agreement. Policies shall be issued by companies authorized to do business under the laws of the State of Florida. The insurance company shall be rated no less than "A" as to management, and no less than "Class VI" as to financial strength according to the latest edition of Best's Insurance Guide published by A.M. Best Company.

Policies shall be endorsed to provide the CITY thirty (30) days notice of cancellation, material change or non-renewal of policies required under the contract. If the carrier will not agree to this notification, the CONTRACTOR or its insurance broker shall notify the CITY of any cancellation or reduction in coverage within seven days of receipt of insurer's notification of cancellation or reduction in coverage.

Insurance shall be in force until all obligations required to be fulfilled under the terms of the Agreement are satisfactorily completed as evidenced by the formal acceptance by the CITY. In the event the insurance certificate provided indicates that the insurance shall terminate and lapse during the period of this Agreement, then in that event, the CONTRACTOR shall furnish, at least fifteen (15) days prior to the expiration of the date of such insurance, a renewed certificate of insurance as proof that equal and like coverage for the balance of the period of the Agreement and extension thereunder is in effect. The CONTRACTOR shall not commence nor continue to provide any services pursuant to this Agreement unless all required insurance remains in full force and effect. CONTRACTOR shall be liable to CITY for any lapses in service resulting from a gap in insurance coverage.

The insurance requirements specified in this Agreement are minimum requirements and in no way reduce any liability the CONTRACTOR has assumed in the indemnification/hold harmless section(s) of this Agreement.



2.1 REQUIRED INSURANCE

- A. COMMERCIAL GENERAL LIABILITY INSURANCE including, but not limited to: coverage for premises & operations, personal & advertising injury, products & completed operations, Liability assumed under an Insured Contract (including tort liability of another assumed in a business contract), and independent contractors. Coverage must be written on an occurrence basis, with limits of liability no less than:
 - 1. Each Occurrence Limit \$1,000,000
 - 2. Fire Damage Limit (Damage to rented premises) \$100,000
 - 3. Personal & Advertising Injury Limit \$1,000,000
 - 4. General Aggregate Limit \$2,000,000
 - 5. Products & Completed Operations Aggregate Limit \$2,000,000 (mostly for construction or equipment sold to the CITY)

Products & Completed Operations Coverage shall be maintained for two (2) years after the final payment under this contract. (Increase to 10 years for construction projects) (For construction projects also include: Designated Construction Project(s) General Aggregate Limit)

The City of Pembroke Pines must be shown as an additional insured with respect to this coverage. City's Additional Insured status shall extend to any coverage beyond the minimum requirements for limits of liability found herein.

- B. WORKERS' COMPENSATION AND EMPLOYERS LIABILITY INSURANCE covering all employees, and/or volunteers of the CONTRACTOR engaged in the performance of the scope of work associated with this Agreement. In the case any work is sublet, the CONTRACTOR shall require the subcontractors similarly to provide Workers Compensation Insurance for all the latter's employees unless such employees are covered by the protection afforded by the CONTRACTOR. Coverage for the CONTRACTOR and his subcontractors shall be in accordance with applicable state and/or federal laws that may apply to Workers' Compensation Insurance with limits of liability no less than:
 - 1. Workers' Compensation : Coverage A Statutory
 - 2. Employers Liability: Coverage B \$500,000 Each Accident

\$500,000 Disease – Policy Limit \$500,000 Disease – Each Employee

If CONTRACTOR claims to be exempt from this requirement, CONTRACTOR shall provide CITY proof of such exemption along with a written request for CITY to exempt CONTRACTOR, written on CONTRACTOR letterhead.

Coverage shall be included for injuries or claims under the USL&H or Jones Act, when applicable.

C. AUTO LIABILITY INSURANCE covering all owned, leased, hired, non-owned and employee non-owned vehicles used in connection with the performance of work under this Agreement, with a combined single limit of liability for bodily injury and property damage no less than:



- 1. Any Auto (Symbol 1) Combined Single Limit (Each Accident) - \$1,000,000
- Hired Autos (Symbol 8) Combined Single Limit (Each Accident) - \$1,000,000
- Non-Owned Autos (Symbol 9) Combined Single Limit (Each Accident) - \$1,000,000

If work under this Agreement includes transportation of hazardous materials, policy shall include pollution liability coverage equivalent to that provided by ISO pollution liabilitybroadened coverage for auto endorsement CA9948 and the Motor Carrier Act endorsement MCS90.

- D. PROFESSIONAL LIABILITY/ERRORS & OMISSIONS INSURANCE, when applicable, with a limit of liability no less than \$1,000,000 per wrongful act. This coverage shall be maintained for a period of no less than three (3) years after final payment of the contract. (Increase to 10 years for construction projects)
- E. ENVIRONMENTAL/POLLUTION LIABILITLY shall be required with a limit of no less than \$1,000,000 per wrongful act whenever work under this Agreement involves potential losses caused by pollution conditions. Coverage shall include: Contractor's completed operations as well as sudden and gradual pollution conditions. If coverage is written on a claims-made basis, coverage shall be maintained for a period of no less than three (3) years after final payment of the contract. The City of Pembroke Pines must be shown as an additional insured with respect to this coverage. Furthermore, the CITY'S Additional Insured status shall extend to any coverage beyond the minimum requirements for limits of liability found herein.
- F. CYBER LIABILITY including Network Security and Privacy Liability when applicable, with a limit of liability no less than \$1,000,000 per loss. Coverage shall include liability arising from: theft, dissemination and/or use of confidential information stored or transmitted in electronic form, unauthorized access to, use of, or tampering with computer systems, including hacker attacks or inability of an authorized third party to gain access to your services, including denial of service, and the introduction of a computer virus into, or otherwise causing damage to, a customer's or third person's computer, computer system, network, or similar computer-related property and the data, software and programs thereon. This coverage shall be maintained for a period of no less than three (3) years after final payment of the contract. The City of Pembroke Pines must be shown as an additional insured with respect to this coverage. Furthermore, the CITY'S Additional Insured status shall extend to any coverage beyond the minimum requirements for limits of liability found herein.
- **G. CRIME COVERAGE** when applicable, shall include employee dishonesty, forgery or alteration, and computer fraud in an amount of no less than \$1,000,000 per loss. If Contractor is physically located on the City's premises, a third-party fidelity coverage extension shall apply.
- H. BUILDER'S RISK INSURANCE shall be "All Risk" for one hundred percent (100%) of the completed value of the project with a deductible of not more than five percent (5%) for Named Windstorm and \$20,000 per claim for all other perils. The Builder's Risk Insurance



shall include interests of the CITY, the CONTRACTOR and subcontractors of the project. The CONTRACTOR shall include a separate line item for all costs associated with the Builder's Risk Insurance Coverage for the project. The CITY reserves the right at its sole discretion to utilize the CONTRACTOR'S Builder's Risk Insurance or for the CITY to purchase its own Builder's Risk Insurance for the Project. Prior to the CONTRACTOR purchasing the Builder's Risk insurance for the project, the CONTRACTOR shall allow the CITY the opportunity to analyze the CONTRACTOR'S coverage and determine who shall purchase the coverage. Should the CITY utilize the CONTRACTOR'S Builder's Risk Insurance, the CONTRACTOR shall be responsible for all deductibles. If the CITY chooses to purchase the Builder's Risk Coverage on the project, the CONTRACTOR shall provide the CITY with a change order deduct for all premiums and costs associated with the Builder's Risk Insurance in their schedule. Should the CITY choose to utilize the CITY's Builder's Risk Program, the CITY shall be responsible for the Named Windstorm Deductible and the CONTRACTOR shall be responsible for the All Other Perils Deductible.

I. SEXUAL ABUSE may not be excluded from any policy for Agreements involving any interaction with minors or seniors.

2.2 REQUIRED ENDORSEMENTS

- 1. The City of Pembroke Pines shall be named as an Additional Insured on each of the General Liability polices required herein
- 2. Waiver of all Rights of Subrogation against the CITY
- 3. 30 Day Notice of Cancellation or Non-Renewal to the CITY
- 4. CONTRACTORs' policies shall be Primary & Non-Contributory
- 5. All policies shall contain a "severability of interest" or "cross liability" liability clause without obligation for premium payment of the CITY
- 6. The City of Pembroke Pines shall be named as a Loss Payee on all Property and/or Inland Marine Policies as their interest may appear.

CONTRACTOR shall name the CITY, as an additional insured on each of the General Liability policies required herein and shall hold the CITY, its agents, officers and employees harmless on account of claims for damages to persons, property or premises arising out of the services provided hereunder. Any insurance required of the CONTRACTOR pursuant to this Agreement must also be required by any subcontractor in the same limits and with all requirements as provided herein, including naming the CITY as an additional insured, in any work is subcontracted unless such subcontractor is covered by the protection afforded by the CONTRACTOR and provided proof of such coverage is provided to CITY. The CONTRACTOR and any subcontractors shall maintain such policies during the term of this Agreement.

The CITY reserves the right to require any other additional types of insurance coverage and/or higher limits of liability it deems necessary based on the nature of work being performed under this Contract.

SECTION 3 - GENERAL TERMS & CONDITIONS

3.1 EXAMINATION OF CONTRACT DOCUMENTS

Before submitting a Proposal, each Proposer should (a) consider federal, state and local laws, ordinances, rules and regulations that may in any manner affect cost or performance of the work, (b) study and carefully correlate the Proposer's observations with the Proposal Documents; and (c) notify the Purchasing Manager of all conflicts, errors and discrepancies, if any, in the Proposal Documents.

The Proposer, by and through the submission of a Proposal, agrees that Proposer shall be held responsible for having familiarized themselves with the nature and extent of the work and any local conditions that may affect the work to be done and the services, equipment, materials, parts and labor required.

3.2 CONFLICT OF INSTRUCTIONS

If a conflict exists between the General Conditions and Instructions stated herein and specific conditions and instructions contained in specifications, the specifications shall govern.

3.3 ADDENDA or ADDENDUM

A formal solicitation may require an Addendum to be issued. An addendum in some way may clarify, correct or change the original solicitation (i.e. due date/time, specifications, terms, conditions, line item). Vendors submitting a proposal should check the BidSync website for any addenda issued. Vendors are cautioned not to consider verbal modifications to the solicitation, as the addendum issued through BidSync will be the only official method whereby changes will be made.

3.4 INTERPRETATIONS AND QUESTIONS

If the Proposer is in doubt as to the meaning of any of the Proposal Documents, is of the opinion Conditions that the and Specifications contain errors or contradictions or reflect omissions, or has any question concerning the conditions and specifications, the Proposer shall submit a question for interpretation or clarification. The City requires all questions relating to the solicitation be entered through the "Ask a Question" option tab available on the BidSync website. Responses to the questions will be provided online at www.bidsync.com. Such request must be received by the "Question Due Date" stated in the solicitation. Questions received after "Question Due Date" shall not be answered. Interpretations or clarifications in response to such questions will be issued via BidSync. The issuance of a response via BidSync is considered an Addendum and shall be the only official method whereby such an interpretation or clarification will be made.

BidSync Support is also available to assist proposers with submitting their proposal and to ensure that proposers are submitting their proposals correctly. Proposers should ensure that they contact they BidSync support line at 1-800-990-9339 with ample time before the bid closing date and time.

For all other questions related to this solicitation, please contact the, Purchasing Manager, Christina Sorensen, at purchasing@ppines.com.

3.5 RULES, REGULATIONS, LAWS, ORDINANCES and LICENSES

The awarded contractor shall observe and obey all laws, ordinances, rules, and regulations of the federal, state, and CITY, which may be applicable to the service being provided. The awarded firm shall have or be responsible for obtaining all necessary permits or licenses required, if necessary, in order to provide this service.



Bidder warrants by submittal that prices quoted here are in conformity with the latest federal price guidelines, if any.

3.6 WARRANTIES FOR USAGE

Whenever a bid is sought, seeking a source of supply for a specified time for materials or service, the quantities or usage shown are estimated only. No guarantee or warranty is given or implied by the City as to the total amount that may or may not be purchased from any resulting contracts. These quantities are for bidders information only and will be used for tabulation and presentation of bid.

3.7 BRAND NAMES

If and wherever in the specifications a brand name, make, name of manufacturer, trade name, or vendor catalog number is mentioned, it is for the purpose of establishing a grade or quality of material only. Since the City does not wish to rule out other competition and equal brands or makes, the phrase "OR EQUAL" is added. However, if a product other than that specified is bid, Bidders shall indicate on their proposal and clearly state the proposed substitution and deviation. It is the vendor's responsibility to provide any necessary documentation and samples within their bid submittal to prove that the product is equal to that specified. Such samples are to be furnished before the date of bid opening. unless otherwise specified. Additional evidence in the form of documentation and samples may be requested if the proposed brand is other than that specified. The City retains the right to determine if the proposed brand shall be considered as an approved equivalent or not.

3.8 QUALITY

All materials used for the manufacture or construction of any supplies, materials, or equipment covered by this bid shall be new, the latest model, of the best quality, and highest grade workmanship, unless otherwise noted.

3.9 SAMPLES

Samples, when requested, must be furnished before, or at the bid opening, unless otherwise specified, and delivered free of expense to the City and if not used in testing or destroyed, will upon request within thirty (30) days of bid award be returned at the bidders expense.

3.10 DEVELOPMENT COSTS

Neither the City nor its representatives shall be liable for any expenses incurred in connection with the preparation, submission or presentation of a Bid in response to this Invitation for Bid. All information in the Bid shall be provided at no cost to the City.

3.11 PRICING

Prices should be stated in units of quantity specified in the bidding specifications. In case of discrepancy in computing the amount of the bid, the unit prices quoted will govern.

Bidder warrants by virtue of bidding that prices, terms, and conditions quoted in his bid will be firm for acceptance for a period of ninety (90) days from date of bid opening unless otherwise stated by the City or bidder.

3.12 DELIVERY POINT

All items shall be delivered F.O.B. destination, and delivery cost and charges included in the bid price. Failure to do so may be cause for rejection of bid.

3.13 TAX EXEMPT STATUS

The City is exempt from Florida Sales and Federal Excise taxes on direct purchase of tangible property.

3.14 CONTRACT TIME

By virtue of the submission of the Proposal, Proposer agrees and fully understands that



the completion time of the work of the Contract is an essential and material condition of the Contract and that <u>time is of</u> <u>the essence</u>. The Successful Proposer agrees that all work shall be prosecuted regularly, diligently and uninterrupted at such rate of progress as will ensure full completion thereof within the time specified. Failure to complete the work within the time period specified shall be considered a default.

In addition, time will be of the essence for any orders placed as a result of this bid. Purchaser reserves the right to cancel such orders, or part thereof, without obligation if delivery is not made at the time(s) or place(s) specified.

3.15 COPYRIGHT OR PATENT RIGHTS

Bidder warrants that there have been no violations of copyrights or patent rights in manufacturing, producing, or selling other goods shipped or ordered as a result of this bid, and seller agrees to hold the purchaser harmless from any and all liability, loss or expense occasioned by such violation.

3.16 PUBLIC ENTITY CRIMES

"A person or affiliate who has been placed on the convicted vendor list following a conviction for a public entity crime may not submit a bid on a contract to provide any goods or services to a public entity, may not submit a bid on a contract with a public entity for the construction or repair of a public building or public work, may not submit bids on leases of real property to a public entity, may not be awarded or perform work as a supplier, subcontractor, or contractor. consultant under a contract with any public entity, and may not transact business with any public entity in excess of the threshold amount provided in Section 287.017, for CATEGORY TWO for a period of 36 months from the date of being placed on the convicted vendor list."

The Public Entity Crime Affidavit Form, attached to this solicitation, includes

documentation that shall be executed by an individual authorized to bind the Proposer. The Proposer further understands and accepts that any contract issued as a result of this solicitation shall be either voidable or subject to immediate termination by the City. In the event there is any misrepresentation or lack of compliance with the mandates of Section 287.133 or Section 287.134, respectively, Florida Statutes. The City in the event in such termination, shall not incur any liability to the Bidder for any goods, services or materials furnished.

3.17 CONFLICT OF INTEREST

The award of any contract hereunder is subject to the provisions of Chapter 112, Florida Statutes. Proposers must disclose with their Proposal the name of any officer, director, partner, proprietor, associate or agent who is also an officer or employee of CITY or any of its agencies. Further, all Proposers must disclose the name of any officer or employee of CITY who owns, directly or indirectly, an interest of five percent (5%) or more in the Proposer's firm or any of its branches or affiliate companies.

3.18 FACILITIES

The City reserves the right to inspect the Bidder's facilities at any time with prior notice.

3.29 ENVIRONMENTAL REGULATIONS

CITY reserves the right to consider Proposer's history of citations and/or violations of environmental regulations in determining a Proposer's responsibility, and further reserves the right to declare a Proposer not responsible if the history of violations warrant such determination. Proposer shall submit with the Proposal, a complete history of all citations and/or violations, notices and dispositions thereof. non-submission The of anv such documentation shall be deemed to be an affirmation by the Proposer that there are no citations or violations. Proposer shall notify



CITY immediately of notice of any citation or violation that Proposer may receive after the Proposal opening date and during the time of performance of any contract awarded to Proposers.

3.20 SIGNATURE REQUIRED

All proposals must be signed with the firm name and by an officer or employee having authority to bind the company or firm by his signature. FAILURE TO PROPERLY SIGN PROPOSAL SHALL INVALIDATE SAME, AND IT MAY NOT BE CONSIDERED FOR AWARD.

The individual executing this Bid on behalf of the Company warrant to the City that the Company is authorized to do business in the State of Florida, is in good standing and that Company possesses all of the required licenses and certificates of competency required by the State of Florida and Broward County to provide the goods or perform the services herein described.

The signed bid shall be considered an offer on the part of the bidder or contractor, which offer shall be deemed accepted upon approval by the City Commission of the City of Pembroke Pines and in case of default on the part of the bidder or contractor after such acceptance, the City of Pembroke Pines may take such action as it deems appropriate including legal action for damages or specific performance.

3.21 MANUFACTURER'S CERTIFICATION

The City of Pembroke Pines reserves the right to request from bidder separate manufacturer certification of all statements made in the proposal.

3.22 MODIFICATION OR WITHDRAWAL OF PROPOSAL

The City recommends for proposers to submit their proposals as soon as they are ready to do so. Please allow ample time to submit your proposals on the BidSync website. Proposals may be modified or withdrawn prior to the deadline for submitting Proposals.

3.23 PUBLIC BID; BID OPENING AND GENERAL EXEMPTIONS

All submittals received by the deadline will be recorded, and will subsequently be publicly opened on the same business day at 2:30 p.m. at the office of the City Clerk, 10100 Pines Boulevard, Pembroke Pines, FL.

All Proposals received from Proposers in response to the solicitation will become the property of CITY and will not be returned to the Proposers. In the event of Contract award, all documentation produced as part of the Contract shall become the exclusive property of CITY. Proposers are requested to identify specifically any information contained in their Proposals which they consider confidential and/or proprietary and which they believe to be exempt from disclosure, citing specifically the applicable exempting law.

Pursuant to Section 119.071 of the Florida Statutes, sealed bids, proposals, or replies received by a Florida public agency shall remain exempt from disclosure until an intended decision is announced or until 30 days from the opening, whichever is earlier.

Therefore, bidders will not be able to procure a copy of their competitor's bids until an intended decision is reached or 30 days has elapsed since the time of the bid opening.

However, pursuant to Section 255.0518 of the Florida Statutes, when opening sealed bids that are received pursuant to a competitive solicitation for **construction or repairs on a public building or public work**, the entity shall:

- (a) Open the sealed bids at a public meeting.
- (b) Announce at that meeting the name of each bidder and the price submitted in the bid.



(c) Make available upon request the name of each bidder and the price submitted in the bid.

For solicitations that are **not** for "construction or repairs on a public building or public work" the City shall not reveal the prices submitted in the bids until an intended decision is announced or until 30 days from the opening, whichever is earlier.

3.24 RESERVATIONS FOR REJECTION AND AWARD

The City of Pembroke Pines reserves the right to accept or reject any and all bids or parts of bids, to waive irregularities and technicalities, and to request rebids. The City also reserves the right to award a contract on such items(s) or service(s) the City deems will best serve its interests. All bids shall be awarded to the most responsive/responsible bidder, provided the (City) may for good cause reject any bid or part thereof. It further reserves the right to award a contract on a split order basis, or such combinations as shall best serve the interests of the City unless otherwise No premiums, rebates or specified. gratuities permitted, either with, prior to, or after award. This practice shall result in the cancellation of said award and/or return of items (as applicable) and the recommended removal of bidder from bid list(s).

3.25 BID PROTEST

Any protests or challenges to this competitive procurement shall be governed by Section 35.38 of the City's Code of Ordinances.

3.26 INDEMNIFICATION

The Successful Proposer shall pay all claims, losses, liens, settlements or judgments of any nature whatsoever in connection with the subsequent indemnifications including, but not limited to, attorney's fees reasonable (including appellate attorney's fees) and costs.

CITY reserves the right to select its own legal counsel to conduct any defense in any such proceeding and all costs and fees associated therewith shall be the responsibility of Successful Proposer under the indemnification agreement. Nothing contained herein is intended nor shall it be construed to waive Citv's rights and immunities under the common law or Florida Statute 768.28 as amended from time to time.

Additional indemnification requirements may be included under Special Terms and Conditions and/or as part of a specimen contract included in the solicitation package.

General Indemnification: To the fullest extent permitted by laws and regulations, Successful Proposer shall indemnify, defend, save and hold harmless the CITY, its officers, agents and employees, harmless from any and all claims, damages, losses, liabilities and expenses, direct, indirect or consequential arising out of or in consequential arising out of or alleged to have arisen out of or in consequence of the products, goods or services furnished by or operations of the Successful Proposer or his subcontractors, agents, officers, employees or independent contractors pursuant to or in the performance of the Contract.

Patent and Copyright Indemnification:

Successful Proposer agrees to indemnify, defend, save and hold harmless the CITY, its officers, agents and employees, from all claims, damages, losses, liabilities and expenses arising out of any alleged infringement of copyrights, patent rights and/or the unauthorized or unlicensed use of any invention, process, material, property or other work manufactured or used in connection with the performance of the Contract, including its use by CITY.

3.27 DEFAULT PROVISION

In the case of default by the bidder or contractor, the City of Pembroke Pines may procure the articles or services from any



other sources and hold the bidder or contractor responsible for any excess costs occasioned or incurred thereby.

The City shall be the sole judge of nonperformance, which shall include any failure on the part of the successful Bidder to accept the Award, to furnish required documents, and/or to fulfill any portion of the contract within the time stipulated. Upon default by the successful Bidder to meet any terms of this agreement, the City will notify the Bidder five (5) days (weekends and holidays excluded) to remedy the default. Failure on the Contractor's part to correct the default within the required five (5) days shall result in the contract being terminated and upon the City notifying in writing the Contractor of its intentions and the effective date of the termination. The following shall constitute default:

A. Failure to perform the Work required under the contract and/or within the time required or failing to use the subcontractor, entities and personnel as identified and set forth, and to the degree specified in the contract.

B. Failure to begin the Work under this Bid within the time specified.

C. Failure to perform the Work with sufficient Workers and equipment or with sufficient materials to ensure timely completion.

D. Neglecting or refusing to remove materials or perform new Work where prior Work has been rejected as non-conforming with the terms of the contract.

E. Becoming insolvent, being declared bankrupt, or committing act of bankruptcy or insolvency, or making an assignment renders the successful Bidder incapable of performing the Work in accordance with and as required by the contract.

F. Failure to comply with any of the terms of the contract in any material respect.

In the event of default of a contract, the successful Bidder shall pay all attorney's fees and court costs incurred in collecting any damages. The successful Bidder shall pay the City for any and all costs incurred in ensuing the completion of the project.

Additional provisions may be included in the specimen contract.

3.28 ACCEPTANCE OF MATERIAL

The material delivered under this proposal shall remain the property of the seller until a physical inspection and actual usage of this material and/or services is made and thereafter accepted to the satisfaction of the City and must comply with the terms herein, and be fully in accord with specifications and of the highest quality. In the event the material and/or services supplied to the City are found to be defective or do not conform to specifications, the City reserves the right to cancel the order upon written notice to the seller and return product to seller at the sellers expense.

3.29 LOCAL GOVERNMENT PROMPT PAYMENT ACT

The City complies with Florida Statute 218.70, Florida Prompt Payment Act.



SECTION 4 - SPECIAL TERMS & CONDITIONS

4.1 PROPOSAL SECURITY

Proposal Security Requirements: Each Proposal must be accompanied by a certified or cashier's check or by a Bid Bond made payable to the City of Pembroke Pines on an approved form, duly executed by the Proposer as principal and having as surety thereon a surety company acceptable to CITY and authorized to write such Bond under the laws of the State of Florida, in an amount not less than five percent (5%) of the amount of the base Proposal price. **Note: Contingency is not to be counted in the total amount the proposal security is based on.**

Proposers must submit a scanned copy of their bid security (bid bond form or cashier's check) with their bid submittal through BidSync. Proposers must also submit their original bid security (bid bond form or cashier's check) at time of the bid due date, or they may be deemed as non-responsive. The original Bid Bond or Cashier's Check should be in a sealed envelope, plainly marked "BID SECURITY - IFB # PSEN-15-02 - 2015-16 Road Resurfacing Plan Phase 1" and sent to the:

> City of Pembroke Pines, City Clerk's Office, 5th Floor, 10100 Pines Boulevard, Pembroke Pines, FL 33026.

Successful Proposer: The Proposal Security of the Successful Proposer will be retained until such Proposer has executed the Contract and furnished the required insurance, payment and performance bonds, whereupon the Proposal Security will be returned. If the Successful Proposer fails to execute and deliver the Contract and furnish the required insurance and bonds within fifteen (15) calendar days of the Notice of Award, CITY may annul the Notice of Award and the entire sum of the Proposal Security shall be forfeited.

Three Lowest Proposers: The Proposal Security of the three (3) lowest Proposers will be returned within seven (7) calendar days after CITY and the Successful Proposer have executed the written Contract or if no such written Contract is executed within ninety (90) calendar days after the date of the Proposal opening, upon the demand of any Proposer at any time thereafter, provided that he has not been notified of the acceptance of his Proposal.

All Other Proposers: Proposal Security of all other Proposer will be returned within seven (7) calendar days after the proposal opening. The agent or attorney in fact or other officer who signs a Bid Bond for a surety company must file with such bond a certified copy of his power of attorney authorizing him to do so.

4.2 PAYMENT AND PERFORMANCE BONDS

Within fifteen (15) calendar days after Notice of Award and in any event prior to commencing work, the Contractor shall execute and furnish to City a performance bond and a payment bond, each written by a corporate surety, having a resident agent in the State of Florida and having been in business with a record of successful continuous operation for at least five (5) The surety shall hold a current vears. certificate of authority from the Secretary of Treasury of the United States as an acceptable surety on federal bonds in accordance with United States Department of Treasury Circular No. 570. If the amount of the Bond exceeds the underwriting limitation set forth in the circular, in order to qualify, the net retention of the surety company shall not exceed the underwriting limitation in the circular and the excess risks be protected by coinsurance. must reinsurance, other methods. or in accordance with Treasury Circular 297,



revised September 1, 1978 (31DFR, Section 223.10, Section 223.11). Further, the surety company shall provide City with evidence satisfactory to City, that such excess risk has been protected in an acceptable manner. The surety company shall have at least the following minimum qualification in accordance with the latest edition of A.M. Best's Insurance Guide, published by Alfred M. Best Company, Inc., Ambest Road, Oldwick, New Jersey 08858:

B+ to A+

Two (2) separate bonds are required and both must be approved by the City. The penal sum stated in each bond shall be 110% of the contract price, not including contingency. The performance bond shall be conditioned that the Contractor performs the contract in the time and manner prescribed in the contract. The payment bond shall be conditioned that the Contractor promptly make payments to all persons who supply the Contractor with labor, materials and supplies used directly or indirectly by the Contractor in the prosecution of the work provided for in the Contract and shall provide that the surety shall pay the same in the amount not exceeding the sum provided in such bonds, together with interest at the maximum rate allowed by law; and that they shall indemnify and save harmless the City to the extent of any and all payments in connection with the carrying out of said Contract which the City may be required to make under the law.

Pursuant to the requirements of Section 255.05(1)(a), Florida Statutes, it shall be the duty of the Contractor to record the aforesaid payment and performance bonds in the public records of Broward County, with the Contractor to pay all recording costs.

4.3 OWNER'S CONTINGENCY

While the specifications contained in this solicitation and any ensuing Purchase Orders or contracts have incorporated all

anticipated work to be accomplished, there may be unanticipated work required of the vendor in conjunction with a specific project. For this reason, the Citv Commission may award a project with an "Owner's Contingency". This contingency or allowance authorizes the City execute change orders up to the amount of the contingency without the need to obtain additional Commission approval. The Owner's Contingency is usually based on a specified percent of the proposed project amount and is established for the specific project being performed under the contract. This dollar amount shall be shown on the specific project purchase order as a distinct item from the vendor's overall offer to determine the total potential dollar value of the contract. It is hereby understood and agreed that the vendor shall not expend any dollars in connection with the Owner's Contingency without the expressed prior City's authorized approval of the representative. Any Owner's Contingency funds that have not been utilized at the end of the project will remain with the Owner, the contractor shall only be paid for the proposed project cost as approved by the City Commission along with any Owner Contingency expenses that were approved by the City's authorized representative.

4.4 RELEASE OF LIEN

Contractor must provide an executed Partial/Final Release of Lien utilizing the City's standard Release of Lien Form in order for the City to release any payments to the Contractor.

CONTACT INFORMATION FORM

IN ACCORDANCE WITH "IFB # PSEN-18-01" titled Asphalt Surface Treatment with High Density Mineral Bond for NW 178 Ave and NW 17 St including Repair Line Items" attached hereto as a part hereof, the undersigned submits the following:

A) Contact Information

The Contact information form shall be electronically signed by one duly authorized to do so, and in case signed by a deputy or subordinate, the principal's properly written authority to such deputy or subordinate must accompany the proposal. This form must be completed and submitted through <u>www.bidsync.com</u> as part of the bidder's submittal. The vendor must provide their pricing through the designated lines items listed on the BidSync website.

COMPANY INFORMATION:

COMPANY:

STREET ADDRESS:

CITY, STATE & ZIP CODE:

PRIMARY CONTACT FOR THE PROJECT:

| NAME: | TITLE: |
|------------|--------|
| E-MAIL: | |
| TELEPHONE: | FAX: |

AUTHORIZED APPROVER:

| NAME: | TITLE: |
|------------|--------|
| E-MAIL: | |
| TELEPHONE: | FAX: |
| SIGNATURE | |

B) Sample Proposal Form

The following sample price proposal is for information only. The vendor must provide their pricing through the designated lines items listed on the BidSync website.

BID PRICE FORM

High Density Mineral Bond/Asphalt Surface Treatment

The bidder, having carefully examined the specifications and Terms and Conditions herein, proposes to furnish all labor, materials, equipment and other items without exception for the proper execution and completion of the work, and if awarded the contract, to complete the said work within time limits as specified for the following bid prices.

| Item No. | Estimated Quantity | Unit | Description | Unit Price | Total |
|-------------|-----------------------|----------|---|-------------------------------|-------|
| 1 | 65,000 | Sq. Yds. | High Density Mineral | Submit pricing via BidSync | |
| | | | Bond | | |
| 2 | 9,050 | Sq. Ft. | Repair by Mill and Resurface | Submit pricing via BidSync | |
| 3 | 1 | LS | Pavement Markings | Submit pricing via BidSync | |
| 4 | 1 | LS | Maintenance of Traffic (MOT) | Submit pricing via BidSync | |
| 5 | 1 | LS | Additional Cost to provide a Payment & Performance Bond | Submit pricing via BidSync | |

| | Alternative - Bid | | | | |
|-------------|-----------------------|----------|---|-------------------------------|-------|
| Item No. | Estimated Quantity | Unit | Description | Unit Price | Total |
| 1 | 65,000 | Sq. Yds. | Mill and Resurface(3/4 inch SP 9.5) | Submit pricing via BidSync | |
| 2 | 1 | LS | Pavement Markings | Submit pricing via BidSync | |
| 3 | 1 | LS | Maintenance of Traffic (MOT) | Submit pricing via BidSync | |
| 4 | 1 | LS | Additional Cost to provide a Payment & Performance Bond | Submit pricing via BidSync | |

| Pavement Maintenance/Preservation Bid Items | | | | | |
|---|--|------|-------|-------------------------------|-------|
| Pay Item | Description | Unit | QTY | Unit Price | Total |
| 101-1 | Mobilization (per location) Crack Fill Crew | EA | 10 | Submit pricing via BidSync | |
| 101-2 | Mobilization (per location) Pavement Patching Crew | EA | 10 | Submit pricing via BidSync | |
| 101-3 | Mobilization (per location) HDMB Application Crew | EA | 10 | Submit pricing via BidSync | |
| 101-4 | Mobilization (per location) Milling and Resurfacing Crew | EA | 10 | Submit pricing via BidSync | |
| 102-14 | Traffic Control Officer (minimum 4 hours each) | HR | 50 | Submit pricing via BidSync | |
| | FDOT CERTIFIED FLAG PERSON | HR | 100 | Submit pricing via BidSync | |
| 102-60 | Work Zone Signs | ED | 100 | Submit pricing via BidSync | |
| Pay Item | Description | Unit | QTY | Unit Price | Total |
| 102-74-1 | BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, | ED | 1,000 | Submit pricing via BidSync | |
| 102-74-2 | Barricade, Temporary, F&I, Type Iii, 6', F&I | ED | 50 | Submit pricing via BidSync | |

| 102-76 | Advance Warning Arrow Panels, F&I | ED | 15 | Submit pricing via BidSync | |
|-------------------------------------|--|------|--------|-------------------------------|-------|
| 102-78 | Temporary Retroreflective Pavement Marker | ED | 100 | Submit pricing via BidSync | |
| 102-79 | Lights, Temporary, Type C, Steady Burn, F&I | ED | 50 | Submit pricing via BidSync | |
| 102-99 | Portable Changeable Message Sign Temporary, F&I | ED | 10 | Submit pricing via BidSync | |
| 102-911-1 | Pavement Marking Removable Tape, White-Black, White-Black, Skip | LF | 5,000 | Submit pricing via BidSync | |
| 102-911-2 | Pavement Marking Removable Tape, White-Black, Solid | LF | 500 | Submit pricing via BidSync | |
| 102-912-2 | Pavement Marking Removable Tape, Yellow, Solid | LF | 500 | Submit pricing via BidSync | |
| 104-10-3 | Sediment Barrier | LF | 100 | Submit pricing via BidSync | |
| 104-12 | Staked Turbidity Barrier - Nylon Reinforced Pvc | LF | 100 | Submit pricing via BidSync | |
| 104-18 | Inlet Protection System | EA | 50 | Submit pricing via BidSync | |
| 285-4 | Limerock Base Repair, 4" Thickness | SY | 200 | Submit pricing via BidSync | |
| 285-6 | Limerock Base Repair, 6" Thickness | SY | 200 | Submit pricing via BidSync | |
| 305 | Bituminous Crack And Joint Sealing For Asphalt Concrete Roadway | LF | 6 | Submit pricing via BidSync | |
| 324 | Pavement Patching-Remove/Replace HMA, 1 1/2" Depth (6 SY Min) | SY | 6 | Submit pricing via BidSync | |
| 327-70-1 | Milling Exist Asph Pavt, 1" Avg Depth | SY | 2,000 | Submit pricing via BidSync | |
| 327-70-6 | Milling Exist Asph Pavt, 1 1/2" Avg Depth | SY | 2,000 | Submit pricing via BidSync | |
| 327-70-16 | Milling Exist Asph Pavt, 1/2" Avg Depth | SY | 2,000 | Submit pricing via BidSync | |
| 334-1-11, 334-1-12, OR 334- 1-13 | Superpave Asphaltic Concrete, Traffic A, B, Or C | TN | 100 | Submit pricing via BidSync | |
| 335-1 | High Density Mineral Bond, Asphalt Surface Treatment | SY | 30,000 | Submit pricing via BidSync | |
| 425-5 | Manhole, Adjust | EA | 20 | Submit pricing via BidSync | |
| 425-6 | Valve Adjust | EA | 20 | Submit pricing via BidSync | |
| 520-1 | Remove Concrete; Curb, Sidewalk, Driveways | SY | 20 | Submit pricing via BidSync | |
| 520-3 | Concrete Curb And Gutter, Type F | LF | 250 | Submit pricing via BidSync | |
| 520-4 | Concrete Curb, Type D | LF | 250 | Submit pricing via BidSync | |
| 520-6 | Concrete, Sidewalk, 4" Thick, Non-Reinforced | SY | 50 | Submit pricing via BidSync | |
| 520-7 | Concrete, Sidewalk, 6" Thick, Non-Reinforced | SY | 50 | Submit pricing via BidSync | |
| Pay Item | Description | Unit | QTY | Unit Price | Total |
| 520-8 | Detectable Warning Surface | SF | 100 | Submit pricing via BidSync | 1 Jul |
| 706-3 | Marker Pavement Retro-Reflective | EA | 200 | Submit pricing via BidSync | |
| 710-11-111 OR 710- | Painted Pavement Markings, Standard, White Or Yellow, | LF | 200 | Submit pricing | |

| 11-211 | Solid, 6" | | | via BidSync | |
|--------------------|---|----|-------|----------------|--|
| 710-11-123 OR 710- | Painted Pavement Markings, Standard, White Or Yellow, | LF | 100 | Submit pricing | |
| 11-223 | Solid, 12" | | | via BidSync | |
| 710-11-125 OR 710- | Painted Pavement Markings, Standard, White Or Yellow, | LF | 100 | Submit pricing | |
| 11-225 | Solid, 24 | | | via BidSync | |
| 710-11-131 | Painted Pavement Markings, Standard, White, Skip, 6", | LF | 300 | Submit pricing | |
| | 10-30 Or 3-9 Skip | | | via BidSync | |
| 710-11-170 | Painted Pavement Markings, Standard, White, Arrows | EA | 10 | Submit pricing | |
| | | | | via BidSync | |
| 711-11-121 OR 711- | Thermoplastic, Standard, White Or Yellow, Solid, 6" | LF | 1,000 | Submit pricing | |
| 11-221 | | | | via BidSync | |
| 711-11-123 OR 711- | Thermoplastic, Standard, White Or Yellow, Solid, 12" | LF | 100 | Submit pricing | |
| 11-223 | | | | via BidSync | |
| 711-11-125 OR 711- | Thermoplastic, Standard, White Or Yellow, Solid, 24" | LF | 10 | Submit pricing | |
| 11-225 | | | | via BidSync | |
| 711-16-131 | Thermoplastic, Other Surfaces, White, Skip, 6", 10-30 | LF | 100 | Submit pricing | |
| | Skip Or 3-9 Lane Drop | | | via BidSync | |
| 711-11-170 | Thermoplastic, Standard, White, Arrow | EA | 20 | Submit pricing | |
| | | | | via BidSync | |
| 711-17 | Thermoplastic, Remove - Water Blast | SF | 500 | Submit pricing | |
| | • | | | via BidSync | |

(OFFICE USE ONLY) Vendor number:



Please complete this vendor information form entirely along with the

IRS Form W-9, scan and upload it to the www.bidsync.com

Vendor Information Form

| Operating Name (Payee) | | |
|---|--|----------------|
| Legal Name (as filed with IRS) | | |
| Remit-to Address (For Payments) | | |
| | | |
| | | |
| Remit-to Contact Name: | Title: | |
| Email Address: | | |
| Phone #: | Fax # | |
| Order-from Address (For purchase orders) | | |
| | | |
| Order-from Contact Name: | Title: | |
| Email Address: | | |
| Phone #: | Fax # | |
| Return-to Address (For product returns) | | |
| | | |
| Return-to Contact Name | Title: | |
| Email Address: | | |
| Phone #: | Fax # | |
| Payment Terms: | | |
| Type of Business (please check one and provid | de Federal Tax identification or social se | curity Number) |
| Corporation | Federal ID Number: | |
| Sole Proprietorship/Individual | Social Security No.: | |
| | | |

Partnership

Health Care Service Provider

LLC – C (C corporation) – S (S corporation) – P (partnership)

Other (Specify):

Name of Applicant / Signature _____

Title of Applicant _____ Date _____

| ge 2. | 2 Business name/disregarded entity name, if different from above | | | | | |
|---|--|--|---|--|--|--|
| Print or type Specific Instructions on page | 3 Check appropriate box for federal tax classification; check only one of the following seven boxes: ☐ Individual/sole proprietor or ☐ C Corporation ☐ S Corporation ☐ Partnership ☐ single-member LLC ☐ Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partnership) Note. For a single-member LLC that is disregarded, do not check LLC; check the appropriate box in the the tax classification of the single-member owner. ☐ Other (see instructions) ▶ | | 4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3): Exempt payee code (if any) Exemption from FATCA reporting code (if any) (Applies to accounts maintained outside the U.S.) | | | |
| See Specifi d | 5 Address (number, street, and apt. or suite no.) 6 City, state, and ZIP code | | | | | |
| | 7 List account number(s) here (optional) | | | | | |
| Par | t I Taxpayer Identification Number (TIN) | | | | | |
| | your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid | | curity number | | | |
| backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see <i>How to get a</i> | | | | | | |
| TIN oı | N on page 3. Or | | | | | |
| | Note. If the account is in more than one name, see the instructions for line 1 and the chart on page 4 for guidelines on whose number to enter. | | | | | |

Part II Certification

Under penalties of perjury, I certify that:

- 1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- 3. I am a U.S. citizen or other U.S. person (defined below); and

4. The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions on page 3.

| Sign | Signature of |
|------|---------------|
| Here | U.S. person ► |

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. Information about developments affecting Form W-9 (such as legislation enacted after we release it) is at *www.irs.gov/fw9*.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following:

- Form 1099-INT (interest earned or paid)
- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)

- Date 🕨
- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
- Form 1099-C (canceled debt)
- · Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See What is backup withholding? on page 2.

By signing the filled-out form, you:

1. Certify that the TIN you are giving is correct (or you are waiting for a number to be issued),

2. Certify that you are not subject to backup withholding, or

3. Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income, and

4. Certify that FATCA code(s) entered on this form (if any) indicating that you are exempt from the FATCA reporting, is correct. See *What is FATCA reporting?* on page 2 for further information.

Attachment B: Vendor Information Form and a W-9

Cat. No. 10231X

Note. If you are a U.S. person and a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.

Definition of a U.S. person. For federal tax purposes, you are considered a U.S. person if you are:

• An individual who is a U.S. citizen or U.S. resident alien;

• A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States;

• An estate (other than a foreign estate); or

• A domestic trust (as defined in Regulations section 301.7701-7).

Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax under section 1446 on any foreign partners' share of effectively connected taxable income from such business. Further, in certain cases where a Form W-9 has not been received, the rules under section 1446 require a partnership to presume that a partner is a foreign person, and pay the section 1446 withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership to enducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid section 1446 withholding on your share of partnership income.

In the cases below, the following person must give Form W-9 to the partnership for purposes of establishing its U.S. status and avoiding withholding on its allocable share of net income from the partnership conducting a trade or business in the United States:

• In the case of a disregarded entity with a U.S. owner, the U.S. owner of the disregarded entity and not the entity;

• In the case of a grantor trust with a U.S. grantor or other U.S. owner, generally, the U.S. grantor or other U.S. owner of the grantor trust and not the trust; and

• In the case of a U.S. trust (other than a grantor trust), the U.S. trust (other than a grantor trust) and not the beneficiaries of the trust.

Foreign person. If you are a foreign person or the U.S. branch of a foreign bank that has elected to be treated as a U.S. person, do not use Form W-9. Instead, use the appropriate Form W-8 or Form 8233 (see Publication 515, Withholding of Tax on Nonresident Aliens and Foreign Entities).

Nonresident alien who becomes a resident alien. Generally, only a nonresident alien individual may use the terms of a tax treaty to reduce or eliminate U.S. tax on certain types of income. However, most tax treaties contain a provision known as a "saving clause." Exceptions specified in the saving clause may permit an exemption from tax to continue for certain types of income even after the payee has otherwise become a U.S. resident alien for tax purposes.

If you are a U.S. resident alien who is relying on an exception contained in the saving clause of a tax treaty to claim an exemption from U.S. tax on certain types of income, you must attach a statement to Form W-9 that specifies the following five items:

1. The treaty country. Generally, this must be the same treaty under which you claimed exemption from tax as a nonresident alien.

2. The treaty article addressing the income.

3. The article number (or location) in the tax treaty that contains the saving clause and its exceptions.

4. The type and amount of income that qualifies for the exemption from tax.

5. Sufficient facts to justify the exemption from tax under the terms of the treaty article.

Example. Article 20 of the U.S.-China income tax treaty allows an exemption from tax for scholarship income received by a Chinese student temporarily present in the United States. Under U.S. law, this student will become a resident alien for tax purposes if his or her stay in the United States exceeds 5 calendar years. However, paragraph 2 of the first Protocol to the U.S.-China treaty (dated April 30, 1984) allows the provisions of Article 20 to continue to apply even after the Chinese student becomes a resident alien of the United States. A Chinese student who qualifies for this exception (under paragraph 2 of the first protocol) and is relying on this exception to claim an exemption from tax on his or her scholarship or fellowship income would attach to Form W-9 a statement that includes the information described above to support that exemption.

If you are a nonresident alien or a foreign entity, give the requester the appropriate completed Form W-8 or Form 8233.

Backup Withholding

What is backup withholding? Persons making certain payments to you must under certain conditions withhold and pay to the IRS 28% of such payments. This is called "backup withholding." Payments that may be subject to backup withholding include interest, tax-exempt interest, dividends, broker and barter exchange transactions, rents, royalties, nonemployee pay, payments made in settlement of payment card and third party network transactions, and certain payments from fishing boat operators. Real estate transactions are not subject to backup withholding.

You will not be subject to backup withholding on payments you receive if you give the requester your correct TIN, make the proper certifications, and report all your taxable interest and dividends on your tax return.

Payments you receive will be subject to backup withholding if:

1. You do not furnish your TIN to the requester,

2. You do not certify your TIN when required (see the Part II instructions on page 3 for details),

3. The IRS tells the requester that you furnished an incorrect TIN,

4. The IRS tells you that you are subject to backup withholding because you did not report all your interest and dividends on your tax return (for reportable interest and dividends only), or

5. You do not certify to the requester that you are not subject to backup withholding under 4 above (for reportable interest and dividend accounts opened after 1983 only).

Certain payees and payments are exempt from backup withholding. See *Exempt* payee code on page 3 and the separate Instructions for the Requester of Form W-9 for more information.

Also see Special rules for partnerships above.

What is FATCA reporting?

The Foreign Account Tax Compliance Act (FATCA) requires a participating foreign financial institution to report all United States account holders that are specified United States persons. Certain payees are exempt from FATCA reporting. See *Exemption from FATCA reporting code* on page 3 and the Instructions for the Requester of Form W-9 for more information.

Updating Your Information

You must provide updated information to any person to whom you claimed to be an exempt payee if you are no longer an exempt payee and anticipate receiving reportable payments in the future from this person. For example, you may need to provide updated information if you are a C corporation that elects to be an S corporation, or if you no longer are tax exempt. In addition, you must furnish a new Form W-9 if the name or TIN changes for the account; for example, if the grantor of a grantor trust dies.

Penalties

Failure to furnish TIN. If you fail to furnish your correct TIN to a requester, you are subject to a penalty of \$50 for each such failure unless your failure is due to reasonable cause and not to willful neglect.

Civil penalty for false information with respect to withholding. If you make a false statement with no reasonable basis that results in no backup withholding, you are subject to a \$500 penalty.

Criminal penalty for falsifying information. Willfully falsifying certifications or affirmations may subject you to criminal penalties including fines and/or imprisonment.

Misuse of TINs. If the requester discloses or uses TINs in violation of federal law, the requester may be subject to civil and criminal penalties.

Specific Instructions

Line 1

You must enter one of the following on this line; **do not** leave this line blank. The name should match the name on your tax return.

If this Form W-9 is for a joint account, list first, and then circle, the name of the person or entity whose number you entered in Part I of Form W-9.

a. **Individual.** Generally, enter the name shown on your tax return. If you have changed your last name without informing the Social Security Administration (SSA) of the name change, enter your first name, the last name as shown on your social security card, and your new last name.

Note. ITIN applicant: Enter your individual name as it was entered on your Form W-7 application, line 1a. This should also be the same as the name you entered on the Form 1040/1040A/1040EZ you filed with your application.

b. **Sole proprietor or single-member LLC.** Enter your individual name as shown on your 1040/1040A/1040EZ on line 1. You may enter your business, trade, or "doing business as" (DBA) name on line 2.

c. Partnership, LLC that is not a single-member LLC, C Corporation, or S Corporation. Enter the entity's name as shown on the entity's tax return on line 1 and any business, trade, or DBA name on line 2.

d. **Other entities.** Enter your name as shown on required U.S. federal tax documents on line 1. This name should match the name shown on the charter or other legal document creating the entity. You may enter any business, trade, or DBA name on line 2.

e. **Disregarded entity.** For U.S. federal tax purposes, an entity that is disregarded as an entity separate from its owner is treated as a "disregarded entity." See Regulations section 301.7701-2(c)(2)(ii). Enter the owner's name on line 1. The name of the entity entered on line 1 should never be a disregarded entity. The name on line 1 should be the name shown on the income tax return on which the income should be reported. For example, if a foreign LLC that is treated as a disregarded entity for U.S. federal tax purposes has a single owner that is a U.S. person, the U.S. owner's name is required to be provided on line 1. If the direct owner of the entity is also a disregarded entity, enter the first owner that is not disregarded for federal tax purposes. Enter the disregarded entity's name on line 2, "Business name/disregarded entity complete an appropriate Form W-8 instead of a Form W-9. This is the case even if the foreign person has a U.S. TIN.

Line 2

If you have a business name, trade name, DBA name, or disregarded entity name, you may enter it on line 2.

Line 3

Check the appropriate box in line 3 for the U.S. federal tax classification of the person whose name is entered on line 1. Check only one box in line 3.

Limited Liability Company (LLC). If the name on line 1 is an LLC treated as a partnership for U.S. federal tax purposes, check the "Limited Liability Company" box and enter "P" in the space provided. If the LLC has filed Form 8832 or 2553 to be taxed as a corporation, check the "Limited Liability Company" box and in the space provided enter "C" for C corporation or "S" for S corporation. If it is a single-member LLC that is a disregarded entity, do not check the "Limited Liability Company" box; instead check the first box in line 3 "Individual/sole proprietor or single-member LLC."

Line 4, Exemptions

If you are exempt from backup withholding and/or FATCA reporting, enter in the appropriate space in line 4 any code(s) that may apply to you.

Exempt payee code.

Generally, individuals (including sole proprietors) are not exempt from backup withholding.

• Except as provided below, corporations are exempt from backup withholding for certain payments, including interest and dividends.

• Corporations are not exempt from backup withholding for payments made in settlement of payment card or third party network transactions.

• Corporations are not exempt from backup withholding with respect to attorneys' fees or gross proceeds paid to attorneys, and corporations that provide medical or health care services are not exempt with respect to payments reportable on Form 1099-MISC.

The following codes identify payees that are exempt from backup withholding. Enter the appropriate code in the space in line 4.

1-An organization exempt from tax under section 501(a), any IRA, or a custodial account under section 403(b)(7) if the account satisfies the requirements of section 401(f)(2)

2-The United States or any of its agencies or instrumentalities

3-A state, the District of Columbia, a U.S. commonwealth or possession, or any of their political subdivisions or instrumentalities

 $4-\!\mathrm{A}$ foreign government or any of its political subdivisions, agencies, or instrumentalities

5-A corporation

6-A dealer in securities or commodities required to register in the United States, the District of Columbia, or a U.S. commonwealth or possession

 $7{-}\mathrm{A}$ futures commission merchant registered with the Commodity Futures Trading Commission

8-A real estate investment trust

 $9-\mathrm{An}$ entity registered at all times during the tax year under the Investment Company Act of 1940

10-A common trust fund operated by a bank under section 584(a)

11-A financial institution

 $12\mbox{--}A$ middleman known in the investment community as a nominee or custodian

13—A trust exempt from tax under section 664 or described in section 4947 The following chart shows types of payments that may be exempt from backup withholding. The chart applies to the exempt payees listed above, 1 through 13.

| IF the payment is for | THEN the payment is exempt for |
|--|--|
| Interest and dividend payments | All exempt payees except for 7 |
| Broker transactions | Exempt payees 1 through 4 and 6 through 11 and all C corporations. S corporations must not enter an exempt payee code because they are exempt only for sales of noncovered securities acquired prior to 2012. |
| Barter exchange transactions and patronage dividends | Exempt payees 1 through 4 |
| Payments over \$600 required to be reported and direct sales over \$5,000 ¹ | Generally, exempt payees 1 through 5 ² |
| Payments made in settlement of payment card or third party network transactions | Exempt payees 1 through 4 |

¹See Form 1099-MISC, Miscellaneous Income, and its instructions.

² However, the following payments made to a corporation and reportable on Form 1099-MISC are not exempt from backup withholding: medical and health care payments, attorneys' fees, gross proceeds paid to an attorney reportable under section 6045(f), and payments for services paid by a federal executive agency.

Exemption from FATCA reporting code. The following codes identify payees that are exempt from reporting under FATCA. These codes apply to persons submitting this form for accounts maintained outside of the United States by certain foreign financial institutions. Therefore, if you are only submitting this form for an account you hold in the United States, you may leave this field blank. Consult with the person requesting this form if you are uncertain if the financial institution is subject to these requirements. A requester may indicate that a code is not required by providing you with a Form W-9 with "Not Applicable" (or any similar indication) written or printed on the line for a FATCA exemption code.

A–An organization exempt from tax under section 501(a) or any individual retirement plan as defined in section 7701(a)(37)

B-The United States or any of its agencies or instrumentalities

C-A state, the District of Columbia, a U.S. commonwealth or possession, or any of their political subdivisions or instrumentalities

D-A corporation the stock of which is regularly traded on one or more established securities markets, as described in Regulations section 1.1472-1(c)(1)(i)

E-A corporation that is a member of the same expanded affiliated group as a corporation described in Regulations section 1.1472-1(c)(1)(i)

F-A dealer in securities, commodities, or derivative financial instruments (including notional principal contracts, futures, forwards, and options) that is registered as such under the laws of the United States or any state

G-A real estate investment trust

 $\rm H-A$ regulated investment company as defined in section 851 or an entity registered at all times during the tax year under the Investment Company Act of 1940

I-A common trust fund as defined in section 584(a)

J—A bank as defined in section 581

K-A broker

L-A trust exempt from tax under section 664 or described in section 4947(a)(1)

M-A tax exempt trust under a section 403(b) plan or section 457(g) plan

Note. You may wish to consult with the financial institution requesting this form to determine whether the FATCA code and/or exempt payee code should be completed.

Line 5

Enter your address (number, street, and apartment or suite number). This is where the requester of this Form W-9 will mail your information returns.

Line 6

Enter your city, state, and ZIP code.

Part I. Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. If you are a resident alien and you do not have and are not eligible to get an SSN, your TIN is your IRS individual taxpayer identification number (ITIN). Enter it in the social security number box. If you do not have an ITIN, see *How to get a TIN* below.

If you are a sole proprietor and you have an EIN, you may enter either your SSN or EIN. However, the IRS prefers that you use your SSN.

If you are a single-member LLC that is disregarded as an entity separate from its owner (see *Limited Liability Company (LLC)* on this page), enter the owner's SSN (or EIN, if the owner has one). Do not enter the disregarded entity's EIN. If the LLC is classified as a corporation or partnership, enter the entity's EIN.

Note. See the chart on page 4 for further clarification of name and TIN combinations.

How to get a TIN. If you do not have a TIN, apply for one immediately. To apply for an SSN, get Form SS-5, Application for a Social Security Card, from your local SSA office or get this form online at *www.ssa.gov*. You may also get this form by calling 1-800-772-1213. Use Form W-7, Application for IRS Individual Taxpayer Identification Number, to apply for an TIN, or Form SS-4, Application for Employer Identification Number, to apply for an EIN. You can apply for an EIN online by accessing the IRS website at *www.irs.gov/businesses* and clicking on Employer Identification Number (EIN) under Starting a Business. You can get Forms W-7 and SS-4 from the IRS by visiting IRS.gov or by calling 1-800-TAX-FORM (1-800-829-3676).

If you are asked to complete Form W-9 but do not have a TIN, apply for a TIN and write "Applied For" in the space for the TIN, sign and date the form, and give it to the requester. For interest and dividend payments, and certain payments made with respect to readily tradable instruments, generally you will have 60 days to get a TIN and give it to the requester before you are subject to backup withholding on payments. The 60-day rule does not apply to other types of payments. You will be subject to backup withholding on all such payments until you provide your TIN to the requester.

Note. Entering "Applied For" means that you have already applied for a TIN or that you intend to apply for one soon.

Caution: A disregarded U.S. entity that has a foreign owner must use the appropriate Form W-8.

Part II. Certification

To establish to the withholding agent that you are a U.S. person, or resident alien, sign Form W-9. You may be requested to sign by the withholding agent even if items 1, 4, or 5 below indicate otherwise

For a joint account, only the person whose TIN is shown in Part I should sign (when required). In the case of a disregarded entity, the person identified on line 1 must sign. Exempt payees, see Exempt payee code earlier.

Signature requirements. Complete the certification as indicated in items 1 through 5 below

1. Interest, dividend, and barter exchange accounts opened before 1984 and broker accounts considered active during 1983. You must give your correct TIN, but you do not have to sign the certification.

2. Interest, dividend, broker, and barter exchange accounts opened after 1983 and broker accounts considered inactive during 1983. You must sign the certification or backup withholding will apply. If you are subject to backup withholding and you are merely providing your correct TIN to the requester, you must cross out item 2 in the certification before signing the form.

3. Real estate transactions. You must sign the certification. You may cross out item 2 of the certification

4. Other payments. You must give your correct TIN, but you do not have to sign the certification unless you have been notified that you have previously given an incorrect TIN. "Other payments" include payments made in the course of the requester's trade or business for rents, royalties, goods (other than bills for merchandise), medical and health care services (including payments to corporations), payments to a nonemployee for services, payments made in settlement of payment card and third party network transactions, payments to certain fishing boat crew members and fishermen, and gross proceeds paid to attorneys (including payments to corporations).

5. Mortgage interest paid by you, acquisition or abandonment of secured property, cancellation of debt, qualified tuition program payments (under section 529), IRA, Coverdell ESA, Archer MSA or HSA contributions or distributions, and pension distributions. You must give your correct TIN, but you do not have to sign the certification.

What Name and Number To Give the Requester

| For this type of account: | Give name and SSN of: |
|--|---|
| Individual Two or more individuals (joint account) | The individual The actual owner of the account or, if combined funds, the first individual on the account' |
| Custodian account of a minor (Uniform Gift to Minors Act) | The minor ² |
| a. The usual revocable savings trust (grantor is also trustee) b. So-called trust account that is not a legal or valid trust under state law | The grantor-trustee ¹ The actual owner ¹ |
| Sole proprietorship or disregarded entity owned by an individual | The owner ³ |
| 6. Grantor trust filing under Optional Form 1099 Filing Method 1 (see Regulations section 1.671-4(b)(2)(i) (A)) | The grantor* |
| For this type of account: | Give name and EIN of: |
| 7. Disregarded entity not owned by an individual | The owner |
| 8. A valid trust, estate, or pension trust | Legal entity⁴ |
| 9. Corporation or LLC electing corporate status on Form 8832 or Form 2553 | The corporation |
| 10. Association, club, religious, charitable, educational, or other tax- exempt organization | The organization |
| 11. Partnership or multi-member LLC | The partnership |
| 12. A broker or registered nominee | The broker or nominee |
| 13. Account with the Department of Agriculture in the name of a public entity (such as a state or local government, school district, or prison) that receives agricultural program payments | The public entity |
| Grantor trust filing under the Form 1041 Filing Method or the Optional Form 1099 Filing Method 2 (see Regulations section 1.671-4(b)(2)(i) (B)) | The trust |

Page 4

³You must show your individual name and you may also enter your business or DBA name on the "Business name/disregarded entity" name line. You may use either your SSN or EIN (if you have one), but the IRS encourages you to use your SSN.

⁴ List first and circle the name of the trust, estate, or pension trust. (Do not furnish the TIN of the personal representative or trustee unless the legal entity itself is not designated in the account title.) Also see Special rules for partnerships on page 2. *Note. Grantor also must provide a Form W-9 to trustee of trust.

Note. If no name is circled when more than one name is listed, the number will be considered to be that of the first name listed.

Secure Your Tax Records from Identity Theft

Identity theft occurs when someone uses your personal information such as your name, SSN, or other identifying information, without your permission, to commit fraud or other crimes. An identity thief may use your SSN to get a job or may file a tax return using your SSN to receive a refund.

To reduce your risk:

- Protect your SSN.
- Ensure your employer is protecting your SSN, and
- Be careful when choosing a tax preparer.

If your tax records are affected by identity theft and you receive a notice from the IRS, respond right away to the name and phone number printed on the IRS notice or letter.

If your tax records are not currently affected by identity theft but you think you are at risk due to a lost or stolen purse or wallet, questionable credit card activity or credit report, contact the IRS Identity Theft Hotline at 1-800-908-4490 or submit Form 14039

For more information, see Publication 4535, Identity Theft Prevention and Victim Assistance

Victims of identity theft who are experiencing economic harm or a system problem, or are seeking help in resolving tax problems that have not been resolved through normal channels, may be eligible for Taxpayer Advocate Service (TAS) assistance. You can reach TAS by calling the TAS toll-free case intake line at 1-877-777-4778 or TTY/TDD 1-800-829-4059

Protect yourself from suspicious emails or phishing schemes. Phishing is the creation and use of email and websites designed to mimic legitimate business emails and websites. The most common act is sending an email to a user falsely claiming to be an established legitimate enterprise in an attempt to scam the user into surrendering private information that will be used for identity theft.

The IRS does not initiate contacts with taxpayers via emails. Also, the IRS does not request personal detailed information through email or ask taxpayers for the PIN numbers, passwords, or similar secret access information for their credit card, bank, or other financial accounts.

If you receive an unsolicited email claiming to be from the IRS, forward this message to *phishing@irs.gov*. You may also report misuse of the IRS name, logo, or other IRS property to the Treasury Inspector General for Tax Administration (TIGTA) at 1-800-366-4484. You can forward suspicious emails to the Federal Trade Commission at: *spam@uce.gov* or contact them at *www.ftc.gov/idtheft* or 1-877-IDTHEFT (1-877-438-4338).

Visit IRS.gov to learn more about identity theft and how to reduce your risk.

Privacy Act Notice

Section 6109 of the Internal Revenue Code requires you to provide your correct TIN to persons (including federal agencies) who are required to file information returns with the IRS to report interest, dividends, or certain other income paid to you; mortgage interest you paid; the acquisition or abandonment of secured property; the cancellation of debt; or contributions you made to an IRA, Archer MSA, or HSA. The person collecting this form uses the information on the form to file information returns with the IRS, reporting the above information. Routine uses of this information include giving it to the Department of Justice for civil and criminal litigation and to cities, states, the District of Columbia, and U.S. commonwealths and possessions for use in administering their laws. The information also may be disclosed to other countries under a treaty, to federal and state agencies to enforce civil and criminal laws, or to federal law enforcement and intelligence agencies to combat terrorism. You must provide your TIN whether or not you are required to file a tax return. Under section 3406, payers must generally withhold a percentage of taxable interest, dividend, and certain other payments to a payee who does not give a TIN to the payer. Certain penalties may also apply for providing false or fraudulent information.

List first and circle the name of the person whose number you furnish. If only one person on a joint account has an SSN, that person's number must be furnished.

Circle the minor's name and furnish the minor's SSN.



Attachment C

NON-COLLUSIVE AFFIDAVIT

BIDDER is the

(Owner, Partner, Officer, Representative or Agent)

BIDDER is fully informed respecting the preparation and contents of the attached Bid and of all pertinent circumstances respecting such Bid;

Such Bid is genuine and is not a collusive or sham Bid;

- Neither the said BIDDER nor any of its officers, partners, owners, agents, representative, employees or parties in interest, including this affidavit, have in any way colluded, conspired, connived or agreed, directly or indirectly, with any other BIDDER, firm or person to submit a collusive or sham Bid in connection with the Contract for which the attached Bid has been submitted; or to refrain from bidding in connection with such Contract; or have in any manner, directly or indirectly, sought by agreement or collusion, or communications, or conference with any BIDDER, firm, or person to fix the price or prices in the attached Bid or any other BIDDER, or to fix any overhead, profit, or cost element of the Bid Price or the Bid Price of any other BIDDER, or to secure through any collusion conspiracy, connivance, or unlawful agreement any advantage against (Recipient), or any person interested in the proposed Contract;
- The price of items quoted in the attached Bid are fair and proper and are not tainted by collusion, conspiracy, connivance, or unlawful agreement on the part of the BIDDER or any other of its agents, representatives, owners, employees or parties in interest, including this affidavit.

Printed Name/Signature

Title

Name of Company



SWORN STATEMENT ON PUBLIC ENTITY CRIMES UNDER FLORIDA STATUTES CHAPTER 287.133(3)(a).

 1. This sworn statement is submitted
 (name of entity submitting sworn statement) whose business address is

 applicable) its Federal Employer Identification Number (FEIN) is
 . (If the entity has no FEIN, include the Social Security Number of the individual signing this sworn statement:

.)

(Please print name of individual signing)

2. My name is

and my

relationship to the entity named above is

- 3. I understand that a "public entity crime" as defined in Paragraph 287.133(1)(g), <u>Florida Statutes</u>, means a violation of any state or federal law by a person with respect to and directly related to the transaction of business with any public entity or with an agency or political subdivision of any other state or with the United States, including, but not limited to, any bid, proposal, reply, or contract for goods or services, any lease for real property, or any contract for the construction or repair of a public building or public work, involving antitrust, fraud, theft, bribery, collusion, racketeering, conspiracy, or material misrepresentation.
- 4. I understand that a "convicted" or "conviction" as defined in Paragraph 287.133(1)(b), <u>Florida Statutes</u>, means a finding of guilt or a conviction of a public entity crime, with or without an adjudication of guilt, in any federal or state trial court of record relating to charges brought by indictment or information after July 1, 1989, as a result of a jury verdict, nonjury trial, or entry of a plea of guilty or nolo contendere.
- 5. I understand that an "affiliate" as defined in Paragraph 287.133(1)(a), <u>Florida Statutes</u>, means:
 - 1. A predecessor or successor of a person convicted of a public entity crime: or
 - 2. An entity under the control of any natural person who is active in the management of the entity and who has been convicted of a public entity crime. The term "affiliate" includes those officers, directors, executives, partners, shareholders, employees, members, and agents who are active in the management of an affiliate. The Cityship by one person of shares constituting a controlling interest in another person, or a pooling of equipment or income among persons when not for fair market value under an arm's length agreement, shall be a prima facie case that one person controls another person. A person who knowingly enters into a joint venture with a person who has been convicted of a public entity crime in Florida during the preceding 36 months shall be considered an affiliate.
- 6. I understand that a "person" as defined in Paragraph 287.133(1)(e), <u>Florida Statutes</u>, means any natural person or any entity organized under the laws of any state or of the United States with the legal power to enter into a binding contract and which bids or applies to bid on contracts let by a public entity, or which otherwise transacts or applies to transact business with a public entity, or which otherwise transacts or applies to transact business with a public entity. The term "person" includes those officers, directors, executives, partners, shareholders,

employees, members, and agents who are active in management of an entity.

7. Based on information and belief, the statement which I have marked below is true in relation to the entity submitting this sworn statement. (Please indicate which statement applies.)

A) Neither the entity submitting this sworn statement, nor any officers, directors, executives, partners, shareholders, employees, members, or agents who are active in management of the entity, nor any affiliate of the entity have been charged with and convicted of a public entity crime subsequent to July 1, 1989.

B) The entity submitting this sworn statement, or one or more of the officers, directors, executives, partners, shareholders, employees, members, or agents who are active in management of the entity, or an affiliate of the entity has been charged with and convicted of a public entity crime subsequent to July 1, 1989, <u>AND</u> (Please indicate which additional statement applies.)

B1) There has been a proceeding concerning the conviction before a hearing officer of the State of Florida, Division of Administrative Hearings. The final order entered by the hearing officer did not place the person or affiliate on the convicted vendor list. (**Please attach a copy of the final order.**)

B2) The person or affiliate was placed on the convicted vendor list. There has been a subsequent proceeding before a hearing officer of the State of Florida, Division of Administrative Hearings. The final order entered by the hearing officer determined that it was in the public interest to remove the person or affiliate from the convicted vendor list. (Please attach a copy of the final order.)

B3) The person or affiliate has not been placed on the convicted vendor list. (Please describe any action taken by or pending with the Department of General Services.)

Bidder's Name/Signature

Company

Date



LOCAL VENDOR PREFERENCE CERTIFICATION

SECTION 1 GENERAL TERM

LOCAL PREFERENCE

The evaluation of competitive bids is subject to section 35.36 of the City's Procurement Procedures which, except where contrary to federal and state law, or any other funding source requirements, provides that preference be given to local businesses. To satisfy this requirement, the vendor shall affirm in writing its compliance with either of the following objective criteria as of the bid or proposal submission date stated in the solicitation. A local business shall be defined as:

- 1. "Local Pembroke Pines Vendor" shall mean a business entity which has maintained a permanent place of business with full-time employees within the City limits for a minimum of one (1) year prior to the date of issuance of a bid or proposal solicitation. The permanent place of business may not be a post office box. The business location must actually distribute goods or services from that location. In addition, the business must have a current business tax receipt from the City of Pembroke Pines.
- OR;
- 2. "Local Broward County Vendor" shall mean or business entity which has maintained a permanent place of business with full-time employees within the Broward County limits for a minimum of one (1) year prior to the date of issuance of a bid or proposal solicitation. The permanent place of business may not be a post office box. The business location must actually distribute goods or services from that location. In addition, the business must have a current business tax receipt from the Broward County or the city within Broward County where the business resides.

A preference of five percent (5%) of the total evaluation point, or five percent (5%) of the total price, shall be given to the **Local Pembroke Pines Vendor(s)**; A preference of two and a half percent (2.5%) of the total evaluation point for local, or two and a half percent (2.5%) of the total price, shall be given to the **Local Broward County Vendor(s)**.

COMPARISON OF QUALIFICATIONS

The preferences established in no way prohibit the right of the City to compare quality of supplies or services for purchase and to compare qualifications, character, responsibility and fitness of all persons, firms or corporations submitting bids or proposals. Further, the preference established in no way prohibit the right of the city from giving any other preference permitted by law instead of the preferences granted, nor prohibit the city to select the bid or proposal which is the most responsible and in the best interests of the city.

SECTION 2 AFFIRMATION

LOCAL PREFERENCE CERTIFICATION:

Place a check mark here only if affirming bidder meets requirements above as a Local Pembroke Pines Vendor.

In addition, the business must attach a current business tax receipt from the City of Pembroke Pines along with any previous business tax receipts to indicate that the business entity has maintained a permanent place of business for a minimum of one (1) year.

Place a check mark here only if affirming bidder meets requirements above as a Local Broward County Vendor.

In addition, the business must attach a current business tax receipt from the Broward County or the city within Broward County where the business resides along with any previous business tax receipts to indicate that the business entity has maintained a permanent place of business for a minimum of one (1) year.

Place a check mark here only if affirming bidder does not meet the requirements above as a Local Vendor.

Failure to complete this certification at this time (by checking either of the boxes above) shall render the vendor ineligible for Local Preference. This form must be completed by/for the proposer; the proposer <u>WILL NOT</u> qualify for Local Vendor Preference based on their sub-contractors' qualifications.

COMPANY NAME:

PRINTED NAME / AUTHORIZED SIGNATURE:



VETERAN OWNED SMALL BUSINESS (VOSB) PREFERENCE CERTIFICATION

SECTION 1 GENERAL TERM

VETERAN OWNED SMALL BUSINESS (VOSB) PREFEREENCE

The evaluation of competitive bids is subject to section 35.37 of the City's Procurement Procedures which, except where contrary to federal and state law, or any other funding source requirements, provides that preference be given to veteran owned small businesses. To satisfy this requirement, the vendor shall affirm in writing its compliance with the following objective criteria as of the bid or proposal submission date stated in the solicitation. A veteran owned small business shall be defined as:

1. "Veteran Owned Small Business" shall mean a business entity which has received a "Determination Letter" from the United States Department of Veteran Affairs Center for Verification and Evaluation notifying the business that they have been approved as a Veteran Owned Small Business (VOSB).

A preference of two and a half percent (2.5%) of the total evaluation point, or two and a half percent (2.5%) of the total price, shall be given to the Veteran Owned Small Business (VOSB). This shall mean that if a VOSB submits a bid/quote that is within 2.5% of the lowest price submitted by any vendor, the VOSB shall have an option to submit another bid which is at least 1% lower than the lowest responsive bid/quote. If the VOSB submits a bid quote, then the award will go to the VOSB. If not, the award will be made to the vendor that submits the lowest responsive bid/quote. If the lowest responsive and responsible bidder IS a "Local Pembroke Pines Vendor" (LPPV) or a "Local Broward County Vendor" (LBCV) as established in Section 35.36 of the City's Code of Ordinances, entitled "Local Vendor Preference", then the award will be made to that vendor and no other bidders will be given an opportunity to submit additional bids as described herein.

If there is a LPPV, a LBCV, and a VOSB participating in the same bid solicitation and all three vendors qualify to submit a second bid, the LPPV will be given first option. If the LPPV cannot beat the lowest bid received by at least 1%, an opportunity will be given to the LBCV. If the LBCV cannot beat the lowest bid by at least 1%, an opportunity will be given to the VOSB. If the VOSB cannot beat the lowest bid by at least 1%, then the bid will be awarded to the lowest bidder.

If multiple VOSBs submit bids/quotes which are within 2.5% of the lowest bid/quote and there are no LPPV or LBCV as described in Section 35.36 of the City's Code of Ordinance, entitled "Local Vendor Preference", then all VOSBs will be asked to submit a **Best and Final Offer (BAFO)**. The award will be made to the **VOSB** submitting the lowest **BAFO** providing that that **BAFO** is at least 1% lower than the lowest bid/quote received in the original solicitation. If no **VOSB** can beat the lowest bid/quote by at least 1%, then the award will be made to the lowest responsive bidder.

COMPARISON OF QUALIFICATIONS

The preferences established in no way prohibit the right of the City to compare quality of supplies or services for purchase and to compare qualifications, character, responsibility and fitness of all persons, firms or corporations submitting bids or proposals. Further, the preference established in no way prohibit the right of the city from giving any other preference permitted by law instead of the preferences granted, nor prohibit the city to select the bid or proposal which is the most responsible and in the best interests of the city.

SECTION 2 AFFIRMATION

VETERAN OWNED SMALL BUSINESS (VOSB) PREFEREENCE CERTIFICATION:

Place a check mark here only if affirming bidder meets requirements above as a Veteran Owned Small Business. In addition, the bidder must attach the "Determination Letter" from the U.S. Dept. of Veteran Affairs Center.

Place a check mark here only if affirming bidder does not meet the requirements above as a VOSB.

Failure to complete this certification at this time (by checking either of the boxes above) shall render the vendor ineligible for VOSB Preference. This form must be completed by/for the proposer; the proposer <u>WILL NOT</u> qualify for VOSB Preference based on their sub-contractors' qualifications.

COMPANY NAME:

PRINTED NAME / AUTHORIZED SIGNATURE:



Attachment G

EQUAL BENEFITS CERTIFICATION FORM FOR DOMESTIC PARTNERS AND ALL MARRIED COUPLES

Except where federal or state law mandates to the contrary, a Contractor awarded a Contract pursuant to a competitive solicitation shall provide benefits to Domestic Partners and spouses of its employees, irrespective of gender, on the same basis as it provides benefits to employees' spouses in traditional marriages.

The Contractor shall provide the City and/or the City Manager or his/her designee, access to its records for the purpose of audits and/or investigations to ascertain compliance with the provisions of this section, and upon request shall provide evidence that the Contractor is in compliance with the provisions of this section upon each new bid, contract renewal, or when the City Manager has received a complaint or has reason to believe the Contractor may not be in compliance with the provisions of this section. Records shall include but not be limited to providing the City and/or the City Manager or his/her designee with certified copies of the Contractor's records pertaining to its benefits policies and its employment policies and practices.

The Contractor must conspicuously make available to all employees and applicants for employment the following statement:

"During the performance of a contract with the City of Pembroke Pines, Florida, the Contractor will provide Equal Benefits to its employees with spouses, as defined by Section 35.39 of the City's Code of Ordinances, and its employees with Domestic Partners and all Married Couples".

The posted statement must also include a City contact telephone number and email address which will be provided to each contractor when a covered contract is executed.

SECTION 1 DEFINITIONS

- 1. Benefits means the following plan, program or policy provided or offered by a contractor to its employees as part of the employer's total compensation package which may include but is not limited to sick leave, bereavement leave, family medical leave, and health benefits.
- 2. Cash Equivalent mean the amount of money paid to an employee with a domestic partner or spouse in lieu of providing benefits to the employee's domestic partner or spouse. The cash equivalent is equal to the employer's direct expense of providing benefits to an employee for his or her spouse from a traditional marriage.
- **3.** Covered Contract means a contract between the City and a contractor awarded subsequent to the date when this section becomes effective valued at over \$25,000 or the threshold amount required for competitive bids as required in section 35.18(A) of the Procurement Code.
- 4. Domestic Partner shall mean any two (2) adults of the same or different sex who have registered as domestic partners with a governmental body pursuant to state or local law authorizing such registration, or with an internal registry maintained by the employer of at least one of the domestic partners. A contractor may institute an internal registry to allow for the provision of equal benefits to employees with domestic partners who do not register their partnerships pursuant to a governmental body authorizing such registration, or who are located in a jurisdiction where no such governmental domestic partnership registry exists. A contractor that institutes such registry shall not impose criteria for registration that are more stringent than those required for domestic partnership registration by the City of Pembroke Pines.
- 5. Equal benefits means the equality of benefits between employees with spouses and/or dependents of spouses and employees with domestic partners and/or dependents of domestic partners, and/or between spouses of employees and/or dependents of spouses and domestic partners of employees and/or dependents of spouses and domestic partners of employees and/or dependents of domestic partners.

- 6. Spouse means one member of a married pair legally married under the laws of any state within the United States of America or any other jurisdiction under which such marriage is legally recognized, irrespective of gender.
- 7. Traditional marriage means a marriage between one man and one woman.

SECTION 2 CERTIFICATION OF CONTRACTOR

The firm providing a response, by virtue of the signature below, certifies that it is aware of the requirements of Section 35.39 "City Contractors providing Equal Benefits for Domestic Partners and all Married Couples" of the City's Code of Ordinances, and certifies the following (**Check only one box below**):

- A. Contractor currently complies with the requirements of this section; or
- B. Contractor will comply with the conditions of this section at the time of contract award; or
- C. Contractor will not comply with the conditions of this section at the time of contract award: or
- **D.** Contractor does not comply with the conditions of this section because of the following allowable exemption **(Check only one box below)**:
 - 1. The Contractor does not provide benefits to employees' spouses in traditional marriages;

2. The Contractor provides an employee the cash equivalent of benefits because the Contractor is unable to provide benefits to employees' Domestic Partners or spouses despite making reasonable efforts to provide them. To meet this exception, the Contractor shall provide a notarized affidavit that it has made reasonable efforts to provide such benefits. The affidavit shall state the efforts taken to provide such benefits and the amount of the cash equivalent. Cash equivalent means the amount of money paid to an employee with a Domestic Partner or spouse rather than providing benefits to the employee's Domestic Partner or spouse. The cash equivalent is equal to the employer's direct expense of providing benefits to an employee's spouse;

3. The Contractor is a religious organization, association, society, or any non-profit charitable or educational institution or organization operated supervised or controlled by or in conjunction with a religious organization, association, or society;

4. The Contractor is a governmental agency;

The certification shall be signed by an authorized officer of the Contractor. Failure to provide such certification (by checking the appropriate boxes above along with completing the information below) shall result in a Contractor being deemed non-responsive.

COMPANY NAME:

AUTHORIZED OFFICER NAME / SIGNATURE:

City of Pembroke Pines

PROPOSER'S QUALIFICATIONS STATEMENT

PROPOSER shall furnish the following information. Failure to comply with this requirement will render Bid non responsive and shall cause its rejection. Additional sheets shall be attached as required.

PROPOSER'S Name and Principal Address:

Contact Person's Name and Title:

Contact Person's E-mail Address:

PROPOSER'S Telephone and Fax Number:

PROPOSER'S License Number:

(Please attach certificate of status, competency, and/or state registration.)

PROPOSER'S Federal Identification Number:

Number of years your organization has been in business

State the number of years your firm has been in business under your present business name

State the number of years your firm has been in business in the work specific to this solicitation:

Names and titles of all officers, partners or individuals doing business under trade name:

The business is a: Sole Proprietorship Partnership

Corporation

IF USING A FICTITIOUS NAME, SUBMIT EVIDENCE OF COMPLIANCE WITH FLORIDA FICTITIOUS NAME STATUTE. (ATTACH IN PROPOSER EXHIBIT SECTION)

Under what former name has your business operated? Include a description of the business. Failure to include such information shall be deemed to be intentional misrepresentation by the City and shall render the proposer RFP submittals non-responsive.

At what address was that business located?

Name, address, and telephone number of surety company and agent who will provide the required bonds on this contract:

Have you ever failed to complete work awarded to you. If so, when, where and why?

Have you personally inspected the proposed WORK and do you have a complete plan for its performance?

Will you subcontract any part of this WORK? If so, give details including a list of each sub-contractor(s) that will perform work in excess of ten percent (10%) of the contract amount and the work that will be performed by each subcontractor(s).

The foregoing list of subcontractor(s) may not be amended after award of the contract without the prior written approval of the Contract Administrator, whose approval shall not be reasonably withheld.

List and describe all bankruptcy petitions (voluntary or involuntary) which have been filed by or against the Proposer, its parent or subsidiaries or predecessor organizations during the past five (5) years. Include in the description the disposition of each such petition.

List and describe all successful Bond claims made to your surety (ies) during the last five (5) years. The list and descriptions should include claims against the bond of the Proposer and its predecessor organization(s).

List all claims, arbitrations, administrative hearings and lawsuits brought by or against the Proposer or its predecessor organizations(s) during the last (10) years. The list shall include all case names; case, arbitration or hearing identification numbers; the name of the project over which the dispute arose; and a description of the subject matter of the dispute.

List and describe all criminal proceedings or hearings concerning business related offenses in which the Proposer, its principals or officers or predecessor organization(s) were defendants.

Has the Proposer, its principals, officers or predecessor organization(s) been CONVICTED OF A Public Entity Crime, debarred or suspended from bidding by any government entity? If so, provide details.

Are you an Original provider sales representative distributor, broker, manufacturer other, of the commodities/services proposed upon? If other than the original provider, explain below.

Have you ever been debarred or suspended from doing business with any governmental agency? If yes, please explain:

Describe the firm's local experience/nature of service with contracts of similar size and complexity, it the previous three (3) years:

The PROPOSER acknowledges and understands that the information contained in response to this Qualification Statement shall be relied upon by CITY in awarding the contract and such information is warranted by PROPOSER to be true. The discovery of any omission or misstatement that materially affects the PROPOSER'S qualifications to perform under the contract shall cause the CITY to reject the Bid, and if after the award, to cancel and terminate the award and/or contract.

(Company Name)

(Printed Name/Signature)

Attachment I

| ACORD CERTIFI | | | URΔ | NCI | = | DATE (MM/DD[Y | |
|--|--|--|---|------------------------------|--|----------------------|----|
| PRODUCER THIS CERTIFICATE IS ISSUED AS A MATTER ONLY AND CONFERS NO RIGHTS UPON T HOLDER. THIS CERTIFICATE DOES NOT AN ALTER THE COVERAGE AFFORDED BY THE | | | | | | | |
| | | | INSU | JRERS | AFFORDING COVERA | GE | |
| YOUR COMPAN | INSURER A: INSURER B, INSURER C, INSURER D, INSURER E, | INSURER B, INSURER C, INSURER D, | | companies providing coverage | | | |
| OVERAGES | | INSURER E, | | | | | |
| THE POLICIES OF INSURANCE LISTED E ANY REQUIREMENT TERM OR CONDIT MAY PERTAIN THE INSURANCE AFFOR POLICIES. AG6REGATE LIMITS SHOWN | TION OF ANY CONTRACT OR OTHER DED BY THE POLICIES DESCRIBED H | DOCUMENT WITH | H RESPEC | t to w⊦ | IICH THIS CERTIFICATE | MAY BE ISSUED | OF |
| | POLICY NUMBER | POLICY EFFECTIVE DATE (MM/DDIYY) | POLICY EX DATE (MN | | LIN | итѕ | |
| GENERAL LIABILITY | | | | | EACH OCCURRENCE | \$ | |
| COMMERCIAL GENERAL LIABILITY | Must Include G | Must Include General Liability | | | FIRE DAMAGE (Any one fire) MED EXP (Any one person) PERSONAL & ADV INJURY GENERAL AGGREGATE PRODUCTS - COMP/OP AGO | n) \$ RY \$ \$ | |
| policy project loc | | | | | | | |
| SCHEDULED AUTOS HIRED AUTOS NON-OWNED AUTOS | SA | MPLE C | | | AUTO ONLY - EA ACCIDENT | s | |
| | | | | | OTHER THAN EA ACCIDENT | c ș | |
| CLAIMS MADE | | | | | EACH OCCURRENCE AGGREGATE | \$ \$ \$ \$ | |
| RETENTION \$ | | | | | WC STATU- OTI | \$ H- | |
| WORKERS COMPENSATION AND EMPLOYERS' LIABILITY | | | | | TORY LIMITS EF E.L. EACH ACCIDENT E.L. DISEASE - EA EMPLOYE E.L. DISEASE - POLICY LIMI | s EE s | |
| OTHER | | | | | L.2. DIGENCE - I OLIGI LIMI | ب ا | |
| SCRIPTION OF OPERATIONS/LOCATIONSIVEHIC | Certificate mus | st contain w | vording | g simi | lar to what app | ears below | v |
| "THE CERTIFICATE HOLD | DER IS NAMED AS ADDITIO | NALLY INSU | | TH REC | GARD TO GENERA | | " |
| | | | | | | | |
| City of Pembroke Pines | | | CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIR. AIL 30 DAYS WRIT | | | | |
| 10100 Pines Boulevard | City Must B | e Named | as Ce | rtific | | :FT. | |
| Pembroke Pines FL 3302 | AUTHORIZED RE | AUTHORIZED REPRESENTATIVE | | | | | |
| CORD 25-S (7/97) | | | | | | CORPORATION | 10 |



CONSTRUCTION AGREEMENT

THIS IS AN AGREEMENT, dated the _____ day of _____, «Contract_Signature_Year», by and between:

CITY OF PEMBROKE PINES, a municipal corporation of the State of Florida with a business address of **601 City Center Way, Pembroke Pines, Florida 33025** hereinafter referred to as "CITY",

and

«Vendor_Name_Upper_Case», a «Vendor_Business_Type», authorized to do business in the State of Florida, with a business address of «Vendor_Address_Line_1», «Vendor_Address_Line_2» (hereinafter referred to as the "CONTRACTOR"). CITY and CONTRACTOR may hereinafter be referred to collectively as the "Parties."

WITNESSETH:

In consideration of the mutual terms and conditions, promises, covenants and payments hereinafter set forth, CITY and CONTRACTOR agree as follows:

ARTICLE 1 PREAMBLE

In order to establish the background, context and form of reference for this Agreement, and to generally express the objectives and intentions of the respective parties herein, the following statements, representations, and explanations shall be accepted as predicates for the undertakings and commitments included within the provisions which follow, and may be relied upon by the parties as essential elements of the mutual considerations upon which this Agreement is based.

1.1 On **«Solicitation_Advertisement_Date»**, the CITY advertised its notice to bidders of the CITY's desire to hire a firm to **«Service_Description»** as more particularly described in **Exhibit "A"** attached hereto and by this reference made a part hereof, for the said bid entitled:

1.2 On **«Bid_Opening_Date»**, the bids were opened at the offices of the City Clerk.

1.3 On **«Commission_Award_Date»**, the CITY awarded the bid to CONTRACTOR and authorized the proper CITY officials to negotiate and enter into an agreement with CONTRACTOR to render the services more particularly described herein below.



1.4 Negotiations pertaining to the services to be performed by the CONTRACTOR were undertaken and this Agreement incorporates the results of such negotiation.

ARTICLE 2 SERVICES AND RESPONSIBILITIES

2.1 CONTRACTOR hereby agrees to perform the services for the **«Service_Description»**, as more particularly described in **Exhibit "A"** attached hereto and by this reference made a part hereof, ("Property") in accordance with the Scope of Services outlined in the specifications, **"«Solicitation_Type_Abbreviation» # «Solicitation_Number»"**, attached hereto and made a part hereof as **Exhibit "A"** and CONTRACTOR's response thereto, attached hereto and made a part hereof as **Composite Exhibit "B"**. CONTRACTOR agrees to do everything required by this Agreement, the Sealed Bid Package, Addenda to this Agreement, and Commission award complete with proposal form.

2.2 CONTRACTOR shall furnish all services, labor, equipment, and materials necessary and as may be required in the performance of this Agreement, except as otherwise specifically provided for herein, and all work performed under this Agreement shall be done in a professional manner.

2.3 CONTRACTOR shall supervise the work force to ensure that all workers conduct themselves and perform their work in a safe and professional manner. CONTRACTOR shall comply with all OSHA safety rules and regulations in the operation of equipment and in the performance of the work. CONTRACTOR shall at all times have a competent field supervisor on the job site to enforce these policies and procedures at the CONTRACTOR's expense.

2.4 CONTRACTOR shall provide CITY with seventy-two (72) hours written notice prior to the beginning of work under this Agreement and prior to any schedule change with the exception of changes caused by inclement weather.

2.5 CONTRACTOR hereby represents to CITY, with full knowledge that CITY is relying upon these representations when entering into this Agreement with CONTRACTOR, that CONTRACTOR has the professional expertise, experience and manpower to perform the services to be provided by CONTRACTOR pursuant to the terms of this Agreement.

2.6 CONTRACTOR hereby represents to CITY that CONTRACTOR is properly licensed by the applicable federal, state, and local agencies to provide the services under this Agreement. Furthermore, CONTRACTOR agrees to maintain such licenses during the term of this Agreement. If CONTRACTOR's license is revoked, suspended, or terminated for any reason by any governmental agency, CONTRACTOR shall notify the CITY immediately.

2.7 CONTRACTOR shall comply with any and all Federal, State, and local laws and regulations now in effect, or hereinafter enacted during the term of this Agreement, which are applicable to CONTRACTOR, its employees, agents or subcontractors, if any, with respect to the work and services described herein. A violation of any federal, state, or local law or regulation may be cause for breach, allowing the CITY to terminate this Agreement.



ARTICLE 3 <u>TIME OF COMMENCEMENT AND SUBSTANTIAL COMPLETION</u>

3.1 The work to be performed under this Agreement shall be commenced after CITY execution of the Agreement and not later than ten (10) days after the date that CONTRACTOR receives CITY's Notice to Proceed. The work shall be completed within **«Number_of_Calendar_Days_from_NTP_to_Comm»** from issuance of CITY's Notice to Proceed, subject to any permitted extensions of time under the Contract Documents. For the purposes of this Agreement, completion shall mean the issuance of final permit.

3.2 During the pre-construction portion of the work hereunder, the parties agree to work diligently and in good faith in performing their obligations hereunder, so that all required permits for the construction portion of the work may be obtained. In the event that any delays in the pre-construction or construction portion of the work occur, despite the diligent efforts of the parties hereto, and such delays are the result of force majeure or are otherwise outside of the control of either party hereto, then the parties shall agree on an equitable extension of the time for substantial completion hereunder and any resulting increase in general condition costs.

3.3 In the event that CONTRACTOR abandons this Agreement or causes it to be terminated, he shall indemnify CITY against any loss pertaining to this termination up to a maximum of the full contracted fee amount. All finished or unfinished documents, data, studies, surveys, and reports prepared by CONTRACTOR shall become the property of CITY and shall be delivered by CONTRACTOR to CITY.

ARTICLE 4 COMPENSATION AND METHOD OF PAYMENT

4.1 CITY agrees to compensate CONTRACTOR for all services performed by CONTRACTOR upon issuance of final inspection approval / monthly for work that has been completed, inspected and properly invoiced **«Compensation_Type» «Compensation_Amount_Written»** (**«Compensation_Amount_Numerical»**), which includes a **«Contingency_Fee_Percent»** owner's contingency fee of **«Contingency_Fee_Written»** (**«Contingency_Fee_Numerical»**) and a **«Permit_Fee_Percent»** permit allowance of **«Permit_Fee_Written»** (**«Permit_Fee_Numerical»**).

4.1.1 This contingency or allowance authorizes the City to execute change orders up to the amount of the contingency without the need to obtain additional Commission approval. <u>It is hereby</u> <u>understood and agreed that the vendor shall not expend any dollars in connection with the</u> <u>Owner's Contingency or Allowance without the expressed prior approval of the City's</u> <u>authorized representative.</u> Any Owner's Contingency funds or allowance that have not been utilized at the end of the project will remain with the Owner, the contractor shall only be paid for the proposed project cost as approved by the City Commission along with any Owner Contingency expenses or allowances that were approved by the City's authorized representative.

4.1.2 The total compensation amount may not be exceeded without a written amendment to this Agreement. A retainage of ten percent (10%) will be deducted from monthly payments until fifty



percent (50%) of the project is complete. Retainage will be reduced to five percent (5%) thereafter. Retainage monies will be released upon satisfactory completion and final inspection of the work. Invoices must bear the project name, project number, bid number and purchase order number. CITY has up to thirty (30) days to review, approve and pay all invoices after receipt. CONTRACTOR shall invoice CITY and provide a written request to CITY to commence the one (1) year warranty period. All necessary Releases and Affidavits and approval of Final Payments shall be processed before the warranty period begins. All payments shall be governed by the Florida Prompt Payment Act, as set forth in Part VII, Chapter 218, Florida Statutes.

4.2 Method of Billing and Payment.

4.2.1 The CITY shall within thirty (30) days, from the date the City's Public Service Director approves the Application for Payment, pay the CONTRACTOR the amount approved by the City Public Services Director or his or her assignees.

4.2.2 Payment will be made to CONTRACTOR at:

«Vendor_Name» «Vendor_Address_Line_1» «Vendor_Address_Line_2»

ARTICLE 5 WAIVER OF LIENS

5.1 Prior to final payment of the Contract Sum, a final waiver of lien shall be submitted by all suppliers, subcontractors, and/or contractors who worked on the project that is the subject of this Agreement. Payment of the invoice and acceptance of such payment by CONTRACTOR shall release CITY from all claims of liability by CONTRACTOR in connection with this Agreement.

ARTICLE 6 WARRANTY

6.1 CONTRACTOR warrants the work against defect for a period of one (1) year from the date of completion of work. In the event that defect occurs during this time, CONTRACTOR shall perform such steps as required to remedy the defects. CONTRACTOR shall be responsible for any damages caused by defect to affected area or to interior structure. The one (1) year warranty period does not begin until substantial completion of the entire project, and the subsequent release of any Performance or Payment Bonds, which may be required by the original bid document.

ARTICLE 7 CHANGES IN SCOPE OF WORK

7.1 CITY or CONTRACTOR may request changes that would increase, decrease, or otherwise modify the Scope of Services, as described in **Exhibit "A,"** to be provided under this Agreement as described in Article 2 of this Agreement. These changes will affect the monthly compensation accordingly. Such changes or additional services must be in accordance with the provisions of the

Code of Ordinances of the CITY, and must be contained in a written amendment, executed by the parties hereto, with the same formality, equality and dignity herewith prior to any deviation from the terms of this Agreement, including the initiation of any additional or extra work.

7.2 In no event will the CONTRACTOR be compensated for any work which has not been described in a separate written agreement executed by the parties hereto.

ARTICLE 8 INDEMNIFICATION

8.1 Pursuant to 725.06, Florida Statutes, the parties agree that one hundred percent (100%) of the total compensation paid to CONTRACTOR for the Work under this Agreement shall constitute specific consideration to CONTRACTOR for the indemnification to be provided under this Agreement. CONTRACTOR shall indemnify and hold harmless the CITY, its trustees, elected and appointed officers, agents, servants, assigns, employees, consultants, separate contractors, any of their subcontractors, sub-subcontractors, agents and employees from and against claims, demands, or causes of action whatsoever, and the resulting losses, damages, costs and expenses, including but not limited to attorneys' fees, including paralegal expenses, liabilities, damages, orders, judgments, or decrees, sustained by the CITY arising out of or resulting from performance of the Work or the failure of the CONTRACTOR to take out and maintain insurance as required under this Agreement.

8.2 Upon completion of all Services, obligations and duties provided for in this Agreement, or in the event of termination of this Agreement for any reason, the terms and conditions of this Article shall survive indefinitely.

8.3 CITY reserves the right to select its own legal counsel to conduct any defense in any such proceeding and all costs and fees associated therewith shall be the responsibility of CONTRACTOR.

8.4 Nothing contained herein is intended nor shall be construed to waive City's rights and immunities under the common law or §768.28, Florida Statutes, as may be amended from time to time.

ARTICLE 9 INSURANCE

9.1 The CONTRACTOR shall indemnify and hold harmless the CITY and its officers, employees, agents and instrumentalities from any and all liability, losses or damages, including attorneys' fees and costs of defense, which the CITY or its officers, employees, agents or instrumentalities may incur as a result of claims, demands, suits, causes of actions or proceedings of any kind or nature arising out of, relating to or resulting from the performance of this Agreement by the CONTRACTOR or its employees, agents, servants, partners principals or subcontractors. The CONTRACTOR shall pay all claims and losses in connection therewith and shall investigate and defend all claims, suits or actions of any kind or nature in the name of the CITY, where applicable, including appellate proceedings, and shall pay all costs, judgments, and attorney's fees



which may issue thereon. The CONTRACTOR expressly understands and agrees that any insurance protection required by this Agreement or otherwise provided by the CONTRACTOR shall in no way limit the responsibility to indemnify, keep and save harmless and defend the CITY or its officers, employees, agents and instrumentalities as herein provided.

9.2 CONTRACTOR shall not commence work under this Agreement until it has obtained all insurance required under this paragraph and such insurance has been approved by the Risk Manager of the CITY nor shall the CONTRACTOR allow any subcontractor to commence work on his subcontract until all similar such insurance required of the subcontractor has been obtained and similarly approved.

9.3 Certificates of Insurance, reflecting evidence of the required insurance, shall be filed with the City's Risk Manager prior to the commencement of this Agreement. Policies shall be issued by companies authorized to do business under the laws of the State of Florida. The insurance company shall be rated no less than "A" as to management, and no less than "Class VI" as to financial strength according to the latest edition of Best's Insurance Guide published by A.M. Best Company.

9.4 Policies shall be endorsed to provide the CITY thirty (30) days notice of cancellation or the CONTRACTOR shall obtain written agreement from its Agent to provide the CITY thirty (30) days notice of cancellation.

9.5 Insurance shall be in force until all obligations required to be fulfilled under the terms of the Agreement are satisfactorily completed as evidenced by the formal acceptance by the CITY. In the event the insurance certificate provided indicates that the insurance shall terminate and lapse during the period of this Agreement, then in that event, the CONTRACTOR shall furnish, at least forty-five (45) days prior to the expiration of the date of such insurance, a renewed certificate of insurance as proof that equal and like coverage for the balance of the period of the Agreement and extension thereunder is in effect. The CONTRACTOR shall not commence nor continue to provide any services pursuant to this Agreement unless all required insurance remains in full force and effect. CONTRACTOR shall be liable to CITY for any lapses in service resulting from a gap in insurance coverage.

9.6 REQUIRED INSURANCE

9.6.1 Comprehensive General Liability Insurance written on an occurrence basis including, but not limited to: coverage for bodily injury and property damage, personal & advertising injury, products & completed operations, and contractual liability. Coverage must be written on an occurrence basis, with limits of liability no less than:

- 1. Each Occurrence Limit \$1,000,000
- 2. Fire Damage Limit (Damage to rented premises) \$100,000
- 3. Personal & Advertising Injury Limit \$1,000,000
- 4. General Aggregate Limit \$2,000,000
- 5. Products & Completed Operations Aggregate Limit \$2,000,000



Products & Completed Operations Coverage shall be maintained for two (2) years after the final payment under this contract.

The City of Pembroke Pines must be shown as an additional insured with respect to this coverage.

9.6.2 Worker's Compensation and Employers Liability Insurance covering all employees, and/or volunteers of the CONTRACTOR engaged in the performance of the scope of work associated with this Agreement. In the case any work is sublet, the CONTRACTOR shall require the subcontractors similarly to provide Workers Compensation Insurance for all the latter's employees unless such employees are covered by the protection afforded by the CONTRACTOR. Coverage for the CONTRACTOR and his subcontractors shall be in accordance with applicable state and/or federal laws that may apply to Workers' Compensation Insurance with limits of liability no less than:

| 1. Workers' Compensation: | Coverage A – | Statutory |
|---------------------------|--------------|-----------------------------------|
| 2. Employers Liability: | Coverage B | \$500,000 Each Accident |
| | | \$500,000 Disease – Policy Limit |
| | | \$500,000 Disease – Each Employee |

If CONTRACTOR claims to be exempt from this requirement, CONTRACTOR shall provide CITY proof of such exemption along with a written request for CITY to exempt CONTRACTOR, written on CONTRACTOR letterhead.

9.6.3 Comprehensive Auto Liability Insurance covering all owned, non-owned and hired vehicles used in connection with the performance of work under this Agreement, with a combined single limit of liability for bodily injury and property damage no less than:

- 1. Any Auto (Symbol 1) Combined Single Limit (Each Accident) - \$1,000,000
- 2. Hired Autos (Symbol 8) Combined Single Limit (Each Accident) - \$1,000,0003. Non-Owned Autos (Symbol 9)
 - Combined Single Limit (Each Accident) \$1,000,000
- 9.6.4 Professional Liability/Errors & Omissions Insurance, when applicable, with a limit of liability no less than \$1,000,000 per wrongful act. This coverage shall be maintained for a period of no less than two (2) years after final payment of the contract.
- 9.6.5 Sexual Abuse may not be excluded from any policy.

9.7 REQUIRED ENDORSEMENTS

9.7.1 The City of Pembroke Pines shall be named as an Additional Insured on each of the General Liability policies required herein



- 9.7.2 Waiver of all Rights of Subrogation against the CITY
- 9.7.3 30 Day Notice of Cancellation or Non-Renewal to the CITY
- 9.7.4 CONTRACTORs' policies shall be Primary & Non-Contributory
- 9.7.5 All policies shall contain a "severability of interest" or "cross liability" liability clause without obligation for premium payment of the CITY
- 9.7.6 The City of Pembroke Pines shall be named as a Loss Payee on all Property and/or Inland Marine Policies as their interest may appear.

9.8 CONTRACTOR shall name the CITY, as an additional insured on each of the General Liability policies required herein and shall hold the CITY, its agents, officers and employees harmless on account of claims for damages to persons, property or premises arising out of the services provided hereunder.

9.9 Any insurance required of the CONTRACTOR pursuant to this Agreement must also be required by any subcontractor in the same limits and with all requirements as provided herein, including naming the CITY as an additional insured, in any work that is subcontracted unless such subcontractor is covered by the protection afforded by the CONTRACTOR and provided proof of such coverage is provided to CITY. The CONTRACTOR and any subcontractors shall maintain such policies during the term of this Agreement.

9.10 The City reserves the right to require any other additional types of insurance coverage and/or higher limits of liability it deems necessary based on the nature of work being performed under this Contract.

ARTICLE 10 NON-DISCRIMINATION & EQUAL OPPORTUNITY EMPLOYMENT

10.1 During the performance of the Agreement, neither CONTRACTOR nor its subcontractors shall discriminate against any employee or applicant for employment because of race, religion, color, gender, national origin, sex, age, marital status, political affiliation, familial status, sexual orientation, or disability if qualified. CONTRACTOR will take affirmative action to ensure that employees are treated during employment, without regard to their race, religion, color, gender, national origin, sex, age, marital status, political affiliation, familial status, sexual orientation, or disability if qualified. Such actions must include, but not be limited to, the following: employment, promotion; demotion or transfer; recruitment or recruitment advertising, layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. CONTRACTOR shall agree to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the contracting officer setting forth the provisions of this nondiscrimination clause. CONTRACTOR further agrees that he/she/it will ensure that subcontractors, if any, will be made aware of and will comply with this nondiscrimination clause.

ARTICLE 11 INDEPENDENT CONTRACTOR



This Agreement does not create an employee/employer relationship between the parties. It is 11.1 the intent of the parties that the CONTRACTOR is an independent contractor under this Agreement and not the CITY's employee for all purposes, including but not limited to, the application of the Fair Labor Standards Act minimum wage and overtime payments, Federal Insurance Contribution Act, the Social Security Act, the Federal Unemployment Tax Act, the provisions of the Internal Revenue Code, the State Workers' Compensation Act, and the State unemployment insurance law. The CONTRACTOR shall retain sole and absolute discretion in the judgment of the manner and means of carrying out CONTRACTOR's activities and responsibilities hereunder provided, further that administrative procedures applicable to services rendered under this Agreement shall be those of CONTRACTOR, which policies of CONTRACTOR shall not conflict with CITY, State, H.U.D., or United States policies, rules or regulations relating to the use of CONTRACTOR's Funds provided for herein. The CONTRACTOR agrees that it is a separate and independent enterprise from the CITY, that it has full opportunity to find other business, that it has made its own investment in its business, and that it will utilize a high level of skill necessary to perform the work. This Agreement shall not be construed as creating any joint employment relationship between the CONTRACTOR and the CITY and the CITY will not be liable for any obligation incurred by CONTRACTOR, including but not limited to unpaid minimum wages and/or overtime premiums.

ARTICLE 12 TERMINATION

12.1 *Termination for Convenience:* This Agreement may be terminated by CITY for convenience, upon **«Termination_for_Convenience»** of written notice by the terminating party to the other party for such termination in which event CONTRACTOR shall be paid its compensation for services performed to termination date, including services reasonably related to termination. In the event that CONTRACTOR abandons this Agreement or causes it to be terminated, CONTRACTOR shall indemnify CITY against loss pertaining to this termination.

12.2 *Default by CONTRACTOR*: In addition to all other remedies available to CITY, this Agreement shall be subject to cancellation by CITY for cause, should CONTRACTOR neglect or fail to perform or observe any of the terms, provisions, conditions, or requirements herein contained, if such neglect or failure shall continue for a period of thirty (30) days after receipt by CONTRACTOR of written notice of such neglect or failure.

ARTICLE 13 UNCONTROLLABLE FORCES

13.1 Neither CITY nor CONTRACTOR shall be considered to be in default of this Agreement if delays in or failure of performance shall be due to Uncontrollable Forces, the effect of which, by the exercise of reasonable diligence, the non-performing party could not avoid. The term "Uncontrollable Forces" shall mean any event which results in the prevention or delay of performance by a party of its obligations under this Agreement and which is beyond the reasonable control of the nonperforming party. It includes, but is not limited to fire, flood, earthquakes, storms, lightning, epidemic, war, riot, civil disturbance, sabotage, and governmental actions.

13.2 Neither party shall, however, be excused from performance if nonperformance is due to forces, which are preventable, removable, or remediable, and which the nonperforming party could



have, with the exercise of reasonable diligence, prevented, removed, or remedied with reasonable dispatch. The nonperforming party shall, within a reasonable time of being prevented or delayed from performance by an uncontrollable force, give written notice to the other party describing the circumstances and uncontrollable forces preventing continued performance of the obligations of this Agreement.

ARTICLE 14 AGREEMENT SUBJECT TO FUNDING

14.1 This agreement shall remain in full force and effect only as long as the expenditures provided for in the Agreement have been appropriated by the City Commission of the City of Pembroke Pines in the annual budget for each fiscal year of this Agreement, and is subject to termination based on lack of funding.

ARTICLE 15 <u>VENUE</u>

15.1 This Agreement shall be governed by the laws of the State of Florida as now and hereafter in force. The venue for actions arising out of this agreement shall be in Broward County, Florida.

ARTICLE 16 SIGNATORY AUTHORITY

16.1 CONTRACTOR shall provide CITY with copies of requisite documentation evidencing that the signator for CONTRACTOR has the authority to enter into this Agreement.

ARTICLE 17 MERGER; AMENDMENT

17.1 This Agreement constitutes the entire Agreement between CONTRACTOR and CITY, and negotiations and oral understandings between the parties are merged herein. This Agreement can be supplemented or amended only by a written document executed by both CONTRACTOR and CITY with the same formality and equal dignity herewith.

ARTICLE 18 DEFAULT OF CONTRACT & REMEDIES

18.1.1 **Damages.** CITY reserves the right to recover any ascertainable actual damages incurred as a result of the failure of CONTRACTOR to perform in accordance with the requirements of this Agreement, or for losses sustained by CITY resultant from CONTRACTOR's failure to perform in accordance with the requirements of this Agreement.

18.1.2 **Liquidated Damages.** As a breach of the service provided by this Agreement would cause serious and substantial damage to CITY Property, and the nature of this Agreement would render it impracticable or extremely difficult to fix the actual damage sustained by CITY by such breach, it is agreed that, in case of breach of service wherein CONTRACTOR fails to maintain the Property, leaving the said property in disrepair, CITY may elect to collect liquidated damages for



each such breach, and CONTRACTOR will pay CITY as liquidated damages, and not as penalty, **«Liquidated_Damages_Per_Day_Written»** (**«Liquidated_Damages_Per_Day_Numerical»**) for every day of such malfunction. This sum is the agreed upon amount by which CITY will be damaged by the breach of such service. An election to seek such remedies shall not be construed as a waiver of any legal remedies CITY may have as to any subsequent breach of service under this Agreement.

18.1.3 <u>Correction of Work</u>. If, in the judgment of CITY, work provided by CONTRACTOR does not conform to the requirements of this Agreement, or if the work exhibits poor workmanship, CITY reserves the right to require that CONTRACTOR correct all deficiencies in the work to bring the work into conformance without additional cost to CITY, and / or replace any personnel who fail to perform in accordance with the requirements of this Agreement. CITY shall be the sole judge of non-conformance and the quality of workmanship.

18.2 **Default of Contract.** The occurrence of any one or more of the following events shall constitute a default and breach of this Agreement by CONTRACTOR:

18.2.1. The abandonment of the Property by CONTRACTOR for a period of more than seven (7) business days.

18.2.2 The abandonment, unnecessary delay, refusal of, or failure to comply with any of the terms of this Agreement or neglect, or refusal to comply with the instructions of the Public Services Director relative thereto.

18.2.3. The failure by CONTRACTOR to observe or perform any of the terms, covenants, or conditions of this Agreement to be observed or performed by CONTRACTOR, where such failure shall continue for a period of seven (7) days after written notice thereof by CITY to CONTRACTOR; provided, however, that if the nature of CONTRACTOR's default is such that more than seven (7) days are reasonably required for its cure, then CONTRACTOR shall not be deemed to be in default if CONTRACTOR commences such cure within said seven (7) day period and thereafter diligently prosecutes such cure to completion.

18.2.4. The assignment and/or transfer of this Agreement or execution or attachment thereon by CONTRACTOR or any other party in a manner not expressly permitted hereunder.

18.2.5. The making by CONTRACTOR of any general assignment or general arrangement for the benefit of creditors, or the filing by or against CONTRACTOR of a petition to have CONTRACTOR adjudged a bankruptcy, or a petition for reorganization or arrangement under any law relating to bankruptcy (unless, in the case of a petition filed against CONTRACTOR, the same is dismissed within sixty (60) days); or the appointment of a trustee or a receiver to take possession of substantially all of CONTRACTOR's assets, or for CONTRACTOR's interest in this Agreement, where possession is not restored to CONTRACTOR within thirty (30) days; for attachment, execution or other judicial seizure of substantially all of CONTRACTOR's assets, or for CONTRACTOR's assets, or for CONTRACTOR's assets, or for CONTRACTOR's assets, or for CONTRACTOR's assets, or other judicial seizure of substantially all of CONTRACTOR's assets, or for CONTRACTOR's assets, or for CONTRACTOR's assets, or for CONTRACTOR's assets, or other judicial seizure of substantially all of CONTRACTOR's assets, or for CONTRACTOR's assets, o

18.3 <u>Remedies in Default</u>. In case of default by CONTRACTOR, CITY shall notify CONTRACTOR, in writing, of such abandonment, delay, refusal, failure, neglect, or default and

direct him to comply with a

direct him to comply with all provisions of the Agreement. If the abandonment, delay, refusal, failure, neglect or default is not cured within seven (7) days of when notice was sent by CITY, CITY may declare a default of the Agreement and notify CONTRACTOR of such declaration of default and terminate the Agreement.

18.3.1. Upon such declaration of default, all payments remaining due CONTRACTOR at the time of default, less all sums due CITY for damages suffered, or expenses incurred by reason of default, shall be due and payable to CITY.

18.3.2. CITY may complete the Agreement, or any part thereof, either by day labor or reletting a contract for the same, and procure the equipment and the facilities necessary for the completion of the Agreement, and charge the cost of same to CONTRACTOR and/or the Surety together with the costs incident thereto to such default.

18.3.3. In the event CITY completes the Agreement at a lesser cost than would have been payable to CONTRACTOR under this Agreement, if the same had been fulfilled by CONTRACTOR, CITY shall retain such differences. Should such cost to CITY be greater, CONTRACTOR shall pay the amount of such excess to the CITY.

18.3.4 Notwithstanding the other provisions in this Section, CITY reserves the right to terminate the Agreement at any time, whenever the service provided by CONTRACTOR fails to meet reasonable standards of the trade after CITY gives written notice to the CONTRACTOR of the deficiencies as set forth in the written notice within fourteen calendar (14) days of the receipt by CONTRACTOR of such notice from CITY.

ARTICLE 19 BANKRUPTCY

19.1 It is agreed that if CONTRACTOR is adjudged bankrupt, either voluntarily or involuntarily, then this Agreement shall terminate effective on the date and at the time the bankruptcy petition is filed.

ARTICLE 20 DISPUTE RESOLUTION

20.1 <u>Arbitration</u>. In addition to any other remedy provided hereunder, CITY, at its option, may use arbitration to resolve any controversy or claim arising out of or relating to this Agreement if arbitration is elected by CITY. Any controversy or claim arising out of or relating to this Agreement, or breach thereof, may be settled by arbitration in accordance with the rules of the American Arbitration Association and judgment upon the award rendered by the arbitrators may be entered into by any court having jurisdiction thereof. In the event arbitration is elected by CITY, such controversy or claim shall be submitted to one arbitrator selected from the National Panel of The American Arbitration Association.

20.2 **Operations During Dispute.**

20.2.1 In the event that a dispute, if any, arises between CITY and CONTRACTOR relating to this Agreement, performance or compensation hereunder, CONTRACTOR shall continue to render service in full compliance with all terms and conditions of this Agreement as interpreted by CITY regardless of such dispute.

20.2.2 CONTRACTOR expressly recognizes the paramount right and duty of CITY to provide adequate maintenance of CITY's Property, and further agrees, in consideration for the execution of this Agreement, that in the event of such a dispute, if any, it will not seek injunctive relief in any court, but will negotiate with CITY for an adjustment on the matter or matters in dispute and, upon failure of said negotiations to resolve the dispute, may present the matter to a court of competent jurisdiction in an appropriate suit therefore instituted by it or by CITY.

ARTICLE 21 PUBLIC RECORDS

21.1 The City of Pembroke Pines is public agency subject to Chapter 119, Florida Statutes. The CCONTRACTOR shall comply with Florida's Public Records Law. Specifically, the CONTRACTOR shall:

21.1.1 Keep and maintain public records required by the CITY to perform the service;

21.1.2 Upon request from the CITY's custodian of public records, provide the CITY with a copy of the requested records or allow the records to be inspected or copied within a reasonable time at a cost that does not exceed the cost provided in chapter 119, Fla. Stat., or as otherwise provided by law;

21.1.3 Ensure that public records that are exempt or that are confidential and exempt from public record disclosure requirements are not disclosed except as authorized by law for the duration of the contract term and, following completion of the contract, CONTRACTOR shall destroy all copies of such confidential and exempt records remaining in its possession after the CONTRACTOR transfers the records in its possession to the CITY; and

21.1.4 Upon completion of the contract, CONTRACTOR shall transfer to the CITY, at no cost to the CITY, all public records in CONTRACTOR's possession. All records stored electronically by the CONTRACTOR must be provided to the CITY, upon request from the CITY's custodian of public records, in a format that is compatible with the information technology systems of the CITY.

21.2 The failure of Contractor to comply with the provisions set forth in this Article shall constitute a Default and Breach of this Agreement and the CITY shall enforce the Default in accordance with the provisions set forth in **Article 18**.

IF THE CONTRACTOR HAS QUESTIONS REGARDING THE APPLICATION OF CHAPTER 119, FLORIDA STATUTES, TO THE CONTRACTOR'S DUTY TO PROVIDE PUBLIC



RECORDS RELATING TO THIS CONTRACT, CONTACT THE CUSTODIAN OF PUBLIC RECORDS AT

CITY CLERK 601 CITY CENTER WAY, 4th FLOOR PEMBROKE PINES, FL 33025 (954) 450-1050 <u>mgraham@ppines.com</u>

ARTICLE 22 MISCELLANEOUS

22.1 <u>**Ownership of Documents.**</u> Reports, surveys, studies, and other data provided in connection with this Agreement are and shall remain the property of CITY, whether or not the project for which they are made is completed.

22.2 <u>Legal Representation</u>. It is acknowledged that each party to this agreement had the opportunity to be represented by counsel in the preparation of this Agreement, and accordingly, the rule that a contract shall be interpreted strictly against the party preparing same shall not apply herein due to the joint contributions of both parties.

22.3 **<u>Records.</u>** CONTRACTOR shall keep such records and accounts and require any and all subcontractors to keep records and accounts as may be necessary in order to record complete and correct entries as to personnel hours charged to this engagement, and any expenses for which CONTRACTOR expects to be reimbursed. Such books and records will be available at all reasonable times for examination and audit by CITY and shall be kept for a period of ten (10) years after the completion of all work to be performed pursuant to this Agreement. Incomplete or incorrect entries in such books and records will be grounds for disallowance by CITY of any fees or expenses based upon such entries.

22.4 <u>Assignments: Amendments</u>. This Agreement, and any interests herein, shall not be assigned, transferred or otherwise encumbered, under any circumstances, by CONTRACTOR without the prior written consent of CITY. For purposes of this Agreement, any change of ownership of CONTRACTOR shall constitute an assignment which requires CITY approval. However, this Agreement shall run to the benefit of CITY and its successors and assigns.

22.5 <u>No Contingent Fees</u>. CONTRACTOR warrants that it has not employed or retained any company or person, other than a bona fide employee working solely for CONTRACTOR to solicit or secure this Agreement, and that it has not paid or agreed to pay any person, company, corporation, individual or firm, other than a bona fide employee working solely for CONTRACTOR any fee, commission, percentage, gift, or other consideration contingent upon or resulting from the award or making of this Agreement. For the breach or violation of this provision, CITY shall have the right to terminate the Agreement without liability at its discretion, to deduct from the contract price, or otherwise recover the full amount of such fee, commission, percentage, gift or consideration.



22.6 <u>Notice</u>. Whenever any party desires to give notice unto any other party, it must be given by written notice, sent by certified United States mail, with return receipt requested, addressed to the party for whom it is intended and the remaining party, at the places last specified, and the places for giving of notice shall remain such until they shall have been changed by written notice in compliance with the provisions of this section. For the present, CONTRACTOR and CITY designate the following as the respective places for giving of notice:

| CITY | Charles F. Dodge, City Manager City of Pembroke Pines 601 City Center Way Pembroke Pines, Florida 33025 | | | | |
|------------|--|-----------------------|--|--|--|
| | , | | | | |
| | Telephone No. | (954) 450-1040 | | | |
| Copy To: | Samuel S. Goren, C | ity Attorney | | | |
| 1. | Goren, Cherof, Doody & Ezrol, P.A. | | | | |
| | 3099 East Commercial Boulevard, Suite 200 | | | | |
| | Fort Lauderdale, Florida 33308 | | | | |
| | Telephone No. | (954) 771-4500 | | | |
| | Facsimile No. | | | | |
| Contractor | «Vendor_Contact_ | Title» | | | |
| | «Vendor_Name» | | | | |
| | «Vendor_Address | Line 1» | | | |
| | «Vendor_Address | | | | |
| | E-mail: | | | | |
| | Telephone No: | «Vendor_Phone_Number» | | | |
| | Cell phone No: | | | | |

Facsimile No:

22.7 <u>Binding Authority</u>. Each person signing this Agreement on behalf of either party individually warrants that he or she has full legal power to execute this Agreement on behalf of the party for whom he or she is signing, and to bind and obligate such party with respect to all provisions contained in this Agreement.

«Vendor_Fax_Number»

22.8 <u>Headings</u>. Headings herein are for the convenience of reference only and shall not be considered in any interpretation of this Agreement.

22.9 <u>Exhibits</u>. Each Exhibit referred to in this Agreement forms an essential part of this Agreement. The exhibits if not physically attached should be treated as part of this Agreement and are incorporated herein by reference.

22.10 <u>Severability</u>. If any provision of this Agreement or application thereof to any person or situation shall to any extent, be held invalid or unenforceable, the remainder of this Agreement, and the application of such provisions to persons or situations other than those as to which it shall have



been held invalid or unenforceable, shall not be affected thereby, and shall continue in full force and effect, and be enforced to the fullest extent permitted by law.

22.11 **Extent of Agreement.** This Agreement represents the entire and integrated agreement between CITY and CONTRACTOR and supersedes all prior negotiations, representations or agreements, either written or oral.

22.12 <u>Waiver</u>. Failure of CITY to insist upon strict performance of any provision or condition of this Agreement, or to execute any right therein contained, shall not be constructed as a waiver or relinquishment for the future of any such provision, condition, or right, but the same shall remain in full force and effect.

22.13 <u>Attorney's Fees</u>. In the event that either party brings suit for enforcement of this Agreement, each party shall bear its own attorney's fees and court costs, except as otherwise provided under the indemnification provisions set forth herein above.

22.14 <u>Protection of City Property</u>. At all times during the performance of this Agreement, CONTRACTOR shall protect CITY's property from all damage whatsoever on account of the work being carried on under this Agreement.

22.15 <u>Counterparts and Execution</u>. This Agreement may be executed in multiple originals or counterparts, each of which shall be deemed to be an original and together shall constitute one and the same agreement. Execution and delivery of this Agreement by the Parties shall be legally binding, valid and effective upon delivery of the executed documents to the other party through facsimile transmission, email, or other electronic delivery.

THE REMAINDER OF THIS PAGE

HAS BEEN INTENTIONALLY LEFT BLANK



IN WITNESS OF THE FOREGOING, the parties have set their hands and seals the day and year first written above.

CITY:

ATTEST:

CITY OF PEMBROKE PINES, FLORIDA

MARLENE D. GRAHAM, CITY CLERK

By: _____

CHARLES F. DODGE, CITY MANAGER

APPROVED AS TO FORM:

OFFICE OF THE CITY ATTORNEY

CONTRACTOR:

«Vendor_Name_Upper_Case»

| By: | |
|--------|--|
| Name: | |
| Title: | |

| STATE OF |) |
|-----------|-------|
| COUNTY OF |) |

BEFORE ME, an officer duly authorized by law to administer oaths and take acknowledgments, personally appeared ______ as _____ of **«Vendor_Name»**, a company authorized to conduct business in the State of Florida, and acknowledged execution of the foregoing Agreement as the proper official of **«Vendor_Name»** for the use and purposes mentioned in it and affixed the official seal of the corporation, and that the instrument is the act and deed of that corporation.

IN WITNESS OF THE FOREGOING, I have set my hand and official seal at in the State and County aforesaid on this ______day of _____, **«Contract_Signature_Year»**.

NOTARY PUBLIC

(Name of Notary Typed, Printed or Stamped)

REFERENCES FORM

Provide specific examples of similar contracts. References should be should be capable of explaining and confirming your firm's capacity to successfully complete the scope of work outlined herein. <u>This form should be duplicated for each reference and any additional information that would be helpful can be attached.</u>

Reference Contact Information:

| Name of Firm, City, County or Agency: | | | | |
|---|--------------------------------|--|--|--|
| Address: | | | | |
| City/State/Zip: | | | | |
| Contact Name: | Title: | | | |
| E-Mail Address: | | | | |
| Telephone: | Fax: | | | |
| Project Information: | | | | |
| Name and location of the project: | | | | |
| | | | | |
| | | | | |
| Nature of the firm's responsibility on the project: | | | | |
| Project duration: | Completion (Anticipated) Date: | | | |
| Size of project: | Cost of project: | | | |
| Work for which staff was responsible | 2: | | | |
| Contract Type: | | | | |

The results/deliverables of the project:

REFERENCES FORM

Provide specific examples of similar contracts. References should be should be capable of explaining and confirming your firm's capacity to successfully complete the scope of work outlined herein. <u>This form should be duplicated for each</u> reference and any additional information that would be helpful can be attached.

Reference Contact Information:

Name of Firm, City, County or Agency:

| Address: | | | |
|--|--------------------------------|--|--|
| City/State/Zip: | | | |
| Contact Name: | Title: | | |
| E-Mail Address: | | | |
| Telephone: | Fax: | | |
| Project Information: | | | |
| Name and location of the project: | | | |
| | | | |
| Nature of the firm's responsibility on t | he project: | | |
| Project duration: | Completion (Anticipated) Date: | | |
| Size of project: | Cost of project: | | |
| Work for which staff was responsible: | | | |
| Contract Type: | | | |

REFERENCES FORM

Provide specific examples of similar contracts. References should be should be capable of explaining and confirming your firm's capacity to successfully complete the scope of work outlined herein. <u>This form should be duplicated for each</u> reference and any additional information that would be helpful can be attached.

Reference Contact Information:

The results/deliverables of the project:

Name of Firm, City, County or Agency:

Address:

City/State/Zip:

Contact Name:

Title:

E-Mail Address:

| Telephone: | Fax |
|------------|-----|
| A | |

Project Information:

Name and location of the project:

Nature of the firm's responsibility on the project:

| Project duration: | Completion (Anticipated) Date: |
|-------------------|--------------------------------|
| 5 | 1 1 / |

Size of project: Cost of project:

Work for which staff was responsible:

Contract Type:

The results/deliverables of the project:

REFERENCES FORM

Provide specific examples of similar contracts. References should be should be capable of explaining and confirming your firm's capacity to successfully complete the scope of work outlined herein. <u>This form should be duplicated for each</u> reference and any additional information that would be helpful can be attached.

Reference Contact Information:

Name of Firm, City, County or Agency:

Address:

City/State/Zip:

Contact Name:

Title:

E-Mail Address:

| Telephone: | |
|------------|--|
|------------|--|

Fax:

Project Information:

Name and location of the project:

Nature of the firm's responsibility on the project:

Project duration:

Completion (Anticipated) Date:

Size of project: Cost of project:

Work for which staff was responsible:

Contract Type:

The results/deliverables of the project:

REFERENCES FORM

Provide specific examples of similar contracts. References should be should be capable of explaining and confirming your firm's capacity to successfully complete the scope of work outlined herein. <u>This form should be duplicated for each reference and any additional information that would be helpful can be attached.</u>

Title:

Reference Contact Information:

Name of Firm, City, County or Agency:

Address:

City/State/Zip:

Contact Name:

E-Mail Address:

Telephone:

Fax:

Project Information:

Name and location of the project:

Nature of the firm's responsibility on the project:

Project duration:

Completion (Anticipated) Date:


Size of project:

Cost of project:


Work for which staff was responsible:


Contract Type:

The results/deliverables of the project:



NW 17th STREET AND NW 178th AVENUE ROAD REPAIR AND RESURFACING





PLAN SHEETS......2-6 GENERAL NOTES.....7,8 BCTED DETAIL SHEET.....9 COVER SHEET..... SHEETS ЧО INDEX

APPROVED BY BROWARD COUNTY.


NOTES:

 ALL MARKINGS SHOWN ARE TO BE THERMOPLASTIC MEETING ENERVIEWS
 ALL MARKINGS SHOWN ARE TO BE THACHED DETAIL SHEET FOR EXACT LOCATION OF RPAMS AND MARKINGS.
 CONTRACTOR IS RESPONSIBLE FOR PAINTING THE TOPS AND NOTES OF ALL TRAFFIC SEERARTOPS AND WIGNO STANDARDS. SEE ATTACHED DETAIL SHEET FOR EACT LOCATION OF RPAMS AND MARKING.

 CONTRACTOR IS RESPONSIBLE FOR PAINTING THE TOPS AND NOTES OF ALL TRAFFIC SEERARTOPS AND MEDIAN NOSES WITHIN THE PAVING LIMITS AND AS NOTED ON THE PLANS WITH REFLECTIVE YELLOW PAINT WITH GLASS BEADS.
 ALL RPAMS SHALL MEET AND BE INSTALLED CONSISTENT WITH BROWARD COUNTY TRAFFIC ENGINEERING STANDARDS. CONTRACTOR SHALL ALSO INSTALL FIRE HYDRANIT AND VALVE RPMS AS DIRECTED BY THE CITY OF REMBRINGS FILL LANE MULTIPLE INSPECTIONS ON THE SIGNING AND MARKING IMPROVEMENTS.
 THE ORDER SHALL HAVE MULTIPLE INSPECTION WILL BE MADE BY THE CONTRACTOR SHALL HAVE MULTIPLE INSPECTION WILL BE MADE BY THE CONTRACTOR SHALL ADDRESS ALL UNCHLIST TIEMS.
 THE COST OF ADDRESSING THESE ITEMS SHALL BE INCLUDED IN THE CONTRACTOR'S BID.
 THE CONTRACTOR SHALL INSTALL TRAFFIC PAINT MARKINGS THE SAME DOWNT. THE ROOT IS PAYED BY AS THE ROOM IS PAKED SHOWN ON THE APPROVED SHALL INSTALL TRAFFIC PAINT MARKINGS THE SAME DOWNT. THE RADIA COUNTY THE MARKINGS SHALL NISTALL TRAFFIC PAINT MARKINGS THE SAME DOWNT. STANDARDS AND BE CONSISTENT WITH THE MARKINGS SHOWN ON THE APPROVED SHALL NOT ALL SHETS.
 THE MARKINGS SHALL NOT ALL SHETS.
 THE RARKING SHALL AND HAVE APPROVED MAINTENANCE OF TRAFFIC (MOT) PLANS FOR ALL LANE CLOSINGS. THE SAME DOWNT TRAFFIC GONT TRAFFIC DISTINGT MITH THE MARKINGS SHOWN ON THE APPROVED SHALL AND HAVE APPROVED MAINTENANCE OF TRAFFIC (MOT) PLANS FOR ALL LANE CLOSURES.
 THE MARKINGS SHALL SUBMIT AND HAVE APPROVED MAINT TARFFIC ENGINEERING DISTINT.
 THE MARKINGS SHALL SUBMIT AND HAVE APPROVED DI

$\left(\right)$ $\overline{\bigcirc}$ \rightarrow $\overline{}$ 2 \swarrow RES L \sum $\overline{}$

"Communication Notes"



SITE PROJECT


ALL PAVEMENT MARKINGS AND SIGNING DAMAGED DURING CONSTRUCTION SHALL BE RESTORED TO BROWARD COUNTY TRAFFIC ENGINEERING STANDARD (CURRENT EDITION). ø.


| The agency responsible for maintenance of the traffic signals and related equipment is Broward County Traffic Engineering Division (BCTED). All system communications equipment, cabling and related material shall comply with Broward County's latest edition of minimum standards as expressed in the "Standards and Specifications – Communication Infrastructure" document. Please refer to the (BCTED's) Communications Policies and Procedures for additional information. Broward County Traffic Engineering Division will not accept any projects that do not meet these standards and specifications. If fiber optic pull boxes already exist at an intersection, no additional fiber optic pull boxes will need to be installed. For a copy of these standards refer to the Broward County web site at www.BROWARD.ORG/TRAFFIC under publications. |
|--|
| |
| there are Fiber Optic Cable/s within your projec ntact the Communications Manager at <u>tecomm</u> there are cellular communications within your p |
| org or 954-8 shall be loca |
| Engineering Division Communication Disruption On Distriction to perform |
| Contractor shall provide two day advance notice in writing to the Broward County Traffic Engineering Division. This notification shall be conveyed via electronic mail (email) to the Traffic Engineering Technician III at tecommunications@broward.org. Notification shall include contact person, telephone number, purpose, location and duration. This disruption shall last for no more than 3 consecutive business days. Where possible, the disruption shall be during off peak hours beginning at 9:00 a.m. and ending at 3:00 p.m. |
| Fiber Optic Cable notification Contact Person When communications to an intersection must be disrupted by a Contractor to perform work, the When communications to an intersection must be disrupted by a Contractor to perform work, the Contractor shall provide two day advance notice in writing to the Broward County Traffic Engineering Division. This notification shall be conveyed via electronic mail (email) to the Communications Manager at tecommunications@broward.org. Notification shall include a contact person, telephone number, purpose, location and duration. The disruption shall last no more than 3 consecutive business days. Where possible, the disruption shall be during off peak hours beginning at 9:00 a.m. and ending at 3:00 p.m. |
| "Utility Owners/Contact Person" Copper Interconnect Cable (Tim Miller) Broward County Traffic Engineering (BCTED): 954– 847–2761. Fiber Optic Cable (Robert Blount) Broward County Traffic Engineering (BCTED): 954–847– |
| Revised: 10/13/15 MAINTENANCE OF TRAFFIC - SCHOOL / PEDESTRIAN |
| Contractor, shall include p quirements: within the vicinity of the c surface cannot be mainta the construction activity penings at designated cro |
| All construction equipment activity around any designated crosswalk shall cease to operate during the student arrival and dismissal times. All construction equipment activity adjacent to a designated walk route shall cease operating unless satisfactorily barricaded from the walk route. |
| In the case that a designated crossing or any portion of the desinated walk route cannot be maintained, the Contractor shall notify the Special Projects Coordinator at Broward County Traffic Engineering Division, (954) 847-2600, a minimum of ten (10) <u>working days prior</u> to closing that route in order to establish an alternate crossing/route. It shall be the Contractor's responsibility to install any necessary pavement, road rock, pavement markings and signage and/or any pedestrian sinalization and/or signal modification to accommodate an existing or alternate walk route throughout the entire lenced. |
| Contractor's responsibility to provide locations other than those previously school Crossing Guard. |
| Thirty (30) days prior to the beginning of construction the Contractor shall notify the Special Projects Coordinator at Broward students at all locations other than those previously designated. The Contractor may use flagmen, but It shall be the Contractor's responsibility to notify the following Broward County School Board Pupil transportation Department personnel if construction will impact any bus routes: |
| Transpotation & flee Transpotation & flee |
| deemed necessary, a pre-construction meeting will be h ments for rerouting. The Special Projects Coordinator fr will be notified and may attend the pre-construction r |
| 8. The Contractor shall be responsible for obtaining an approved Maintenance of traffic Plan (MOT), specified the above school/pedestrian conditions, through the Broward County traffic Engineering Division or the local Municipality, depending on the roadway jurisdiction. The condition outlined in the MOT are fully effective as part of the proposed improvements. The Contractor shall be responsible for ensuring that all work associated with project is in compliance with all the requirements of the approved MOT. |
| The Contractor shall ensure that there are <u>NO</u> speed limit signs installed within the designated reduced speed school zone at any time throughout the project. Bevised: 9/24/14 |
| |
| /IRONMENTAL SER 3LIC SERVICES DE |
| Ē |

8300 SOUTH PALM DRIVE PEMBROKE PINES, FL 33025


518 - 9040


(954)











KENISION

ВÅ

DATE

σ

LL O

| NW 178th AVE. & NW 17th ST. Job: | (954) 518-9040 ENVIRONMENTAL SERVICES ENVIRONMENTAL SERVICES CITY OF PEMBROKE PINES, FLORIDA 33025 PEMBROKE PINES | DATE: | BY BY APPROVED: | KEAISION | DESIGNED K.M.K. DATE DATE DATE DATE DATE DATE DATE DATE | SCALE: SCALE: N.T.S. SHEET 7 OF 9 |
|---|---|---|--|--|---|--|
| D. TESTING. D. TESTING: 1. THE PYPSICAL CONVECTION OF THE NEW SYSTEM TO THE EXISTING SYSTEM SHALL BE THE ORDER OF THE PRESSURE TESTING AND DISINFECTION. THE ORDER OF THE RESSURE TESTING AND DISINFECTION. THE ORDER OF THIRDS OR VALVES. THE COMPACT AND THE THE TORMULA OF THE PRESSURE THE RANGE ALLOWANCES WILL NOT THE ORDER OF THINGS OR VALVES. THE COMPACT AND THE TESTING AND DISINFECTION. THE ORDER OF THINGS OR VALVES. THE COMPACT AND THE TESTING AND DISINFECTION. THE PRESSURE THAT THE TESTING AND THE TESTING AND THE PRESSURE IN THE PRESSURE THAT AND THE TESTING AND THE TESTING AND THE PRESSURE TRANSIC THE ORDER OF THE RESOLVED IN THE TESTING AND THE TERSOLOOD THE ALLOWABLE LEAKAGE IN CALSING AND THE TORMULA OF THE ORDER OF THE RESSURE DURING TESTING AND THE CONTINNE OF THE CONTONS OF THE TORMOLANCE AND THE TERSOLOFED IN THE RESSURE DURING TESTING AND THE CONTINNE OF THE CONTONS OF THE TORMOLANCE AND THE REGARDER OF RECORDING AND THE REGARDER OF RECORD. THE RESSURE TOWNING THAT THE TRANSFERSION AND THE ENDINEER OF RECORD. THE RESSURE TOWNING THAT THE TRANSFERSION AND THE REGARDER OF RECORD. THE RESSURE TOWNING THAT THE TRANSFERSION AND THE REGARDER OF RECORD. THE RESSURE TOWNING THAT THE AND THE TRANSFERSION AND THE REGARDER OF RECORD. THE RESSURE TOWNING THAT THE TRANSFERSION AND THE REGARDER OF RECORD. THE RESSURE TOWNING THAT THE RECORDER OF RECORD. THE RESSURE THAT AND THE RECORDER AND THE RECORD. THE RESSURE TOWNING THAT THE RECORDER AND THE RECORD. THE RESSURE TOWNING THAT THE RECORDER AND THE RECORDER OF RECORDING AND THE RECORD. THE RECORDER THAT AND THE RECORDER TO THE RECORDER OF RECORDING AND THE RECORDER OF RECORDING AND THE RECORDER OF RECORDING AND THE RECORDER OF RE | | 1. PIPE AL C SERVI- C S | | SERVICE: a. MINIMUM SLOPE OF ALL, SERVICE LINES SHALL BE AS INDICATED IN THE FLORIDA BUILDING CODE" BROWARD COUNTY EDITION. b. SERVICE LATERALS SHALL TERMINATE AT A DEPTH 30" BELOW FINISHED GRAI c. EACH SERVICE CONNECTION SHALL BE PLUGGED WATERTICHT WITH AN APPROVI d. THE END OF EACH SERVICE CONNECTION SHALL BE MARKED WITH A TREATED STAKE PAINTED RED, EXTENDING 18 INCHES (MINIMUM) ABOVE GR. e. CONTRACTOR SHALL ROUGH IN RISER TO 1 FOOT ABOVE FINISHED GRADE A AT PROJECT COMPLETION, CUT BACK TO FINISHED GRADE. f. CONNECTION OF SERVICES TO BUILDING'S PLUMBING SHALL BE COORDINA' THE CITY'S BUILDING AND ZONING DEPARTMENT, PLUMBING SECTION. f. CONNECTION OF THE SEWER SYSTEM, THE ENTIRE SYSTEM SHALL BE WITNESSED BY THE ENGINEER OF RECORD SEWER LAMPING SHALL BE WITNESSED BY THE ENTIRE SYSTEM SHALL BE SEWER LAMPING SHALL BE WITNESSED BY THE ENTIRE SYSTEM SHALL BE SEWER LAMPING SHALL BE WITNESSED BY THE ENTIRE SYSTEM SHALL BE SEWER LAMPING SHALL BE WITNESSED BY THE ENTIRE SYSTEM SHALL BE SEWER LAMPING SHALL BE WITNESSED BY THE ENTIRE SYSTEM SHALL BE SEVER LAMPING SHALL BE WITNESSED BY THE ENTIRE SYSTEM SHALL BE SEVER LAMPING SHALL BE WITNESSED BY THE ENTIRE SYSTEM SHALL BE SEVER LAMPING SHALL BE WITNESSED BY THE ENTIRE SYSTEM SHALL BE WITNESSED BY THE ENTIRE SYSTEM SHALL BE SEVER TO THE CITY OF PEMBROKE PINES ENGINEERING DIVISION. | AFTER CONSTRUCTION OF THE SEWER SYSTEM, THE CITY OF PEMBROKE PINES OR THE ENGINEER OF RECORD MAY REQUIRE A VISUAL INFILTRATION AND/OR EXFILTRATION TEST TO BE PERFORMED ON THE ENTIRE SYSTEM OR ANY PART THEREOF. AN AIR TEST MAY BE SUBSTITUTED FOR THE WATER EXFILTRATION TEST, UPON APPROVAL OF THE CITY OF PEMBROKE PINES. ANNHOLE EXFILTRATION LEAKAGE SHALL NOT EXCEED 4 GALLONS PER DAY PER UNIT. SEWER PIPE EXFILTRATION LEAKAGE SHALL NOT EXCEED 10 GALLONS PER DAY PER INCH DIAMETER PER MILE IN A TWO HOUR TEST PERIOD FOR ANY SECTION TESTED. VISIBLE MANHOLE AND SEWER PIPE INFILTRATION LEAKAGE SHALL NOT BE PERMITTED. SANITARY SEWER SHALL BE TELEVISED, AT DEVELOPER'S EXPENSE, PRIOR TO FINAL CITY OF PEMBROKE PINES ENGINEERING DIVISION. OWNER Y CONTRACTOR SHALL BE ERSPONSIBLE FOR CORRECTING OF ANY AGENCY. | NOTE: THE CONTRACT SHALL TAKE PRECEDENCE OVER THESE NOTES. |
| ING AND SHALL OPEN HALL MEET OR EXCEED COMPLY WITH FACTORY RIES UL246 STANDARD. THE CENTER OF THE CDRANT LOCATIONS. IN AND BROWN TAPE FOR "CAUTION FORCE OR "CAUTION FOR TO SIGN. COATED WITH DOUBLE S SHALL CONFORM TO SION. CRIBED IN ANSI/AWWA OF 200 PSI (DR 9). CONFINED GRIP SEAL FROM PE 3408 HIGH -2737. LOY IN ACCORDANCE SHALL BE OF BRONZE SHALL BE OF BRONZE | THE CITY OF PEMBROKE M THE CITY OF PEMBROKE BE INCLUDED IN THE CAST IRON ASTM-A48 ASTM A-48 CLASS 30 ASTM A-80 CLASS 30 ATEST REVISION, AND SURE RATING. ATEST REVISION, AND ST 150 PSI WITHOUT HALL CONSIST OF TWO S, LOCATED BETWEEN WITH FOUR PROPERLY | DONE USING ONE OF STANDARDS, WHICH N THE EXISTING MAIN STANDARDS, WHICH XISTING MAINS USING HEALTH UNIT, WHICH CTION OF THE NEW STANL BE SAND WITH ASHED ROCK WILL BE ASHED ROCK WILL BE | THAN 6" THAN 6" RE PIPE LATIC L PVC M 9 OR LA | VALVE BO VALVE BO IGHT-OF- IGHT-OF- THE PA TTR PA ATER MAIN ATER MAIN ATER MAIN | 24 INCHES MAXIMUM 2 AS REQUIRED FOR 3 SCHEDULE 80 PVC 2 FEET BEYOND THE 4 SCHEDULE 80 PVC 2 FEET BEYOND THE 2 FEET BEYOND E CADE 3 FEAULTS SHALL BE | DF "RECOMMENDED 55.330, F.A.C. IN AT DRINKING WATER FINISHED DRINKING 2–555.320(21)(B)3., REATMENT PLANT PIPING H THE DEPARTMENT |

b. SERVICE LINES SHALL BE POLYETHYLENE (PE) TUBING AS DESCRIBEI C901-02 OR LATEST REVISION, WITH A WORKING PRESSURE OF 2010-02 OR LATEST REVISION, WITH A WORKING PRESSURE OF 2017 C012 PIPE JOINTS SHALL BE POLYETHYLENE SHALL BE FROM TO ASTM D-2737
c. CORPORATION STOPS SHALL BE MANUFACTURED OF BRASS ALLOY IN MOLECULAR WEIGHT MATERIAL AND MUST CONFORM TO ASTM D-2737
c. CORPORATION STOPS SHALL BE MANUFACTURED OF BRASS ALLOY IN ASTM B-62 WITH THREADED ENDS.
d. METER STOPS SHALL BE THE 90 DEGREE LOCKWING TYPE AND SHALL CONSTRUCTION IN ACCORDANCE WITH ASTM B-62. METER STOPS SHALL BE EQUIPPED WITH A METER STOPS SHALL BE PURCHASED BY THE CONFROMMENT OF BUTTON. STOPS SHALL BE PURCHASED BY THE CONTRACTOR FROM THE PRICES OF THE METER AND METER BOXE SHALL BE PURCHASED BY THE CONTRACTOR FROM THE PINES. THE PRICES OF THE METER AND METER BOXE SHALL BE PURCHASED BY THE CONTRACTOR FROM THE PINES. THE PRICES OF THE METER AND METER BOX SHALL BE PURCHASED BY THE CONTRACTOR FROM THE PINES. 7. COLOR CODING OF PIPING AT DRINKING WATER TREATMENT PLANALL NEW OR ALTERED ABOVEGROUND PIPING AT WATER TREATMENT PLAN COLOR CODED AND LABELED AS RECOMMENDED IN SECTION 2.14 OF "R STANDARDS FOR WATER WORKS" AS INCORPORATED IN RULE 62–555.33 ADDITION, ALL UNDERGROUND WATER MAIN PIPE THAT IS INSTALLED AT IPLANTS ON OR AFTER AUGUST 28, 2003, AND THAT IS CONVEYING FINIS SHALL BE COLOR CODED AS REQUIRED UNDER SUBPARAGRAPH 62–555 F.A.C. THIS SUBSECTION DOES NOT APPLY TO DRINKING WATER TREATM INSTALLED OR ALTERED UNDER A CONSTRUCTION PERMIT FOR WHICH THREATLED A COMPLETE APPLICATION BEFORE AUGUST 28, 2003. a. PVC PIPE SHALL BE INSTALLED IN ACCORDANCE WITH THE UNI-BE PLASTIC PIPE ASSOCIATION'S GUIDE FOR INSTALLATION OF PVC PREMUNICIPAL WATER DISTRIBUTION SYSTEMS.
b. PVC PIPE SHALL BE INSTALLED WITH A MINIMUM OF 36" COVER.
c. DETECTOR TAPE SHALL BE INSTALLED THE FULL LENGTH OF APPROXIMATELY 18" BELOW GRADE, COLOR SIDE UP.
4. DUCTILE IRON PIPE:
a. DIP SHALL BE INSTALLED IN ACCORDANCE WITH ANSI/AWWA C600 REVISION. b. METHOD "B" PER BROWARD COUNTY PUBLIC HEALTH UNIT S INVOLVES A DIRECT CONNECTION BETWEEN THE NEW AND EXI TWO GATE VALVES SEPARATED BY A SLEEVE WITH A VENT PIPE.
c. METHOD "C" APPROVED BY THE BROWARD COUNTY PUBLIC HE INVOLVES A TAP WITH ONE GATE VALVE REQUIRING DISINFEC SYSTEM PRIOR TO CONDUCTING THE PRESSURE TEST. METHOD "A" PER BROWARD COUNTY PUBLIC HEALTH UNIT (INVOLVES A REDUCED SIZE TEMPORARY CONNECTION BETWEEN AND THE NEW MAIN. COVER OVER SERVICE LINES SHALL BE 18 INCHES MINIMUM, 24 BELOW FINISHED GRADE AND 24 INCHES UNDER PAVEMENT. POLYETHYLENE SHALL BE BEDDED IN BACKFILL OF SAND WITH THAN 1 INCH IN DIAMETER. METER STOPS SHALL HAVE 8 INCHES TO 10 INCHES COVER OR PROPER METER/BOX INSTALLATION. DETECTOR TAPE SHALL BE 3" WIDE BLUE TAPE FOR WATER MAIN FOR FORCE MAIN, WITH A METALLIZED FOIL CORE LAMINATED BET PLASTIC FILM. THE WORDS "CAUTION WATER LINE BURIED BELOW" (MAIN BURIED BELOW" SHALL BE PRINTED AT 30" INTERVALS ALON SHALL BE PLACED 18" BELOW GRADE ABOVE ALL PVC MAINS AN RECOMMENDED BY MANUFACTURER. NONMETALLIC TAPE SHALI DUCTILE IRON PIPE. 7. TAPPING SLEEVES SHALL BE DUCTILE IRON, ASTM GRADE 65-45-12 MAIN VALVES SHALL BE INSTALLED AWAY FROM PARKING / UNAVOIDABLE, PROPER MEASURES SHALL BE TAKEN TO AVOID VEHICLES OVER THE VALVES. HYDRANT VALVES SHALL BE INSTA THE MAIN AS POSSIBLE. VALVES LOCATED IN NON-PAVED AR STALLS REQUIRE A REFLECTIVE PAVEMENT MARKER ON TH NEAREST LANE OF ROAD PAVEMENT. WHITE REFLECTORS FOR V GREEN REFLECTORS FOR FORCE MAIN VALVES. THE DISTANCE FROM THE TOP OF THE VALVE ACTUATOR NUT TO BE A MINIMUM OF 12 INCHES AND A MAXIMUM OF 18 INCHES. THE END OF EACH SERVICE CONNECTION SHALL BE MARKE TREATED STAKE, PAINTED BLUE, EXTENDING 18 INCHES (MINIM UNLESS INDICATED OTHERWISE. FIRE HYDRANTS SHALL HAVE A MINIMUM 5 1/4" VALVE OPENIN AGAINST THE PRESSURE AND CLOSE WITH THE FLOW. HYDRANTS SHA ANSI/AWWA C502-94, C503-97 OR LATEST REVISION, AND SHALL CI MUTUAL RESEARCH CORPORATION AND UNDERWRITERS LABORORII VALVE BOXES FOR WATER MAINS AND SEWER FORCE MAINS SHUS SCREW TYPE WITH 5-1/4" SHAFT, 18 TO 24 INCH EXTENSION, C CLASS 30 MARKED WATER OR SEWER. VALVE BOXES FOR BLOW-OFF ASSEMBLY SHALL BE CAST IRON A THE ASSEMBLY SHALL CONFORM TO ANSI/AWWA C510–97, OR LAT CAPABLE OF WITHSTANDING A WORKING PRESSURE OF AT LEAST DAMAGE TO WORKING PARTS OR IMPAIRMENT OF FUNCTION. IT SHA INTERNALLY LOADED, INDEPENDENTLY OPERATING CHECK VALVES, TWO TIGHTLY CLOSING RESILIENT-SEATED SHUT OFF VALVES, WITH PLACED RESILIENT-SEATED TEST COCKS. BEDDING AND INITIAL BACKFILL (12 INCHES ABOVE PIPE) FOR ALL PIPES NO ROCK LARGER THAN 1" IN DIAMETER. PEAROCK OR 3/4" WA IN WATER OR WHERE UNSUITABLE BEDDING EXISTS AT THE DISCRETI PEMBROKE PINES. ALL OTHER FILL SHALL NOT HAVE ROCK L DIAMETER. SERVICE SADDLES SHALL BE DUCTILE IRON EPOXY OR NYLON CISTAINLESS STEEL STRAPS OR SINGLE WIDE STRAP. SADDLES ANSI/AWWA C111/21.11-00 AND ASTM A-588 OR LATEST REVISI RETAINER GLANDS SHALL CONFORM TO ANSI/AWWA C111/A21. REVISION. ALL GLANDS SHALL BE MANUFACTURED FROM DUCTILE UNDERWRITERS LABORATORIES FOR 250 PSI MINIMUM WATER PRESSI ALL VALVES SHALL BE INSTALLED WITH ADJUSTABLE CAST IROT THE WORD "WATER" OR "SEWER" CAST IN THE COVER. MAIN VALVES SHALL BE LOCATED ON AN EXTENSION OF THE UNLESS DIMENSIONED OTHERWISE. WATER SERVICES UNDER PAVEMENT SHALL BE ENCASED IN A SLEEVE FOR THE FULL LENGTH OF THE PAVEMENT AND FOR EDGE. LENGTH b. A BLUE REFLECTIVE PAVEMENT MARKER SHALL BE PROVIDED IN NEAREST LANES OF ROAD PAVEMENT ADJACENT TO ALL FIRE HY CONNECTION OF ALL NEW SYSTEMS TO EXISTING MAINS SHALL BE THE THREE FOLLOWING METHODS: b. DIP SHALL BE INSTALLED WITH A MINIMUM OF 30" COVER.
 c. IDENTIFICATION TAPE SHALL BE INSTALLED THE FULL LI APPROXIMATELY 18" ABOVE THE MAIN, COLOR SIDE UP. 10.DOUBLE CHECK VALVE BACKFLOW PREVENTION ASSEMBLY: SERVICE CONNECTIONS: VALVE BOXES FOR MARKED "W". RETAINER GLANDS: TAPE: VALVE BOXES: DETECTOR GENERAL: **BEDDING:** VALVES: SERVIG **INSTALLATION** FIRE L. þ. þ. ы ō. þ. e. ъ. ы ъ. ō. ъ. ω. 4. <u>ю</u>. <u>.</u> 4. ы. С ~ . 0 ы. м. . 0 i. SEWER FORCE MAIN AIR RELEASE VALVES - SYSTEM SHALL BE A COMBINATION OF ONE SEWAGE AIR RELEASE VALVE AND ONE SEWAGE AIR/VACUUM VALVE WITH DUAL SOLATION PLUG VALVES. BOTH VALVE BODIES AND COVERS SHALL BE AFALL WALVE WITH DUAL ISOLATION PLUG VALVES. BOTH VALVE BODIES AND COVERS SHALL BE STAINLESS STEEL, ASTIM A-240 - TYPE 304 ASTM A126-B. ALL INTERNAL PARTS SHALL BE STAINLESS STEEL, ASTIM A-240 - TYPE 304 ASTM A276 - TYPE 303. THE VENTING ORFICE SHALL BE 5/16" IN DIAMETER WITH STAIN STEEL SEAT. THE INLET OPENINGS SHALL BE A MINIMUM OF 2" NPT SCREWED CONNECTION FOR BOTH VALVES SHALL INCLUDE A BACK-FLUSHING FEATURE FOR PERIODIC CLEANING OF THE INTERNAL MECHANISM. THE OVERALL HEIGHT SHALL NOT EXCEED 22-1/2 INCHES.
ii. WATER MAIN AIR RELEASE VALVES - VALVE BODY AND COVER SHALL BE OF CAST IRON CONSTRUCTION, ASTM A126-B, ALL INTERNAL WORKING PARTS SHALL BE OF CAST IRON CONSTRUCTION, ASTM A126-B, ALL INTERNAL WORKING PARTS SHALL BE OF CAST IRON CONSTRUCTION, ASTM A126-B, ALL INTERNAL WORKING PARTS SHALL BE OF STAINLESS STEEL ASTM A240, TYPE 303 FOR THE FLOAT AND ASTM A296 - TYPE 316 FOR THE LINKAGE THE VENTING ORFICE SHALL BE 3/16' IN DIAMETER WITH BRASS SEAT. THE INLESS OPENING SHALL BE 3/16' IN DIAMETER WITH BRASS SEAT. THE INLESS OPENING SHALL BE 3/16' IN DIAMETER WITH BRASS SEAT. THE INLESS OPENING SHALL BE A 2" NPT SCREWED CONNECTION. THE OVERALL HEIGHT SHALL NOT EXCEED 13 INCHES. OF THE NEAREST THE ROAD PAVEMENT NO CONNECTIONS TO THE EXISTING LINES SHALL BE MADE UNTIL PRESSURE TESTS FOR THE WATER MAINS AND SEWER FORCE MAINS, AND BACTERIOLOGICAL TESTS HAVE BEEN PERFORMED AND THE SYSTEM IS ACCEPTABLE TO THE CITY OF PEMBROKE PINES AND THE BROWARD COUNTY HEALTH DEPARTMENT.
 CLEANING OF NEWLY INSTALLED PIPING SYSTEMS SHALL BE ACCOMPLISHED USING PIPE PIGGING METHODS. OPEN FLUSHING SHALL NOT BE ALLOWED WITHOUT PRIOR APPROVAL OF THE UTILITIES DEPARTMENT. ALL WATER WILL BE ACCOUNTED FOR.
 ALL EFFORTS SHALL BE MADE SO THAT WATER AND FORCE MAINS CROSS ABOVE DRAINAGE LINES WITH ADEQUATE COVER AND SEPARATION. IF THIS IS NOT POSSIBLE, IT SHALL BE INDICATED ON THE PLANS.
 A THREE (3) FOOT LATERAL SEPARATION SHALL BE MAINTAINED BETWEN WATER/SEWER LINES AND OBSTRUCTIONS (I.E.., CATCH BASINS, CONCRETE POLES, ETC.), FIVE (5) FLE MAXIMIM ACTILIZATION THIS PARTION OF THIS IS NOT POSSIBLE. AS a. PVC PIPE SHALL BE ASTM 1120 PRESSURE PIPE WITH IRON 0.D., CLASS 150 (DR 18), CONFORMING TO ANSI/AWWA C900-97 OR C905-97 AND SHALL HAVE PUSH RUBBER GASKET JOINTS.
b. DIP SHALL BE CLASS 350 WALL THICKNESS (UP TO 12"), CLASS 300 (14"-18"), CLASS 250 (20" OR GREATER) WITH INTERIOR CEMENT LINING AND EXTERIOR COAL TAR COATING CONFORMING TO ANSI/AWWA C151/A21.51-02, OR LATEST REVISION. CLASS 250 (20" OR GREATER) WITH INTERIOR CEMENT CINFORMING TO ANSI/AWWA C151/A21.51-02, OR LATEST REVISION. SEWAGE PIPE SHALL BE EITHER DOUBLE CEMENT CONFORMING TO ANSI/AWWA C151/A21.51-02, OR LATEST REVISION. SEWAGE PIPE SHALL WITHSTAND A WORKING PRESSURE OF 350 PSI. THE JOINTS SHALL WITHSTAND A WORKING PRESSURE OF 350 PSI. THE JOINTS SHALL BE BELL AND SPIGOT PUSH ON TYPE, MECHANICAL JOINT OR FLANGED. FLANGED PIPE SHALL CONFORM WITH THE PHYSICAL JOINT OR FLANGED. FLANGED PIPE SHALL CONFORM WITH THE PHYSICAL JOINT OR FLANGED. FLANGED PIPE SHALL WITHSTAND A WORKING PRESSURE OF 350 PSI. THE JOINTS SHALL BE BELL AND SPIGOT PUSH ON TYPE, MECHANICAL JOINT OR FLANGED. FLANGED PIPE SHALL WITH THE PHYSICAL AND CHEMICAL REQUIREMENTS AS SET FORTH IN THE HANDBOOK OF DUCTILE IRON PIPE OF THE CAST IRON PIPE RESEARCH ASSOCIATION. RESTRAINED JOINTS SHALL BE USED, IN LIEU OF CONCRETE THRUST BLOCKS, AT ALL CHANGES IN DIRECTION OF WATER MAINS, SEWAGE FORCE MAINS AND ELSEWHERE AS INDICATED ON THE DRAWINGS. RESTRAIN ALL PIPE JOINTS WITHIN THE DISTANCES ON EACH SIDE OF FITTINGS AS REQUIRED TO PROPERLY RESTRAIN AND SUPPORT BENDS, TEES, VALVES, DEAD ENDS AND OTHER SUCH FITTINGS WITH THE EXCEPTION OF FIRE HYDRANTS. THE SEWER MAIN SHALL CROSS BELOW ALL WATER MAINS WITH A MINIMUM OF 18 INCHES VERTICAL CLEARANCE. WHERE THE CLEARANCE IS LESS THAN 18 INCHES, THE SEWER MAIN AND THE WATER MAIN SHALL BE DUCTILE IRON PIPE, WITH A MINIMUM 12" CLEARANCE, FOR 20 FEET CENTERED ON THE POINT OF CROSSING. ALL JOINTS ON THE WATER MAIN WITHIN 20 FEET OF THE CROSSING SHALL BE MECHANICALLY RESTRAINED. IF A SEWER MAIN MUST CROSS ABOVE A WATER MAIN, REGARDLESS OF VERTICAL CLEARANCE, THE PRECAUTION IN ITEM (b.) ABOVE SHALL BE TAKEN. 4. ALL "AS-BUILT" INFORMATION ON ELEVATIONS, STATIONING OFFSETS AND TIES OF THE WATER, SANITARY SEWER, PAVING AND DRAINAGE SHALL BE CERTIFIED BY A REGISTERED LAND SU A FINAL INSPECTION BY THE CITY OF PEMBROKE PINES, THE CONTRACTOR SHALL MIT TO THE CITY ONE (1) COMPLETE SET OF REPRODUCIBLE MYLARS AND THREE SETS OF BLUEPRINTS OF "AS-BUILT" CONSTRUCTION DRAWINGS THAT HAVE BEEN TIFIED BY A REGISTERED LAND SURVEYOR AND THE ENGINEER OF RECORD AND COMP S OF "AS-BUILT" CONSTRUCTION DRAWINGS ON 3-1/2" FLOPPY DISKS IN AUTOCADD ASE RELEASE 14 FORMAT OR LATEST REVISION. THE CONTRACTOR SHALL NOTIFY THE CITY OF PEMBROKE PINES ENVIRONMENTAL SERVICES DIVISION AND THE ENGINEER OF RECORD NO LATER 24 HOUR PRIOR TO MAKING CONNECTIONS TO EXISTING SYSTEMS. A CITY OF PEMBROKE PINES ENGINEERING DIVISION REPRESENTATIVE AND THE ENGINEER OF RECORD MUST BE PRESENT.
 SEPARATION OF WATER AND SEWER MAINS O. PARALLEL WATER AND SEWER MAINS SEPARATION. WHERE THIS IS NOT POSSIBLE, THE SEWER MAIN SHALL BE IN A SEPARATION. WHERE THIS IS NOT POSSIBLE, THE SEWER MAIN SHALL BE IN A SEPARATION. WHERE THIS IS NOT POSSIBLE, THE SEWER MAIN SHALL BE IN A SEPARATION. WHERE THIS IS NOT POSSIBLE, THE SEWER MAIN SHALL BE IN A SEPARATION. WHERE THIS IS NOT POSSIBLE, THE SEWER MAIN SHALL BE IN A SEPARATION. WHERE THIS IS NOT POSSIBLE, THE SEWER MAIN SHALL BE IN A SEPARATION. WHERE THIS IS NOT POSSIBLE, THE SEWER MAIN SHALL BE NOT PER PRESSURE PIPE SPECIFICATIONS. OMPLETION OF CONSTRUCTION, THE CONTRACTOR SHALL SUBMIT TO THE OF RECORD ONE COMPLETE SET OF "AS-BUILT" CONSTRUCTION DRAWINGS. AWINGS SHALL BE MARKED TO SHOW "AS-BUILT" CONSTRUCTION CHANGES ENSIONED LOCATIONS AND ELEVATIONS OF ALL IMPROVEMENTS AND SHALL BE THE CONTRACTOR. FITTINGS SHALL BE DUCTILE IRON COMPACT MECHANICAL JOINT AND SHALL BE CLASS 350 THROUGH 24" CONFORMING TO ANSI/AWWA C153/A21.53-00, OR LATEST REVISION, AND CLASS 250 IN SIZES 24" AND LARGER, CONFORMING TO ANSI/AWWA C110/A21.10-93, OR LATEST REVISION, COMPLETE WITH GLANDS, GASKETS, BOLTS AND NUTS. ALL FITTINGS SHALL BE CEMENT LINED AND SEAL COATED WITH THE SAME AS PIPE. VALVES: • VALVES: • VALVES SHALL BE GATE VALVES FOR WATER (4"-12" SIZE), BUTTERFLY VALVES FOR FOR WATER (16" AND UP SIZE), OR PLUG VALVES FOR FOR FOR FOR FOR FORCE MAIN (ALL SIZES). PLUG VALVES SHALL BE SEMI-STEEL BODY, NON-LUBRICATED, ECCENTRIC TYPE, WITH RESILIENT FACED PLUGS, AND CAPABLE OF DRIP-TICHT SHUT OFF AT THE RATED PRESSURE IF APPLIED AT EITHER PORT. VALVES ARE TO BE EQUIPPED WITH ACTUATING NUTS, CAST IRON HANDWHEELS OR CHAIN OPERATORS, WITH GALVANIZED STEEL CHAINS, AS APPROPRIATE FOR THE INSTALLATION AND TYPE OF OPERATOR. "AS-BUILT" INFORMATION ON THE WATER SYSTEM SHALL INCLUDE, BUT IS NOT LIMITED TO LOCATIONS OF ALL VALVES, FITTINGS, FIRE HYDRANTS AND WATER SERVICES AND TOP-OF-PIPE ELEVATION ON 100-FOOT INTERVALS AT A MINIMUM.
 PRIOR TO A FINAL INSPECTION BY THE CITY OF PEMBROKE PINES, THE "CONTRACTOR" SHALL SUBMIT TWO (2) SETS OF BLUEPRINTS OF "AS-BUILT" CONSTRUCTION DRAWINGS. REQUIRED DENSITY AND LBR TEST RESULTS FOR SUBGRADE SHALL BE PROVIDED TO AND APPROVED BY THE ENGINEER AND THE CITY OF PEMBROKE PINES PRIOR TO THE PLACING LIMEROCK BASE MATERIAL. 7. THE MAXIMUM DEPTH TO THE BOTTOM OF THE PRESSURE MAIN INSTALLED SHALL NOT EXCEED SIX (6) FEET UNLESS APPROVED BY THE CITY OF PEMBROKE PINES ENGINEERING DIVISION. THE WATER MAIN AND/OR SEWAGE FORCE MAIN SHALL BE EITHER POLYVINYL CHLORIDE (PVC) OR DUCTILE IRON PIPE (DIP) AND SHALL BE DESIGNED FOR A MINIMUM WORKING PRESSURE OF 150 PSI. GATE VALVES SHALL BE IRON BODY, FULLY RESILIENT SEAT, BRONZE MOUNTED NON-RISING STEM, DOUBLE DISC, RATED AT 200 PSI AND CONFORMING TO ANSI/AWWA C509-01 OR LATEST REVISION. EXPOSED VALVES SHALL BE OUTSIDE BUTTERFLY VALVES AND OPERATORS SHALL CONFORM TO ANSI/AWWA C504-00 STANDARD FOR RUBBER SEATED BUTTERFLY VALVES, OR LATEST REVISIONS. VALVES SHALL BE CLASS 150 A OR B. PRIOR TO PLACEMENT OF ANY ASPHALT OR CONCRETE PAVEMENT, THE CONTRACTOR SHALL SUBMIT TO THE ENGINEER "AS-BUILT" PLANS SHOWING LIMEROCK BASE GRADES AND ALL DRAINAGE, WATER, AND SEWER IMPROVEMENTS. PAVING OPERATIONS SHALL NOT COMMENCE UNTIL THE ENGINEER AND THE CITY OF PEMBROKE PINES HAVE REVIEWED AND APPROVED THE "AS-BUILTS". 10. ALL REQUIRED DENSITY AND LBR TEST RESULTS FOR LIMEROCK SHALL BE PROVIDED TO AND APPROVED BY THE ENGINEER AND THE CITY OF PEMBROKE PINES PRIOR TO PLACING ASPHALT. DISTRIBUTION AND/OR SEWAGE FORCE MAIN SYSTEM CENTER OUTSIDE GREEN. . REFLECTIVE PAVEMENT MARKER SHALL BE INSTALLED IN THE ANE OF ROAD PAVEMENT ADJACENT TO ALL VALVE LOCATIONS MATER MARKERS SHALL BE WHITE, SEWER MARKERS SHALL BE VALVES

- APPLICABLE CODES _____
 - **GENERAL:** ż
- ALL CONSTRUCTION AND MATERIALS SHALL CONFORM TO THE STANDARDS AND SPECIFICATIONS OF THE CITY OF PEMBROKE PINES, BROWARD COUNTY DEPARTMENT OF PLANNING AND AND ENVIRONMENTAL PROTECTION (BCDPEP), BROWARD COUNTY HEALTH DEPARTMENT (BCHD), SOUTH BROWARD DRAINAGE DISTRICT (SBDD), SOUTH FLORIDA WATER MANAGEMENT DISTRICT (SFWMD), AND ALL OTHER LOCAL AND NATIONAL CODES WHERE APPLICABLE.

UPON COM ENGINEER C THESE DRAV AND DIMEN SIGNED BY

м.

- ALL CONSTRUCTION SHALL BE DONE IN A SAFE MANNER, SPECIFICALLY, THE RULES AND REGULATIONS OF THE OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA) AND THE MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) SHALL BE STRICTLY OBSERVED. ш.
- CONTRACTOR SHALL BE SOLELY RESPONSIBLE FOR COMPLIANCE WITH THE STATE OF FLORIDA TRENCH SAFETY ACT. TRENCH SAFETY ACT -ц Сі ы С

UPON SUBN CERT CERT FILES

7.

ø.

- WHERE EXCAVATIONS TO A DEPTH IN EXCESS OF FIVE FEET (5') ARE REQUIRED THE CONTRACTOR SHALL INCLUDE THE FOLLOWING INFORMATION IN THE BID. A. A REFERENCE TO THE SAFETY STANDARDS THAT WILL BE IN EFFECT DURING THE PERIOD OF CONSTRUCTION OF THE PROJECT. B. WRITTEN ASSURANCES BY THE CONTRACTOR PERFORMING THE TRENCH EXCAVATION THAT SUCH CONTRACTOR WILL COMPLY WITH THE APPLICABLE TRENCH SAFETY STANDARDS. C. A SEPERATE ITEM IDENTIFYING THE COST OF COMPLIANCE WITH THE APPLICABLE TRENCH SAFETY STANDARDS. WHERE A BID IS NOT SUBMITTED, THE CONTRACTOR SHALL SUBMIT THE INFORMATION LISTED IN ITEM 2, TO THE ENGINEER PRIOR TO STARTING WORK.
 - м.

9. ALL F AND THE

WATER

I

GENERAL:

Ř

- NO THE SPECIFICATIONS ARE BASED ALL ELEVATIONS ON THE PLANS OR REFERENCED IN NATIONAL GEODETIC VERTICAL DATUM OF 1929 (NGVD). SURVEY DATA: ы.
- PRECONSTRUCTION RESPONSIBILITY =
- UPON RECEIPT OF NOTICE OF AWARD, THE CONTRACTOR SHALL ARRANGE A PRECONSTRUCTION CONFERENCE TO INCLUDE THE CITY OF PEMBROKE PINES ENGINEERING DIVISION, THE OWNER, AND THE ENGINEER, AFTER OBTAINING A CONSTRUCTION PERMIT FROM THE ENGINEERING DIVISION Ŕ
- B. THE CONTRACTOR SHALL OBTAIN A "SUNSHINE CERTIFICATION NUMBER" AT LEAST 48 HOURS PRIOR TO BEGINNING ANY EXCAVATION.
 C. PRIOR TO BEGINNING CONSTRUCTION, THE CONTRACTOR SHALL VERIFY THE SIZE, LOCATION, ELEVATION, AND MATERIAL OF ALL EXISTING UTILITIES WITHIN THE AREA OF CONSTRUCTION.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR DAMAGE TO ANY EXISTING UTILITIES FOR WHICH HE FAILS TO REQUEST LOCATIONS SUNSHINE CERTIFICATION NUMBER. HE IS RESPONSIBLE AS WELL FOR DAMAGE TO ANY EXISTING UTILITIES WHICH ARE PROPERLY LOCATED. Ū.

<u>ب</u>

ப்

м.

- IF UPON EXCAVATION, AN EXISTING UTILITY IS FOUND TO BE IN CONFLICT WITH THE PROPOSED CONSTRUCTION OR TO BE OF A SIZE OR MATERIAL DIFFERENT FROM THAT SHOWN ON THE PLANS, THE CONTRACTOR SHALL IMMEDIATELY NOTIFY THE ENGINEER, WHO WILL IN TURN NOTIFY THE CITY OF PEMBROKE PINES UTILITIES DEPARTMENT. ய்
- INSPECTIONS =

THE CONTRACTOR SHALL NOTIFY THE CITY OF PEMBROKE PINES ENVIRONMENTAL SERVICES DIVISION (954-435-6511), SBDD (954-680-3337), AND THE ENGINEER OF RECORD AT LEAST 24 HOURS PRIOR TO THE INSPECTION OF THE FOLLOWING ITEMS:

- STORM DRAINAGE.
 SANITARY SEWER.
 MATER SYSTEM.
 UBGRADE; SUBMIT AND HAVE APPROVED DENSITIES PRIOR TO PLACEMENT OF ROCK.
 LIMEROCK BASE; SUBMIT AND HAVE APPROVED DENSITIES AND AS-BUILTS PRIOR TO THE PLACEMENT OF ANY ASPHALT.
 ASPHALTIC CONCRETE.
 FINAL.

<u>.</u>

5.

4.

- ALL INSPECTIONS MADE BY THE CITY OF PEMBROKE PINES, SBDD, AND FDOT THE ENGINEER OF RECORD WILL PROVIDE CONSTRUCTION OBSERVATION SERVICES. ш.
- SHOP DRAWINGS . ≥
- PRIOR TO ISSUANCE OF A CONSTRUCTION PERMIT, A MATERIAL LIST SHALL BE SUBMITTED TO AND REVIEWED BY THE ENGINEER OF RECORD AND THE CITY OF PEMBROKE PINES FOR SANITARY MANHOLES, HYDRANTS, VALVES, PIPING, LIFT STATIONS AND OTHER ACCESSORIES. CATALOGUE LITERATURE SHALL BE SUBMITTED FOR WATER AND SEWER PIPES, FITTINGS AND APPURTENANCES.

PIPE

Ŀ.

ō.

B. MATERIAL:

ω.

- ANY PRODUCT THAT IS NOT ON THIS LIST MUST BE APPROVED IN ADVANCE BY THE ENGINEER OF RECORD AND THE CITY OF PEMBROKE PINES ENGINEERING DIVISION. SUCH APPROVAL REQUIRES THE SUBMISSION OF A SHOP DRAWING (SIX COPIES) FOR EACH PRODUCT. SHOP DRAWINGS WILL ALSO BE REQUIRED FOR ALL NON-STANDARD ITEMS CATALOGUE ш.
 - C. INDIVIDUAL SHOP DRAWINGS FOR ALL PRECAST STRUCTURES ARE REQUIRED. LITERATURE WILL NOT BE ACCEPTED FOR PRECAST STRUCTURES.
 - TEMPORARY FACILITIES *.*
 - TEMPORARY UTILITIES: Ŕ
- 2. OBTAIN CONSTRUCTION METER FOR ALL WATER USED ON JOB. ALL WATER USED FOR CLEANING, TESTING, ETC. WILL BE PAID FOR BY THE CONTRACTOR. IF WATER CAN NOT BE METERED THEN IT WILL BE CALCULATED. 1. IT SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO ARRANGE FOR OR SUPPLY TEMPORARY WATER SERVICE, SANITARY FACILITIES AND ELECTRICITY TO HIS EMPLOYEE AND SUBCONTRACTORS FOR THEIR USE DURING CONSTRUCTION.

FITTINGS:

й.

- SHALL BE IN ACCORDANCE 1. MAINTENANCE OF TRAFFIC IN THE PUBLIC RIGHT-OF-WAY WITH THE MUTCD AND BCTED. B. TRAFFIC REGULATION:
- 2. ALL OPEN TRENCHES AND HOLES ADJACENT TO ROADWAYS OR WALKWAYS SHALL BE MARKED AND BARRICADED TO ASSURE THE SAFETY OF BOTH VEHICULAR AND PEDESTRIAN TRAFFIC. NO TRENCHES OR HOLES NEAR WALKWAYS OR IN ROADWAYS OR THEIR SHOULDERS ARE TO BE LEFT OPEN DURING NIGHTTIME HOURS WITHOUT EXPRESS PERMISSION OF THE CITY OF PEMBROKE PINES. ы.
 - - PROJECT CLOSE OUT =
 - CLEANING UP: Ŕ
- DURING CONSTRUCTION, THE PROJECT SITE AND ALL ADJACENT AREAS SHALL BE MAINTAINED IN A NEAT AND CLEAN MANNER. UPON FINAL CLEAN UP, THE PROJECT SITE SHALL BE LEFT CLEAR OF ALL SURPLUS MATERIAL OR TRASH. THE PAVED AREAS SHALL BE SWEPT BROOM CLEAN. ч.

RELEASE

ЯÌ

. ف

- THE CONTRACTOR SHALL RESTORE OR REPLACE, WHEN AND AS DIRECTED BY THE ENGINEER OR THE CITY OF PEMBROKE PINES, ANY PUBLIC OR PRIVATE PROPERTY DAMAGED BY HIS WORK, EQUIPMENT, EMPLOYEES OR THOSE OF HIS SUBCONTRACTORS TO A CONDITION AT LEAST EQUAL TO THAT EXISTING IMMEDIATELY PRIOR TO THE BEGINNING OF OPERATIONS. TO THIS END, THE CONTRACTOR SHALL DO AS REQUIRED, ALL NECESSARY HIGHWAY OR DRIVEWAY, SIDEWALK AND LANDSCAPING WORK. SUITABLE MATERIALS AND METHODS SHALL BE USED FOR SUCH RESTORATION.
- WHERE MATERIAL OR DEBRIS HAS WASHED OR FLOWED INTO OR BEEN PLACED IN WATER WATER COURSES, GRAVITY SEWER, DITCHES, DRAINS, CATCH BASINS, OR ELSEWHERE AS A RESULT OF THE CONTRACTOR'S OPERATIONS, SUCH MATERIAL OR DEBRIS SHALL BE REMOVED AND SATISFACTORILY DISPOSED OF DURING PROGRESS OF THE WORK, AND THE AREA KEPT IN A CLEAN AND NEAT CONDITION.
 WHEN WORKING IN AND AROUND EXISTING DRAINAGE CANALS, APPROPRIATE SILT BARRIERS SHALL BE INSTALLED AS REQUIRED BY SOUTH BROWARD DRAINAGE DISTRICT.
- B. PROJECT RECORD DOCUMENTS:
 - 1. THE CONTRACTOR SHALL MAINTAIN ACCURATE AND COMPLETE RECORDS OF ALL WORK ITEMS COMPLETED. ALL "AS-BUILT" INFORMATION SUBMITTED TO THE ENGINEER SHALL BE SUFFICIENTLY ACCURATE, CLEAR AND LEGIBLE TO SATISFY THE ENGINEER THAT THE INFORMATION PROVIDED A TRUE REPRESENTATION OF THE IMPROVEMENTS CONSTRUCTED. ц сі

XIII. PAVING

GENERAL:

Ŕ

PORATED IN THE LIMEROCK BASE. A MINIMUM LBR VALUE OF 40 AND AXIMUM DENSITY AS DETERMINED BY HALL BE COMPACTED TO 95% OF THE 80. ER ALL AREAS TO BE SODDED. FLORATAM AND SHALL BE PLACED ON INSURE SATISFACTORY CONDITION GE CANALS OR LAKES, APPROPRIATE

FEET OF AREAS TO BE PAVED SHALL BE ERIAL COMPACTED TO 98% OF THE -180 FOR THREE (3) FEET BEYOND

்

CONFORMANCE WITH ASTM 3Y 3/4" RIBS, APPROXIMATELY FDOT STANDARD 945-1. SPLIT BANDS OF THE SAME THAN THE PIPE. ITH COUPLING BANDS ON ALL

A TO ASTM L70-79, TABLE E MODIFIED TONGUE AND GROOVE SS OTHERWISE SPECIFIED.

S SHALL BE SAND WITH NO - BE COMPACTED TO 98% T-180. SHALL BE COMPACTED TO SHTO T-180. SI CONCRETE AND GRADE 40

IAL FREE OF ROCK FORMATION NIFORM GRADE AND LINE. .R MATERIAL WELL TAMPED IN

: OVER STORM SEWER AND AVOID HICLES DURING CONSTRUCTION CONTROL DISTRICT AT LEAST 24 ND INSPECTION.

FRATION SYSTEM LL IMMEDIATELY BE BROUGHT TO MATERIAL ENCOUNTERED IN THE IRECTED BY THE ENGINEER. POLYPROPYLENE FILTER FABRIC AS EQUAL. IT SHALL BE USED ON TION OF THE MATERIAL SHALL BE EQUAL. TAKE EXTREME CARE IN 3/8 INCH PERFORATIONS 360° PER FOOT OF PIPE. THE DRAINAGE STRUCTURE. THE E.

 ALL UNDERGROUND UTILITIES SHALL BE COMPLETED PRIOR TO THE CONSTRUCTION OF OF LIMEROCK BASE AND PRIOR TO PLACEMENT OF THE PAVEMENT.
 ALL EXISTING PAVEMENT CUT OR DAMAGED BY CONSTRUCTION SHALL BE PROPERLY RESTORED AT THE CONTRACTOR'S EXPENSE.
 WHERE PROPOSED PAVEMENT IS TO BE CONNECTED TO EXISTING PAVEMENT, THE EXISTING EDGE OF PAVEMENT IS TO BE CONNECTED TO EXISTING PAVEMENT, THE
 ALL STREET CORNER PAVEMENT RADII SHALL BE 25 FEET UNLESS OTHERWISE NOTED ON THE PLANS. ы. С

UPON COMPLETION OF DRAINAGE IMPROVEMENTS AND LIMEROCK BASE CONSTRUCTION (AND BEFORE PLACING ASPHALT PAVEMENT) THE CONTRACTOR SHALL FURNISH THE ENGINEER OF RECORD AND THE CITY OF PEMBROKE PINES "AS-BUILT" PLANS FOR THESE IMPROVEMENTS, SHOWING THE LOCATIONS AND THE PRETINENT GRADES OF ALL DRAINAGE INSTALLATIONS AND THE FINISHED ROCK GRADES OF THE ROAD CROWN AND EDGE OF PAVEMENT AT 50 FEET INTERVALS. THESE "AS-BUILTS" SHALL BE APPROVED BY THE CITY PRIOR TO THE PLACEMENT OF ASPHALT. B. MATERIALS:

BASE COURSE SHALL BE CRUSHED LIMEROCK MIAMI OOLITE WITH A MINIMUM OF 70% CARBONATES OF CALCIUM AND MAGNESIUM (60% FOR LOCAL STREETS AND PARKING AREAS) AND A MINIMUM LIMEROCK BEARING RATIO 100.
 PRIME COAT AND TACK COAT SHALL MEET F.D.O.T. STANDARDS.
 SURFACE COURSE SHALL BE EQUAL TO F.D.O.T. TYPE S-3 ASPHALT.
 REINFORCED CONCRETE SLABS SHALL BE CONSTRUCTED OF CLASS I CONCRETE, WITH A MINIMUM STRENGTH OF 3,000 PSI AND SHALL BE REINFORCED WITH A 6" x 6" NO. 6 GAUGE WIRE MESH.

2. PRIME (3. SURFAN

INSTALLATION

LIMEROCK BASE MATERIAL SHALL BE 8 INCHES THICK AND SHALL BE COMPACTED TO 98% OF THE MAXIMUM DENSITY AS DETERMINED BY AASHTO T80-C.
 LIMEROCK BASE MATERIAL SHALL BE PLACED IN MAXIMUM 6" LIFTS. BASES GREATER THAN 6" SHALL BE PLACED IN TWO OR MORE EQUAL LIFTS.

ASPHALTIC CONCRETE SHALL BE A MINIMUM OF 1 1/2" THICK AND SHALL BE PLACED TWO 3/4" LIFTS. (NOTE: SECOND LIFT TO BE PLACED AFTER A MINIMUM OF 80% OF THE HOUSES HAVE BEEN COMPLETED OR AS DIRECTED BY THE CITY ENGINEER..
 PRIME COAT SHALL BE PLACED ON ALL LIMEROCK BASES IN ACCORDANCE WITH F.D.O.T. STANDARDS.

5. TACK COAT SHALL BE PLACED AS REQUIRED IN ACCORDANCE WITH F.D.O.T. STANDARDS.


ALL SUBGRADE, LIMEROCK AND ASPHALT TESTS REQUIRED SHALL BE TAKEN AT THE DIRECTION OF THE ENGINEER AND/OR THE CITY OF PEMBROKE PINES. D. TESTING:

1. THE FINISHED SURFACE OF THE BASE COURSE AND THAT OF THE WEARING SURFACE SHALL NOT VARY MORE THAN 1/4" FROM THE TEMPLET. ANY IRREGULARITIES EXCEEDING THIS LIMIT SHALL BE CORRECTED.

 DENSITY TESTS SHALL BE TAKEN BY AN INDEPENDENT TESTING LABORATORY, CERTIFIED BY THE STATE OF FLORIDA, AND TAKEN AS DIRECTED BY THE ENGINEER AND THE CITY OF PEMBROKE PINES. ALL TESTING COSTS (PAVING) SHALL BE PAID FOR BY THE OWNER EXCEPT THOSE TESTS FAILING TO MEET THE SPECIFIED REQUIREMENTS, WHICH ARE TO BE PAID BY THE CONTRACTOR.

AND MARKING SIGNING XIV.


A. ALL PAVEMENT MARKINGS SHALL BE RETRO-REFLECTIVE THERMOPLASTIC MANUFACTURED AND APPLIED IN ACCORDANCE WITH F.D.O.T. STANDARD SPECIFICATION'S AND BROWARD COUNTY TRAFFIC ENGINEERING DIVISION STANDARDS.
B. ALL SIGNS SHALL BE MANUFACTURED AND INSTALLED IN ACCORDANCE WITH THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES AND BROWARD COUNTY TRAFFIC ENGINEERING DIVISION STANDARDS.
C. REFLECTIVE PAVEMENT MARKERS SHALL BE CLASS B MARKERS MANUFACTURED IN ACCORDANCE WITH THE MANUFACTUREY'S RECOMMENDED PROCEDURES.



| RESURFACING NW 178th AVE, & NW 17th ST. | EUVIRONMENTAL SERVICES 8300 SOUTH PALM DRIVE PEMBROKE PINES, FLORIDA 33025 (954) 518-9040 | | |
|--|--|------------------|--|
| N/N 128+P V/L & N/N 12+P ZL | CILA OL DEWBBOKE DINES | A CALL OF DEVICE | |

| | BY | KEVISION | DATE | | | | | |
|-----------|----|----------|------|-------------------|------|----------------|----|-------|
| | | | | | NO. | ы v | ω | თ |
| :DATE: | | | | . Э. W. G. | JECT | SCALE N.T.: | | ب |
| | | | | DATE | PRC | | HE | 0 |
| APPROVED: | | | | DESIGNED K.M.K. | | | S | |

| Decr-2016 NIA | NOTE: THE CONTRACT SHALL TAKE PRECEDENCE OVER THESE NOTES. | instructions |
|---|--|---|
| 42" 38" Burrial 38" Burrial 38" Burrial 38" Burrial 38" Burrial 1 gas. heavy 7 gas. heavy 1 gas. 2 stort 1 gas. heavy 1 gas. 1 gas. 1 gas. heavy 1 gas. 1 gas. 1 gas. heavy 1 gas. 1 gas. 1 gas. | GENERAL NOTE: THE CONTRACTOR SHALL CONFORM TO THE MOST CURRENT AND MOST STRINGENT STANDARDS AND SPECIFICATION REQUIREMENTS FOR THE BROWARD COUNTY DEPARTMENT OF NATURAL RESOURCE PROTECTION AND THE CITY OF PEMBROKE PINES, PERTAINING TO ALL UTILITY PIPE SEPARATIONS AND CLEARANCES. | B. EXECUTION 1. Installation a. Installation shall be strict accordance with the manufacturer's instructions and recommendations in the locations shown on the drawings. Installation shall include furnishing the required oil and grease for the initial operation. The grades of oil and grease shall be in accordance with the manufacturers' recommendations. b. The Contractor shall submit a certificate from the equipment manufacturer is ready for operation, and that the operation personnel have been suitably instructed in the operation, lubrication and care of each unit. c. Installation of the pump chamber shall be done in accordance with the written instructions provided by the manufacturer. |
| DETAIL "A" polow. | WHERE IT IS NOT POSSIBLE TO MAINTAIN A VERTICAL DISTANCE OF 18 INCHES IN PARALLEL INSTALLATIONS, THE WATER MAIN SHALL BE CONSTRUCTED OF D.I.P. AND THE SANITARY SEWER OR THE FORCE MAIN SHALL BE CONSTRUCTED OF D.I.P. WITH A MINIMUM VERTICAL DISTANCE OF 6 INCHES. THE WATER MAIN SHOULD ALWAYS BE ABOVE THE SEWER. JOINTS ON THE WATER SHALL BE LOCATED AS FAR APART AS POSSIBLE FROM JOINTS ON THE SEWER OR FORCE MAIN (STAGGERED JOINTS). C. ALL D.I.P. SHALL BE CLASS 50 OR HIGHER. ADEQUATE PROTECTIVE MEASURE AGAINST CORROSION SHALL BE USED AS DETERMINED BY DESIGN. | a. The manufacturer of the lift sation shall guarantee the structure and all equipment to be free from defects in materials and workmanship for a period of up to one year from date of start-up, not to exceed 18 months from the date of shipment. b. Warranties and guarantees by the suppliers of various components in lieu of single-source responsibility by the station manufacturer will not be accepted. The station manufacturer shall be soley responsible for the guarantee of the station and all its components. c. The repair or replacement of those items normally consumed in service, such as seals, grease, light bulbs, etc., shall be considerd as part of routine maintenance and upkeep. |
| SOUARE TUBE SIGN POST The Square Tube Sign Post and Ibe 2.5" quare, perforated, 12-guage, grade 50 galvanized, 12-guage, grade 50 istell. The post shall be installed Siever anchor as | IIMUM 10-FOOT HORIZONTAL SEPARATION SHALL BE MAINTAINED BETWEEN EWER AND WATER MAIN PARALLEL INSTALLATIONS WHENEVER POSSIBLE. SES WHERE IT IS NOT POSSIBLE TO MAINTAIN 10-FOOT HORIZONTAL SEPARA & MAIN MUST BE LAID IN A SEPARATE TRENCH OR ON AN UNDISTURBED EAR ED ON ONE SIDE OF THE SEWER OR FORCE MAIN AT SUCH AN ELEVATION OM OF THE WATER MAIN IS AT LEAST 18 INCHES ABOVE THE TOP OF THE | |
| 2-CROSS STREET ID (D3) 2-CROSS STREET ON | ALL CROSSING SHALL BE ARRANGED SO THAT THE SEWER PIPE JOINTS AND THE WATER MAIN PIPE JOINTS ARE EQUAL DISTANCE FROM THE POINT OF CROSSING (PIPES CENTERED ON THE CROSSING). WHERE A NEW PIPE CONFLICTS WITH AN EXISTING PIPE WITH LESS THAN 18 INCHES VERTICAL CLEARANCE, THE NEW PIPE SHALL BE ARRANGED TO MEET THE CROSSING REQUIREMENTS ABOVE. | on proper operation and manitenance and to perform initial start-up of the pump station. With permission of the City, this work may be conducted in conjunction with the inspection of the installation and test run. If there are difficulties in operation of the equipment due to the manufacturer's design or fabrication, additional service shall be provided at no cost to the Owner. 6. Spare Parts a. A complete replacement pump shaft seal assembly shall be furnished with each |
| FOR SIGN ASSEMBLIES WITH MAXIM SQUARE FOOT PANEL AREA Typical Details | MAINS MUST CROSS A BOTH THE SEWER ANI (D.I.P.) AT THE CROS (D.I.P.) AT THE CROS (D.I.P.) AT THE CROS (D.I.P.) AT THE CROS (D.I.P.) AT THE CROS MAIN WITHIN 20 FEE JM VERTICAL CLEAR | lists of components and complete service procedures and trouble- lists of components and complete service procedures and trouble- The manuals shall be prepared specifically for the installation and required cuts, drawings, equipment lisys, description, etc. that are operating and maintenance personnel unfamiliar with such equipmer A factory trained representative of all major component manufactur complete knowledge of proper operation and amintenance, shall be one (1) day at the station, to instruct representatives of the City |
| D. PERFORATED PIPE SHALL TERMINATE FIVE FEET (5') FROM THE REMAINING FIVE FEET (5') SHALL BE NON-PERFORATED PIPE. E. PIPES SHALL TERMINATE TWO FEET (2') FROM THE END OF TH ADDITIONAL CATCH BASINS. | NOTES ON WATER SEWER SEPARATION: A. SANITARY SEWERS AND FORCE MAINS SHOULD CROSS UNDER WATER MAINS WHENEVER POSSIBLE. SANITARY SEWERS AND FORCE MAINS CROSSING WATER MAINS SHALL BE LAID TO PROVIDE A MINIMUM VERTICAL DISTANCE OF 18 INCHES BETWEEN THE INVERT OF THE UPPER PIPE AND THE CROWN OF THE LOWER PIPE WHENEVER POSSIBLE. | escribe completely ial, provide five pri |
| A. ANY CONFLICT WITH EXISTING OR PROPOSED UTILITIES SHALL IMM THE ATTENTION OF THE ENGINEER. ANY IMPERMEABLE MATEL EXCAVATION FOR THE DRAIN FIELD SHALL BE REMOVED AS DIRECTE B. THE TRENCH LINER SHALL BE TYPAR SPUN BONDED POLYPI MANUFACTURED BY THE DUPONT COMPANY, OR APPROVED POLYPI THE SIDES AND TOP OF DRAIN FIELD DITCH. THE TOP SECTION C LAPPED A MINIMUM OF 24 INCHES AND THE CONTRACTOR SHA BACKFILLING TO AVOID BUNCHING OF THE FABRIC. C. PERFORATED PIPE WITHIN THE DRAIN FIELD SHALL HAVE 3/8 | BROWARD COUNTY DEPARTMENT OF PLANNING AND ENVIRONMENTAL PROTECTION | vi. The total weight of the equipment including the weight of the single largest item. vii. A complete total bill of materials of all equipment. viii. A list of the manufacturer's recommended spare parts to be supplied in addition to those specified in paragraph 6.a. with the manufacturer's current price for each item. Include gaskets, seals, etc. on the list. List bearing by the bearing manufacturer's numbers only. ix. All submitted dates required by the general conditions. x. Complete motor data. |
| UNNECESSARY CROSSING BY HEAVY CONSTRUCTION VEHICLES D. THE CONTRACTOR SHALL NOTIFY THE LOCAL WATER CONTR HOURS PRIOR TO THE START OF THE CONSTRUCTION AND IN XII. STORM DRAINAGE PRE-TREATMENT/EXFILTRAT | The contractor shall provide for a load test equal to the start up amperage of both pumps. f. Bypass Pump i. The contractor shall demonstrate that the bypass pump is capable of meeting | the pump control system and suitable outline drawings shall be furnished for approval before proceeding with manufacturer, standard pre-printed sheets or drawings simply marked to indicate applicability to this contract will not be acceptable. v. A drawing showing the layout of the pump control panel shall be furnished, the layout shall indicate every device mounted on the door with complete |
| TALLATION: PIPE SHALL BE PLACED ON STABLE GRANULAR MATER OTHER FOREIGN FORMATIONS, AND CONSTRUCTED TO L BACKFILL MATERIAL SHALL BE WELL GRADED GRANUL LAYERS NOT TO EXCEED SIX INCHES (6"). | actor shall check direction of rotation of all motors and cessary. contractor shall demonstrate that the telemetry system is communications with the base unit. | iv. Complete master wind diagrams, telemetry or control sciencing and with other should be submitted on 8 1/2 inch by 11 inch sheets at as large a scale as practical. Curves shall be plotted from no flow at shutt off head to pump capacity at minimum specified total dynamic head. Catalog sheets showing a family of curves will not be acceptable. iv. Complete master wiring diagrams, telemetry or control schematics, including with |
| | and incidentals required to complete the fie ormance does not meet the specifications, c e taken or pumps shall be removed and rep conditions specified. all check all motors for correct clearance, a | of construc equipment. ch station pr |
| MISCELLANEOUS BEDDING AND INITIAL BACKFILL OVER DRINAGE PIPES ROCK LARGER THAN 1" DIAMETER. P. BACKFILL MATERIAL LINDER PAVED AREAS SHALL | sumps have been completely installed, working under the direct anufacturer, conduct in the presence of the engineer and the Pines representative, such tests as are necessary to indicate inform to the specifications. Field tests shall include all pumps | 4. Submittals a. Copies of all materials required establishing compliance with specifications should be submitted in accordance with provisions for the general conditions. Submittals |
| KE D. | vii. All components of the pump station shall be given an operational test of pump station manufacturer's facility to check for excessive vibration, for in the pumping or seals and correct operation of the automatic control vacuum priming systems and all auxiliary equipment. Installed pumps sho suction from a deep wet well, simulating actual service conditions. The systems operating. viii. Factory test instrumentation must include flow measuring with indicator; compound suction audoe; bourbon tube type discharge pressure gauge; electrical meters to measure amperes, volts, kilowatts and power factor; indicator and vibrometer capable of measuring both amplitude and frequ. Pumps | 3. Qualifications To assure unity of responsibility, the motors and control system shall be furnished and coordinated by the local pump manufacturer representative. The Contractor and pump manufacturer shall assume responsibility for the satisfactory installation and operation of the entire pumping system including pumps, motors, controls, generator or bypass as specified. |
| A. CONTRACTOR MAY UTILIZE ONE OF THE FULLOWING MATERIALS. 1. ALUMINUM A. PIPE SHALL BE ALUMINUM, MANUFACTURED IN CONF B209. B. PIPE SHALL BE SPIRAL RIB DRAINAGE PIPE WITH 3/4" BY 3/ 7_173" ON CENTER CALICE THICKNESS SHALL MEET FOOT | nent. sets shall not be conducted until such time that the entire install ste and ready for testing, including permanent electrical power and try control. | n necessary tow with necessary bypass pump bypassing of |
| XI. STORM DRAINAGE A. CONTRACTOR MAY UTILIZE ONE OF THE FOLLOWING MATERIALS. | or inspection, testing and accepting materials and equipment before ther use is approved. v. The service of a factory representative shall be furnished for one (1) day, for the station, and shall have complete knowledge of proper operation and maintenance to inspect the final installation and supervise the test run of the equipment. | e. The remote telemetry unit shall include an enclosure with power supply, central processing unit, analog and digital ouputs, radio, directional antenna and appurtenances and all wiring. f. The Contractor shall furnish, at the City of Pembroke Pines discretion, either an emergency generator or emergency bypass pump. The generator shall be sized to meet the starting amperage of both pumps simultaneously. The bypass pump shall be a minimum six (6) inch self-priming pump. |
| ALL ORGANIC AND OTHER UNSUITABLE MATERIAL WITHIN THREE FEE REMOVED. SUITABLE BACKFILL SHALL BE MINIMUM LBR 40 MATERIA MAXIMUM DENSITY AS DETERMINED BY AASHTO T-180 THE PERIMETER OF THE PAVING. | The engineer or his representative shall be furnished all facilities, including labor, and shall be allowed proper time inspection and testing of material and equipment. Materials and equipment shall be tested or inspected as required by the engineer in the cost of such work shall be included in the cost of the equipment. The contractor shall anticipate that delays may be caused because of the necessity of inspection testing and accenting materials and equipment. | blower; priming pumps and appurtenances; and all internal wiring Refer to plans for a complete list of operating conditions. The pumping station shall pump raw, unscreened, domestic was which is pumped to a local manhole or transmission system. |
| DD SHALL BE ST. AUGUSTINE, BIT HE GRADED TOP SOIL AND W PON FINAL ACCEPTANCE OF THE P HEN WORKING IN AND AROUND EX LT BARRIERS SHALL BE INSTALLED : | a. General a. General i. The engineer shall have the right to inspect, test or witness test of all materials or equipment to be furnished under these specifications, prior to their shipment from the point of manufacture. ii. The engineer shall be notified in writing prior to intial shipment in ample time so that arrangements can be made for inspection by the engineer. | |
| NUME OF THE EXISTING MATERIAL IS TO BE INCURPORATE ALL SUBGRADE UNDER PAVED AREAS SHALL HAVE A MIL AND SHALL BE COMPACTED TO 98% OF THE MAXIMUL ASHTO T-180. ALL FILL MATERIAL IN AREAS NOT TO BE PAVED SHALL E MAXIMUM DENSITY AS DETERMINED BY AASHTO T-180. A 2" BLANKET OF TOP SOIL SHALL BE PLACED OVER AL | b. All pumps and motors shall be shop coated, with manufacturer's standard coating. c. All nameplates shall be properely protected during painting. d. Gears, bearing surfaces and other similar surfaces obviously not to be painted shall be given a heavy shop coat of grease or other suitable rust-resistant coating. This coating and erection and shall be satisfactory to prevent corrosion during periods of the final acceptance test. | Furnish all labor, materials, equipment and incidentals required and install, place in operation, and field test a telemetry controlled wet well mounted wastewater pumping station and a emergency generator or bypass pump to provide emegency service to the pump station. The station shall be complete with pumps, motors, piping, valves, telemetry, electrical work (including motor controls), structures or connection and appurtenances, tested and ready for service. The generator or pump shall be trailer mounted, diesel powered sized to maintain the pujp station flow. Refer to plans for other site features. |
| X. EARTHWORK AND COMPACTION A. general: | Shop Painting a. Before exposure to weather and prior to shop painting, all surfaces shall be thoroughly cleaned, dry and free from all mill-scale, rust, grease, dirt and other foreign matter. | IX. WET WELL MOUNTED WASTEWATER PUMPING STATION A. GENERAL |



| | NOP LANE LENGIH IABLE DISTANCE DIST | IABLE PREFERRE DISTANCE |
|----|--|-------------------------------|
| Н | 400' | 600' |
| На | 600' | 800' |
| | | |



City of Pembroke Pines



FINAL/PARTIAL RELEASE OF LIEN

KNOW ALL MEN BY THESE PRESENTS:

That the undersigned, for and in consideration of the payment of the sum of **[Payment Amount]** and other valuable consideration, paid by **City of Pembroke Pines**, receipt of which is hereby acknowledge, hereby releases and quit claims to the said **[Contractor Name]** its successors and assigns, and

City of Pembroke Pines

The owner, all liens, lien rights, claims and demands of any kind whatsoever, which the undersigned now has or might have against the building on premises legally described as:

[Description] PO #: [PO #]

Invoice #: [Invoice #]

On account of labor performed and/or material furnished for the construction of any improvements thereon. That all labor and materials used by the undersigned in the erection of said improvements have been fully paid for:

| Witnesses: | CONTRACTOR [NAME OF CONTRACTOR] |
|--|---|
| | BY: |
| Print Name | Print Name: |
| | Title: |
| Print Name | |
| STATE OF FLORIDA) | |
|) ss: COUNTY OF BROWARD) | |
| ON THIS day of | , 20, before me, the undersigned notary public, |
| personally appeared [Contractor's Representative | as [Job Title] of |
| [Name of Contractor] | , personally known to me, or who has produced |
| | tion, and is the person who subscribed to the foregoing d the same and that (s)he was duly authorized to do so. hand and official seal. |
| | NOTARY PUBLIC |
| My Commission Expires: | Print or Type Name |
| · · | nes, Florida 33026 • 954-435-6501 |



ATTACHMENT N

SPECIAL LICENSE REQUIREMENTS

<u>These requirements shall take precedent over the requirements in the specifications and in any other paragraph in the contract or bid package in conflict with these requirements</u>

License Requirements:

• Hold a certificate of qualification from the Florida Department of Transportation in Hot Plant mixed Bitum and flexible paving and submit a copy of the certification of qualification from the Florida Department of Transportation with the original bid.

• Striping subcontractor must hold a certificate of competency from Broward County in the area of striping, marking and signage of major roads to include pavements (3F or approved equal). Submit a copy of the certificate with the original bid. The striper can be changed at any time provided a copy of the certificate of competency is submitted to the Environmental Services Division.

A list of previous road projects, copy of the striper's license, and a copy of certificate of qualification from the Florida Department of Transportation must be attached to the proposal. Proposer must have completed 3 milling and resurfacing projects of the same type for municipal governmental entities within the last two years.



City of Pembroke Pines

ATTACHMENT O

HOT MIX ASPHALT REQUIREMENTS

The 10 pages of section 334 of the Florida Department of Transportation's requirements for hot mix asphalt for local agencies are attached and made a part of this contract.

(THE REMAINDER OF THIS PAGE WAS INTENTIONALLY LEFT BLANK)

HOT MIX ASPHALT FOR LOCAL AGENCIES. (REV 7-27-10) (FA 8-3-10)

SECTION 334 (of the Local Agency Specifications) is deleted and the following substituted:

SECTION 334 HOT MIX ASPHALT FOR LOCAL AGENCIES

334-1 Description.

334-1.1 General: Construct a Hot Mix Asphalt (HMA) pavement based on the type of work specified in the Contract and the Asphalt Work Categories as defined below. Meet the applicable requirements for plants, equipment, and construction requirements as defined below. Use a HMA mix that meets the requirements of this specification.

334-1.2 Asphalt Work Mix Categories: Construction of Hot Mix Asphalt Pavement will fall into one of the following work categories:

334-1.2.1 Asphalt Work Category 1: Includes the construction of bike paths.
 334-1.2.2 Asphalt Work Category 2: Includes the construction of new HMA turn lanes, paved shoulders and other non-mainline pavement locations.

334-1.2.3 Asphalt Work Category 3: Includes the construction of new mainline HMA pavement lanes, milling and resurfacing.

334-1.3 Mix Types: Use the appropriate HMA mix as shown in Table 334-1.

| | Table 334-1 | |
|--|---|---------------|
| | HMA Mix Types | |
| Asphalt Work Category | Mix Types | Traffic Level |
| 1 | Type SP-9.5 ⁽¹⁾ | А |
| 2 | Structural Mixes: Types SP- 9.5 or SP-12.5 ⁽¹⁾ Friction Mixes: Types FC-9.5 or FC-12.5 ⁽¹⁾ | B or C |
| 3 | Structural Mixes: Types SP- 9.5 or SP-12.5 Friction Mixes: Types FC-9.5 or FC-12.5 | С |
| (1) Equivalent mixes may be approved as determined | ermined by the Engineer. | |

A Type SP or FC mix one traffic level higher than the traffic level specified in the Contract may be substituted, at no additional cost (i.e. Traffic Level B may be substituted for Traffic Level A, etc.). Traffic levels are as defined in Section 334 of the Department's Standard Specifications for Road and Bridge Construction.

334-1.4 Gradation Classification: HMA mixes are classified as either coarse or fine, depending on the overall gradation of the mixture. Coarse and fine mixes are defined in 334-3.2.2. Use only fine mixes.

The equivalent AASHTO nominal maximum aggregate size Superpave mixes are as follows:

Local Agency Program Off-System Jobs

| Type SP-9.5, FC-9.5 | 9.5 mm |
|-----------------------|-----------|
| Type SP-12.5, FC-12.5 | . 12.5 mm |

334-1.5 Thickness: The total pavement thickness of the HMA pavement will be based on a specified spread rate or plan thickness as shown in the Contract Documents. Before paving, propose a spread rate or thickness for each individual layer meeting the requirements of this specification, which when combined with other layers (as applicable) will equal the plan spread rate or thickness. When the total pavement thickness is specified as plan thickness, the plan thickness and individual layer thickness will be converted to spread rate using the following equation:

Spread rate (lbs/yd²) = t x G_{mm} x 43.3

where: t = Thickness (in.) (Plan thickness or individual layer thickness) G_{mm} = Maximum specific gravity from the mix design

For target purposes only, spread rate calculations shall be rounded to the nearest whole number.

| 334-1.5.1 Layer Thicknesses: Unless otherwise called for in the | | | | | |
|---|--|--|--|--|--|
| ContractDocuments, the allowable layer thicknesses for HMA mixtures are as follows: | | | | | |
| Type SP-9.5, FC-9.5 | | | | | |
| Type SP-12.5, FC-12.5 | 1 1/2 - 2 1/2 inches | | | | |
| 334-1.5.2 Additional Requirements: | The following requirements also apply to | | | | |

HMA mixtures:

1. When construction includes the paving of adjacent shoulders (less than or equal to 5 feet wide), the layer thickness for the upper pavement layer and shoulder shall be the same and paved in a single pass, unless otherwise called for in the Contract Documents.

2. For overbuild layers, use the minimum and maximum layer thicknesses as specified above unless called for differently in the Contract Documents. On variable thickness overbuild layers, the minimum allowable thickness may be reduced by 1/2 inch, and the maximum allowable thickness may be increased by 1/2 inch, unless called for differently in the Contract Documents.

334-1.6 Weight of Mixture: The weight of the mixture shall be determined as provided in 320-2.2 of the Florida Department of Transportation (FDOT) specifications.

334-2 Materials.

334-2.1 Superpave Asphalt Binder: Unless specified elsewhere in the Contract or in 334-2.3.3, use a PG 67-22 asphalt binder from the FDOT's Qualified Products List (QPL). If the Contract calls for an alternative binder, meet the requirements of FDOT Specifications Section 336 or 916, as appropriate.

334-2.2 Aggregate: Use aggregate capable of producing a quality pavement. For Category 2 and 3 projects, require the aggregate supplier to certify that the material meets FDOT requirements.

For Type FC mixes, use an aggregate blend that consists of crushed granite, crushed Oolitic limestone, other crushed materials (as approved by FDOT for friction courses per Rule 14-103.005, Florida Administrative Code), or a combination of the above. Crushed limestone from the Oolitic formation may be used if it contains a minimum of 12% silica material as determined by FDOT Test Method FM 5-510 and FDOT grants approval of the

source prior to its use. As an exception, mixes that contain a minimum of 60% crushed granite may either contain: 1) up to 40% fine aggregate from other sources or 2) a combination of up to 20% RAP and the remaining fine aggregate from other sources.

A list of aggregates approved for use in friction courses may be available on the FDOT's State Materials Office website. The URL for obtaining this information, if available, is: www.dot.state.fl.us/statematerialsoffice/quality/programs/qualitycontrol/materialslistings/sources /frictioncourse.pdf.

334-2.3 Reclaimed Asphalt Pavement (RAP) Material:

334-2.3.1 General requirements: RAP may be used as a component of the asphalt mixture, if approved by the Engineer. Usage of RAP is subject to the following requirements:

1. Limit the amount of RAP material used in the mix to a maximum of 50% by weight of total aggregate.

2. Provide stockpiled RAP material that is reasonably consistent in characteristics and contains no aggregate particles which are soft or conglomerates of fines.

3. Provide RAP material having a minimum average asphalt content of 4.0% by weight of total mix. The Engineer may sample the stockpile to verify that this requirement is met.

4. Use a grizzly or grid over the RAP cold bin, in-line roller crusher, screen, or other suitable means to prevent oversized RAP material from showing up in the completed recycle mixture. If oversized RAP material appears in the completed recycle mix, take the appropriate corrective action immediately. If the appropriate corrective actions are not immediately taken, stop plant operations.

334-2.3.2 Material Characterization: Assume responsibility for establishing the asphalt binder content, gradation, viscosity and bulk specific gravity (G_{sb}) of the RAP material based on a representative sampling of the material.

334-2.3.3 Asphalt Binder for Mixes with RAP: Select the appropriate asphalt binder grade based on Table 334-2. Maintain the viscosity of the recycled mixture within the range of 5,000 to 15,000 poises.

| Table | 2 334-2 | |
|---|----------------------|--|
| Asphalt Binder Grade for Mixes Containing RAP | | |
| Percent RAP | Asphalt Binder Grade | |
| < 20 | PG 67-22 | |
| 20-29 | PG 64-22 | |
| ≥ 30 | Recycling Agent | |

334-3 Composition of Mixture.

334-3.1 General: Compose the asphalt mixture using a combination of aggregates, mineral filler, if required, and asphalt binder material. Size, grade and combine the aggregate fractions to meet the grading and physical properties of the mix design. Aggregates from various sources may be combined.

334-3.2 Mix Design:

334-3.2.1 General: Design the asphalt mixture in accordance with AASHTO R 35-04, except as noted herein. Submit the proposed mix design with supporting test

data indicating compliance with all mix design criteria to the Engineer. Prior to the production of any asphalt mixture, obtain the Engineer's conditional approval of the mix design. If required by the Engineer, send representative samples of all component materials, including asphalt binder to a laboratory designated by the Engineer for verification. The Engineer will consider any marked variations from original test data for a mix design or any evidence of inadequate field performance of a mix design as sufficient evidence that the properties of the mix design have changed, and at his discretion, the Engineer may no longer allow the use of the mix design.

334-3.2.2 Mixture Gradation Requirements: Combine the aggregates in proportions that will produce an asphalt mixture meeting all of the requirements defined in this specification and conform to the gradation requirements at design as defined in AASHTO M 323-04, Table 3. Aggregates from various sources may be combined.

334-3.2.2.1 Mixture Gradation Classification: Plot the combined mixture gradation on an FHWA 0.45 Power Gradation Chart. Include the Control Points from AASHTO M323-04, Table-3, as well as the Primary Control Sieve (PCS) Control Point from AASHTO M323-04, Table 4. Fine mixes are defined as having a gradation that passes above or through the primary control sieve control point. Use only fine mixes.

334-3.2.3 Gyratory Compaction: Compact the design mixture in accordance with AASHTO T312-04. Use the number of gyrations as defined in AASHTO R35-04, Table 1.

334-3.2.4 Design Criteria: Meet the requirements for nominal maximum aggregate size as defined in AASHTO M323-04, as well as for relative density, VMA, VFA, and dust-to-binder ratio as specified in AASHTO M323-04, Table 6.

334-3.2.5 Moisture Susceptibility: Test 4 inch specimens in accordance with FM 1-T 283. Provide a mixture having a retained tensile strength ratio of at least 0.80 and a minimum tensile strength (unconditioned) of 100 psi. If necessary, add a liquid anti-stripping agent from the FDOT's Qualified Products List, or hydrated lime in order to meet these criteria.

In lieu of moisture susceptibility testing, add a liquid anti-stripping agent from the FDOT's Qualified Products List. Add 0.5% liquid anti-stripping agent by weight of binder.

334-3.2.6 Additional Information: In addition to the requirements listed above, provide the following information on each mix design:

1. The design traffic level and the design number of gyrations (N_{design}).

2. The source and description of the materials to be used.

3. The FDOT source number and the FDOT product code of the aggregate components furnished from an FDOT approved source (if required).

4. The gradation and proportions of the raw materials as intended to be combined in the paving mixture. The gradation of the component materials shall be representative of the material at the time of use. Compensate for any change in aggregate gradation caused by handling and processing as necessary.

5. A single percentage of the combined mineral aggregate passing each specified sieve. Degradation of the aggregate due to processing (particularly material passing the No. 200 sieve) should be accounted for and identified.

6. The bulk specific gravity (G_{sb}) value for each individual aggregate and RAP component.

7. A single percentage of asphalt binder by weight of total mix intended to be incorporated in the completed mixture, shown to the nearest 0.1%.

8. A target temperature at which the mixture is to be discharged from the plant and a target roadway temperature. Do not exceed a target temperature of 330° F for modified asphalts and 315° F for unmodified asphalts.

9. Provide the physical properties achieved at four different asphalt binder contents. One shall be at the optimum asphalt content, and must conform to all specified physical requirements.

10. The name of the Mix Designer.

11. The ignition oven calibration factor.

334-4 Contractor Quality Control.

Assume full responsibility for controlling all operations and processes such that the requirements of these Specifications are met at all times. Perform any tests necessary at the plant and roadway for quality control purposes.

334-5 General Construction Requirements.

334-5.1 Weather Limitations: Do not transport asphalt mix from the plant to the roadway unless all weather conditions are suitable for the laying operations.

334-5.2 Limitations of Laying Operations:

334-5.2.1 General: Spread the mixture only when the surface upon which it is to be placed has been previously prepared, is intact, firm, and properly cured, and is dry.

334-5.2.2 Air Temperature: Spread the mixture only when the air temperature in the shade and away from artificial heat is at least 40°F for layers greater than 1 inch (100 lb per square yard) in thickness and at least 45°F for layers 1 inch (100 lb per square yard) or less in thickness (this includes leveling courses). The minimum temperature requirement for leveling courses with a spread rate of 50 lb per square yard or less is 50°F.

334-5.3 Mix Temperature: Heat and combine the ingredients of the mix in such a manner as to produce a mixture with a temperature at the plant and at the roadway, within a range of plus or minus30°F from the target temperature as shown on the mix design. Reject all loads outside of this range.

334-5.4 Transportation of the Mixture: Transport the mixture in vehicles previously cleaned of all foreign material. After cleaning, thinly coat the inside surface of the truck bodies with soapy water or an asphalt release agent as needed to prevent the mixture from adhering to the beds. Do not allow excess liquid to pond in the truck body. Do not use diesel fuel or any other hazardous or environmentally detrimental material as a coating for the inside surface of the truck body. Cover each load at all times.

334-5.5 Preparation of Surfaces Prior to Paving:

334-5.5.1 Cleaning: Clean the surface of all loose and deleterious material by the use of power brooms or blowers, supplemented by hand brooming where necessary.

334-5.5.2 Patching and Leveling Courses: Where the HMA is to be placed on an existing pavement which is irregular, wherever the plans indicate, or if directed by the Engineer, bring the existing surface to proper grade and cross-section by the application of patching or leveling courses.

334-5.5.3 Application over Surface Treatment: Where an asphalt mix is to be placed over a surface treatment, sweep and dispose of all loose material from the paving area.

334-5.5.4 Tack Coat: Use a rate of application as defined in Table 334-3. Control the rate of application to be within plus or minus 0.01 gal. per square yard of the target application rate. The target application rate may be adjusted by the Engineer to meet specific

field conditions. Determine the rate of application a minimum of twice per day, once at the beginning of each day's production and as needed to control the operation. When using RA-550, multiply the target rate of application by 0.6.

| Table 334-3 Tack Coat Application Rates | | | | |
|---|--|--|--|--|
| Asphalt Mixture Type | Underlying Pavement Surface | Target Tack Rate (gal/yd ²) | | |
| | Newly Constructed Asphalt Layers | 0.02 minimum | | |
| Base Course, Structural Course, Dense Graded Friction Course | Milled Surface or Oxidized and Cracked Pavement | 0.06 | | |
| | Concrete Pavement | 0.08 | | |
| Open Graded Friction Course | Newly Constructed Asphalt Layers | 0.05 | | |
| | Milled Surface | 0.07 | | |

334-5.6 Paving:

334-5.6.1 Alignment of Edges: With the exception of pavements placed adjacent to curb and gutter or other true edges, place all pavements by the stringline method to obtain an accurate, uniform alignment of the pavement edge. Control the unsupported pavement edge to ensure that it will not deviate more than plus or minus 1.5 inches from the stringline.

334-5.6.2 Rain and Surface Conditions: Immediately cease transportation of asphalt mixtures from the plant when rain begins at the roadway. Do not place asphalt mixtures while rain is falling, or when there is water on the surface to be covered. Once the rain has stopped and water has been removed from the tacked surface to the satisfaction of the Engineer and the temperature of the mixture caught in transit still meets the requirements as specified in 3345.3, the Contractor may then place the mixture caught in transit.

334-5.6.3 Checking Depth of Layer: Check the depth of each layer at frequent intervals, and make adjustments when the thickness exceeds the allowable tolerance of 1/4 inch. Address any material outside of this tolerance per the direction of the Engineer. When making an adjustment, allow the paving machine to travel a minimum distance of 32 feet to stabilize before the second check is made to determine the effects of the adjustment.

334-5.6.4 Hand Spreading: In limited areas where the use of the spreader is impossible or impracticable, spread and finish the mixture by hand.

334-5.6.5 Spreading and Finishing: Upon arrival, dump the mixture in the approved paver, and immediately spread and strike-off the mixture to the full width required, and to such loose depth for each course that, when the work is completed, the required weight of mixture per square yard, or the specified thickness, is secured. Carry a uniform amount of mixture ahead of the screed at all times.

334-5.6.6 Thickness of Layers: Construct each course of Type SP mixtures in layers of the thickness shown in 334-1.5.1.

334-5.7 Leveling Courses:

334-5.7.1 Patching Depressions: Before spreading any leveling course, fill all depressions in the existing surface more than 1 inch deep by spot patching with leveling course mixture, and compact thoroughly.

334-5.7.2 Spreading Leveling Courses: Place all courses of leveling with an asphalt paver or by the use of two motor graders, one being equipped with a spreader box. Other types of leveling devices may be used upon approval by the Engineer.

334-5.7.3 Rate of Application: When using Type SP-9.5 (fine graded) for leveling, do not allow the average spread of a layer to be less than 50 lb per square yard or more than 75 lb per square yard. The quantity of mix for leveling shown in the plans represents the average for the entire project; however, the Contractor may vary the rate of application throughout the project as directed by the Engineer. When leveling in connection with base widening, the Engineer may require placing all the leveling mix prior to the widening operation.

334-5.8 Compaction: For each paving or leveling train in operation, furnish a separate set of rollers, with their operators.

When density testing for acceptance is required (Asphalt Work Category 3), select equipment, sequence, and coverage of rolling to meet the specified density requirement. Regardless of the rolling procedure used, complete the final rolling before the surface temperature of the pavement drops to the extent that effective compaction may not be achieved or the rollers begin to damage the pavement.

When density testing for acceptance is not required (Asphalt Work Categories 1 and 2), use a rolling pattern approved by the Engineer.

Use hand tamps or other satisfactory means to compact areas which are inaccessible to a roller, such as areas adjacent to curbs, headers, gutters, bridges, manholes, etc. **334-5.9 Joints.**

334-5.9.1 Transverse Joints: Construct smooth transverse joints, which are within 3/16 inch of a true longitudinal profile when measured with a 15 foot manual straightedge.

334-5.9.2 Longitudinal Joints: For all layers of pavement except the leveling course, place each layer so that longitudinal construction joints are offset 6 to 12 inches laterally between successive layers. Do not construct longitudinal joints in the wheelpaths. The Engineer may waive these requirement where offsetting is not feasible due to the sequence of construction.

334-5.10 Surface Requirements: Construct a smooth pavement with good surface texture and the proper cross-slope.

334-5.10.1 Texture of the Finished Surface of Paving Layers: Produce a finished surface of uniform texture and compaction with no pulled, torn, raveled, crushed or loosened portions and free of segregation, bleeding, flushing, sand streaks, sand spots, or ripples. Correct any area of the surface that does not meet the foregoing requirements in accordance with 334-5.10.4.

334-5.10.2 Cross Slope: Construct a pavement surface with cross slopes in compliance with the requirements of the Contract Documents.

334-5.10.3 Pavement Smoothness: Construct a smooth pavement meeting the requirements of this Specification. Furnish a 15 foot manual and a 15 foot rolling straightedge meeting the requirements of FM 5-509. Make them available at the job site at all times during paving operations for Asphalt Work Category 3 and make them available upon request of the Engineer for Asphalt Work Categories 1 and 2.

334-5.10.3.1 Asphalt Work Category 3:

334-5.10.3.1.1 Acceptance Testing: Using a rolling straightedge, test the final Type SP structural layer and the Type FC layer, where a friction course is called for in the Contract. Test all pavement lanes where the width is constant using a rolling straightedge and document all deficiencies on a form approved by the Engineer. Notify the Engineer of the location and time of all straightedge testing a minimum of 48 hours before beginning testing.

334-5.10.3.1.2 Rolling Straightedge Exceptions: Testing with the rolling straightedge will not be required in the following areas: intersections, tapers, crossovers, parking lots and similar areas. In addition, testing with the rolling straightedge will not be performed on the following areas when they are less than 250 feet in length: turn lanes, acceleration/deceleration lanes and side streets. However, correct any individual surface irregularity in these areas that deviates from the plan grade in excess of 3/8 inch as determined by a 15 foot manual straightedge, and that the Engineer deems to be objectionable, in accordance with 334-5.10.4. The Engineer may waive or modify straightedging requirements if no milling, leveling, overbuild or underlying structural layer was placed on the project and the underlying layer was determined to be exceptionally irregular.

334-5.10.3.1.3 Final Type SP Structural Layer: Straightedge the final Type SP structural layer with a rolling straightedge behind the final roller of the paving train or as a separate operation. Address all deficiencies in excess of 3/16 inch in accordance with 334-5.10.4.2. If the Type SP layer is to be the final surface, corrections may be waived by the Engineer. Retest the corrected areas.

334-5.10.3.1.4 Friction Course Layer: Where a friction course is called for in the Contract, at the completion of all paving operations, straightedge the friction course either behind the final roller of the paving train or as a separate operation. Address all deficiencies in excess of 3/16 inch in accordance with 334-5.10.4.3, unless waived by the Engineer. Retest all corrected areas.

334-5.10.3.2 Asphalt Work Categories 1 and 2: If required by the Engineer, straightedge the final structural layer with a rolling straightedge, either behind the final roller of the paving train or as a separate operation. Correct all deficiencies in excess of 5/16 inch in accordance with 334-5.10.4.2. Retest all corrected areas. If the Engineer determines that the deficiencies on a bicycle path are due to field geometrical conditions, the Engineer will waive corrections with no deduction to the pay item quantity.

334-5.10.4 Correcting Unacceptable Pavement:

334-5.10.4.1 General: Correct all areas of unacceptable pavement at no

additional cost.

334-5.10.4.2 Structural Layers: Correct deficiencies in the Type SP structural layer by one of the following methods:

a. Remove and replace the full depth of the layer, extending a minimum of 50 feet on both sides of the defective area for the full width of the paving lane.

b. Mill the pavement surface to a depth and width that is

adequate to remove the deficiency. (This option only applies if the structural layer is not the final surface layer.)

334-5.10.4.3 Friction Course: Correct deficiencies in the friction course layer by removing and replacing the full depth of the layer, extending a minimum of 50 feet on both sides of the defective area for the full width of the paving lane.

334-6 Acceptance of the Mixture.

334-6.1 General: The asphalt mixture will be accepted based on the Asphalt Work Category as defined below:

1) Asphalt Work Category 1 – Certification by the Contractor as defined in 334-

6.2.

2) Asphalt Work Category 2 – Certification and quality control testing by the Contractor as defined in 334-6.3

3) Asphalt Work Category 3 – Quality control testing by the Contractor and acceptance testing by the Engineer as defined in 334-6.4.

334-6.2 Certification by the Contractor: On Asphalt Work Category 1 construction, the Engineer will accept the mix on the basis of visual inspection. Submit a Notarized Certification of Specification Compliance letter on company letterhead to the Engineer stating that all material produced and placed on the project was in substantial compliance with the Specifications. The Engineer may run independent tests to determine the acceptability of the material.

334-6.3 Certification and Quality Control Testing by the Contractor: On Asphalt Work Category 2 construction, submit a Notarized Certification of Specification Compliance letter on company letterhead to the Engineer stating that all material produced and placed on the project was in substantial compliance with the Specifications, along with supporting test data documenting all quality control testing as described in 334-6.3.1. If required by the Contract, utilize an Independent Laboratory as approved by the Engineer for the quality control testing. The mix will also require visual acceptance by the Engineer. In addition, the Engineer may run independent tests to determine the acceptability of the material.

334-6.3.1 Quality Control Sampling and Testing Requirements: Perform quality control testing at a frequency of once per day. Obtain the samples in accordance with FDOT Method FM 1-T 168. Test the mixture at the plant for gradation (P_{-8} and P_{-200}) and asphalt binder content (P_b). Test the mixture on the roadway for density using six-inch diameter roadway cores obtained at a frequency of three cores per day.

Determine the asphalt content of the mixture in accordance with FM 5-563. Determine the gradation of the recovered aggregate in accordance with FM 1-T 030. Determine the roadway density in accordance with FM 1-T 166. The minimum roadway density will be based on the percent of the maximum specific gravity (Gmm) from the approved mix design. If the Contractor or Engineer suspects that the mix design Gmm is no longer representative of the asphalt mixture being produced, then a new Gmm value will be determined from plant-produced mix with the approval of the Engineer. Roadway density testing will not be required in certain situations as described in 334-6.4.1. Assure that the asphalt content, gradation and density test results meet the criteria in Table 334-4.

| Table 334-4 | | | | |
|--|-------------------|--|--|--|
| Quality Control and Acceptance Values | | | | |
| Characteristic | Tolerance | | | |
| Asphalt Binder Content (percent) | Target ± 0.55 | | | |
| Passing No. 8 Sieve (percent) | Target ± 6.00 | | | |
| Passing No. 200 Sieve (percent) | Target ± 2.00 | | | |
| Roadway Density (average of three cores) | 91.5% Gmm | | | |
| Roadway Density (any single core) | 90.0 % Gmm | | | |

334-6.4 Quality Control Testing by the Contractor and Acceptance Testing by the Engineer: On Asphalt Work Category 3, perform quality control testing as described in 334-6.3.1. In addition, the Engineer will accept the mixture at the plant with respect to gradation (P_{-8} and P_{-200}) and asphalt binder content (P_b). The mixture will be accepted on the roadway with respect to density. The Engineer will sample and test the material as described in 334-6.3.1. The Engineer will randomly obtain at least one set of samples per day. Assure that the asphalt content, gradation and density test results meet the criteria in Table 334-4. Material failing to meet these acceptance criteria will be addressed as directed by the Engineer.

334-6.4.1 Acceptance Testing Exceptions: When the total quantity of any mix type in the Project is less than 500 tons, or on Asphalt Work Category 1 construction, the Engineer will accept the mix on the basis of visual inspection. The Engineer may run independent tests to determine the acceptability of the material.

Density testing for acceptance will not be performed on widening strips or shoulders with a width of 5 feet or less, variable thickness overbuild courses, leveling courses, first lift of asphalt base course placed on subgrade, miscellaneous asphalt pavement, or any course with a specified thickness less than 1 inch or a specified spread rate less than 100 lb per square yard. In addition, density testing for acceptance will not be performed on the following areas when they are less than 1,000 feet in length: crossovers, intersections, turning lanes, acceleration lanes, deceleration lanes, or ramps. Compact these courses in accordance with a standard rolling procedure approved by the Engineer. In the event that the rolling procedure deviates from the approved procedure, placement of the mix will be stopped.

334-7 Method of Measurement.

For the work specified under this Section, the quantity to be paid for will be the weight of the mixture, in tons.

The bid price for the asphalt mix will include the cost of the liquid asphalt or the asphalt recycling agent and the tack coat application as specified in 334-5.5.4. There will be no separate payment or unit price adjustment for the asphalt binder material in the asphalt mix.

334-8 Basis of Payment.

334-8.1 General: Price and payment will be full compensation for all the work specified under this Section.

SPECIFICATIONS FOR THE HIGH DENSITY MINERAL BOND/ ASPHALT SURFACE TREATMENT

NOTE: This special provision is generally written in the imperative mood. The subject, "the *Contractor*" is implied. Also implied in this language are "*shall*", "*shall be*", or similar words and phrases. The word "*will*" generally pertains to decisions or actions of City of Pembroke Pines.

1. DESCRIPTION

Construct a mineral aggregate and asphalt binder surface treatment installed as a High Density Mineral Bond (HDMB) over the roadway surface.

Prepare the existing cracks and joints at the locations designated in the Contract Documents or as required by the City Representative. Fill cracks with hot type joint sealing compound-roadways and polymer modified asphalt pavement repair mastic where required.

BID ITEM

High Density Mineral Bond (HDMB)

<u>UNITS</u> Square Yard

Contractor Minimum Qualifications

The Contractor should have successfully completed at least five (5) projects using the same mix design as given in Table 4 – Mix Properties. The Contractor should provide a list of five (5) projects which used the mix design in Table 4 – Mix Properties and have demonstrated a five year minimum proven performance on a bituminous surface.

An alternative to the Contractor required experience is an HDMB supplier representative providing support and inspection of the project. The HDMB supplier representative must have the same experience required of the Contractor with five projects using the mix design specified in Table 4 - Mix Properties that have a five year performance history.

HDMB found defective after installation shall be reinstalled at no additional cost to the City.

2. HDMB MATERIALS

a. ASPHALT BINDER

Emulsified Asphalt: Inorganic, non-ionic, thixotropic mineral colloid at 77° Fahrenheit that meets the following requirements. Inorganic is defined as a non-carbon based emulsifier.

| Table 1 – Non-Ionic Emulsion Properties | | | | | | | | |
|---|------------------|--------|--------|--|--|--|--|--|
| Criterion | ASTM Standard | Min | Max | | | | | |
| Brookfield Viscosity at 77°F (Spindle 5, 20 rpm), cPs | D 2196 | 11,000 | 20,000 | | | | | |
| рН | E 70 | 5.0 | 7.5 | | | | | |
| Density, lbs/gal | T 59 | 8.5 | 9.0 | | | | | |
| Asphalt Cement Content, percent by weight | D 2172 | 45 | 50 | | | | | |
| Solids Content, percent by weight | T 59 | 50 | 54 | | | | | |
| Ash Content, percent by weight | T 111 | 4.0 | 6.0 | | | | | |

b. AGGREGATE

1) Clean and free from organic matter or other deleterious substances. Composed of sand, clay, slate and corundum. Properties of slate and corundum as follows.

| Table 2 – Slate | | | | | | | |
|------------------|------------------|--------|-----|--|--|--|--|
| Criterion | ASTM Standard | Min | Max | | | | |
| Specific Gravity | C 128 | | 2.7 | | | | |
| Compression, psi | C 170 | 11,000 | | | | | |

| Table 3 – Refined Corundum | | | | | | | | |
|--------------------------------|------------------|-------|-----|--|--|--|--|--|
| Criterion | ASTM Standard | Min | Max | | | | | |
| Specific Gravity | C 128 | 3.9 | | | | | | |
| Knoop 100 Hardness | D 1326 | 2,000 | | | | | | |
| Ball Mill Friability (14 grit) | B74.8 | | 50 | | | | | |

2) Aggregates shall be pre-mixed with the HDMB base emulsion meeting the requirements of Table No. 1- Non-Ionic Emulsion Properties at the manufacturer facility or at a manufacturer approved mixing facility prior to arriving at the jobsite.

c. ADDITIVES

- 1) Water is clean, non-detrimental, and free from salts and contaminant.
- 2) Polymers and other additives as necessary to achieve mix design performance.

3. CRACK SEALING MATERIALS

Provide materials that comply with the applicable requirements as directed by the engineer.

a. Hot Type Joint Sealing Compound-Highway. When required, provide hot type joint sealing compound intended for use in highway applications that complies with DIVISION 1500 and is a FDOT prequalified material with pavement temperature performance limits of 64-40.

b. Hot Type Joint Sealing Compound-Parking Lots. When required, provide hot type joint sealing compound intended for use in pedestrian and slow moving traffic areas that meets the requirements of ASTM D6690, Type II Specifications with pavement temperature performance limits of 64-28.

4. HDMB MIX DESIGN

Completed high density mineral bond material, prior to being loaded for install, must meet the following requirements.

| Table 4 – Mix Properties | | | | | | | | |
|---|---------------------|-----------|--------------|--|--|--|--|--|
| Criterion | ASTM Standard | Min | Max | | | | | |
| Asphalt Content, percent by weight | D 2172 | 17 | 20 | | | | | |
| Solids Content, percent by weight | D 1644 | 55 | 63 | | | | | |
| Initial Brookfield Viscosity at 77°F (Spindle 4, 20 rpm), cPs | D 2196 | 5,500 | 9,000 | | | | | |
| Ash Content, percent by weight | C 2939 ¹ | 38 | | | | | | |
| Ash Content of Solids, percent by weight (a) | D 2939 | 65 | | | | | | |
| Density, lbs/gal | D 2939 | 11 | | | | | | |
| рН | E 70 | 6.0 | 8.0 | | | | | |
| Total Inorganic Aggregate Content, percent by weight (b) | T 111 ² | 37 | | | | | | |
| Total Sand Content, percent by weight | - | | 6.0 | | | | | |
| Maximum VOC, g/L | D 3960 | | 5.0 | | | | | |
| Resistance to Re-emulsification | D 2939 | No re-emu | ulsification | | | | | |
| Wear Resistance, percent loss by weight (c) | D 2486 ³ | | 4.0 | | | | | |

NOTES:

- 1. Ash content as a percentage of solids content.
- 2. Ash content of completed mix minus ash content of base non-ionic emulsion. Total inorganic aggregate content is defined as slate, refined corundum, and sand.
- 3. ASTM D 2486 (Modified): Prepare sample at 48 wet mils on glass panel. Dry at 77°F for three (3) days. Immerse in water for 24 hours at 77°F. Test scrub resistance with 1,000 gram brass brush for 12,000 cycles. Report percent of dry film lost on the LOT sheet.
 - a. Constituents

The High Density Mineral Bond (HDMB) material shall be a uniform mixture of fine aggregate, non-ionic emulsified asphalt, water and other additives as required. The constituents shall be proportioned to produce a uniform mixture meeting the requirements of Table No. 4 – Mix Properties.

b. Mixture Design

At least three weeks prior to beginning work, the Contractor shall submit to the City's Representative a mix design with certified test results along with representative samples of each ingredient to be used in the HDMB mixture. The sample shall include information relative to sources type of materials, certified test reports, and project number.

5. HDMB CONSTRUCTION REQUIREMENTS

a. EQUIPMENT

General. All equipment, tools, and machines used in the performance of this work shall be approved by the City's Representative. No work shall be attempted with equipment that is malfunctioning. The City's Representative may order that the work be discontinued if sufficient equipment and tools are not in use to place the materials satisfactorily.

Use a continuous flow mixing unit.

- 1) Capable of applying at least 7,000 square yards of material per day.
- 2) Equipped with full sweep agitation system to assure proper suspension of fine aggregates.
- 3) Equipped with two separate filters. The primary filter should be at least 200 square inches with a face of 3/8 inch. The secondary filter needs to be at least 1,500 square inches with a filter face of 1/8 inch
- 4) Equipped with a retractable spray bar capable of applying mixture. The bar should be positioned to meet calibration requirements.
- 5) Equipped with a means of determining the application rate.

b. WEATHER LIMITATIONS

The HDMB surface material shall be placed when air and roadbed temperatures in the shade are 45°F and rising. HDMB shall not be applied if pavement or air temperatures are below 45°F and falling. The temperature shall be taken in the shade. The application of the pavement surfacing shall be stopped a minimum of 2 hours prior to expected rain and 48 hours prior to expected freezing temperatures.

c. SURFACE PREPARATION

General. The area to be covered shall be cleaned of all loose material, mud spots, sand, dust, oil, vegetation and other objectionable material removed. Do not flush water over cracks or apply pressured water to cracked pavement.

Severely raveled or porous pavements may require tack coat of SS or CSS grade. Asphalt concrete inlay may be required in rut deformations. Patch any holes, raveled areas, and low areas with asphalt concrete.

The Contractor shall provide a means for clean straight lines at the transition points of the installation area. In applying HDMB, the Contractor shall use effective means to protect structures, walls, curbs, etc. from discoloring or spattering.

- 1) Do not begin or continue application without notifying City's Representative of the calibration process and equipment settings.
- 2) Do not deviate from calibration settings without notifying City's Representative.

d. OPENING TO TRAFFIC

The Contractor shall protect surface treatment materials from traffic until it has cured. Curing of the HDMB with the ability to carry rolling traffic shall be within 24 hours of placement. The Contractor shall maintain traffic control as necessary to prevent damage to the mixture. The Contractor at no additional cost to the City shall repair any such damage, done by traffic to the mixture.

e. PROTECTION

- 1) Implement the traffic control plan requirements. Provide safe passage for pedestrians and vehicles. Do not proceed without flaggers.
- 2) Protect trees, plants, and other ground cover from damage.
- 3) Prune trees to allow equipment passage underneath. Repair tree damage at no additional cost to the City.
- 4) Install invert covers.
- 5) Mask off end of streets and intersection to provide straight lines:
 - a) Make straight lines along lip of gutters and shoulders. Keep same thickness in these areas. No runoff on these areas will be permitted.
 - b) Mask-off Street Fixtures.
- 6) Protect structures, curb, gutter, sidewalks, guardrails, guide posts, etc. from spatter, mar, or overcoat.
- 7) Protect surface treatment materials from traffic until it has cured.

f. APPLICATION

- 1) Application Rate. Two (2) separate application coats are required. The first application must be thoroughly dry and free of any damp areas before the second application begins. Machine settings must match the following application rates.
 - a) 0.20 gallons per square yard minimum for Layer 1.
 - b) 0.16 gallons per square yard minimum for Layer 2.

All applications shall be constant in delivery with uniform coverage of the surface without streaking.

Application along gutters and shoulders shall be straight, uniform and at the appropriate application rate.

- 2) Spreading. Keep constant delivery rate of material per square yard of surface.
 - a) Do not reduce application rate along edges or around manhole covers.
 - b) Apply both applications right to the edge of the pavement. Do not back away from curbs, manhole covers, and edges on either application.
 - c) Make straight lines at all locations.
 - d) Use hand squeegees to spread mix in areas that cannot be reached with distribution spray bar.
 - i. Provide complete and uniform coverage.
 - ii. Avoid unsightly appearance from hand work.
- 3) Joints. Make transverse joints straight-cut butt type, not over-lap type. Place longitudinal joints on lane lines. Limit overlap to three (3) inches maximum. Stop and correct paving operation if longitudinal or transverse joints have uncovered areas or unsightly appearance.

- 4) After Application.
 - a) Leave no streaks caused by plugged nozzle or improper spray bar height.
 - b) Leave no holes, bare spots, or cracks.
 - c) Expose and clean Manholes, valve boxes, inlets and other service entrances and Street Fixtures.
 - d) Raise reflective tabs that were covered over.
 - e) Do not permit traffic on product until surface has cured.
- 5) Cleaning. Remove loose material, mud spots, sand, dust, oil, vegetation and other objectionable material. Do not flush water over cracks or apply pressurized water to cracked pavement. Clean the surface prior to installation.
- 6) Repair. Repair and remove at no additional cost to the City:
 - a) Remove delaminated or non-compliant product found after installation and apply acceptable product.
 - b) Remove spatter, mar and overcoat from curb, gutter, sidewalk, guard rails, guide posts, etc.
 - c) Remove overcoat from street fixtures.
 - d) Make edge and end lines straight. Provide a good appearance.
 - e) Leave no streaks, holes, bare spots, or cracks through which liquids or foreign matter could penetrate to the underlying pavement.
 - f) Repair collateral damage caused by construction.
- g. QUALITY CONTROL

Testing. If density tests (ASTM D2939) show non-compliance, remove the product and halt operations until new material arrives and is shown to be in compliance. Measure the total amounts of material installed, and verify it meets the application rate. Protect surface treatment material from traffic until it cures.

h. Testing and LOTS

Certification from emulsion manufacturer stating the base emulsion meets the requirements of the HDMB base emulsion in section Table 1 – Non-Ionic Emulsion Properties of this specification is required Certification from the manufacturer stating that the completed HDMB meets the requirements of Table 4 – Mix Properties of this specification is required.

A LOT, is defined as the quantity of HDMB placed in a production day. For each LOT, the Contractor shall provide a LOT sheet containing the following information:

- 1) LOT number, job number, route;
- 2) Date, air temperature;
- 3) Beginning and ending intervals;
- 4) Length, width, and total area in square yards of HDMB;
- 5) Recorded application rate and gallons placed;
- 6) Calibration forms;
- 7) Contractor's authorized signature

If non-complying material has been installed and no price for the material specified, apply price adjustment against cost of work requiring complying material as part of its installation. Opening HDMB treatment to vehicular traffic does not constitute acceptance. Observation of Contractor's field quality control testing does not constitute acceptance.

Mat appearance defects may be accepted if a 2.5 percent price reduction is applied against the Lot for each condition not met. Maximum price reduction for the Lot is 5 percent. The City Representative may waive price adjustment if Contractor corrects deficiencies at no additional cost to the City.

i. Warranty.

The surface treatment material shall carry a warranty for a period of one (1) year. For installations on newly placed asphalt, acceptable performance after a five year period is defined as 70% or greater of residual HDMB coverage of the inter-aggregate bituminous surface area. Mechanical disturbances by heavy equipment, etc. are excluded from warranty. The warranty shall include coverage for peeling and pre-mature wear. The Constructor shall notify in writing if the pavement surface is not considered suitable for HDMB to request a waiver of the warranty. Provide a sample warranty for material and installation.

6. CRACK SEALING CONSTRUCTION REQUIREMENTS

Using compressed air, clean the full depth of the cracks and remove all foreign material that will prevent bonding of the sealant. Remove loose material on the roadway by blowing or sweeping debris from all paved surfaces, not only from the immediately adjacent area.

Fill the clean cracks with an appropriate hot type joint sealing compound material and finish to a level slightly recessed from the pavement surface.

Fill cracks wider than 5/8 inch with a Hot Type Joint Sealing Compound-Highway to a level within 1/16 inch above pavement surface and no more than a 2 inch overband beyond each edge.

Do not place materials when the ambient air temperature is below 40° F or the pavement temperature exceeds 105° F. Materials shall be applied at temperatures within the manufacture's recommendations.

7. MEASUREMENT AND PAYMENT

a. **Plan Quantity Measurement.** The quantity of High Density Mineral Bond (HDMB) for which payment will be made are the quantities shown in the Contract, provided the project is constructed essentially to details shown in the Contract.

When the Contract Documents have been altered, or when a disagreement exists between the Contractor and the City's Representative as to the accuracy of the Contract Document quantities in any location or the entire project, either party has the right to request and cause the quantities involved to be measured according to Subsection 5B - HDMB Construction Requirements, Weather Limitations.

The City's Representative will measure sealing of cracks by the linear foot of material applied. Payment for "Hot Pour Crack Sealing" at the Contract unit prices is full compensation for the specified work, unless included in the base bid price.

- b. **Measured Quantities.** The quantity to be paid for under Item 1 of the Bid Form will be the number of square yards of High Density Mineral Bond as measured in-place.
- c. **General Payment.** Payment for "High Density Mineral Bond" at the contract unit price will be full compensation for the specified work.

| | pe | | PEMBRO | B KE PINES | Welcon | ne tmercado@ppines.com <u>Logout</u> Need assistance? Contact us or call 800-990-9339 |
|----------------------------|---|--------------------------|------------------|----------------------|---|--|
| | Home | Search | Source | Contracts | Tools | |
| | | | | | | 🚮 Schedule 📓 Task 📋 Note |
| Vendor view of bid | | | | Chat Bid Comme | nts Documents | Attachments Items Addendums |
| Bid #PSEN-18-01 - Asphal | t Surface Treatment W/ High D | ensity Mineral Bo | nd For NW 178 Av | e. & 17 St. 🛛 🙀 🛛 🗛 | s 🚸 阁 🛛 🔿 | |
| Time Left | Bid has ended. | | | | | |
| Bid Started | Apr 13, 2018 8:01:43 AM EDT | | Notificat | ions | Report (Bidder A | <u>ctivity</u>) |
| Bid Ended | This bid closed on May 8, 2018 2 | :00:00 PM EDT | # of supp | liers that viewed | 54 🕜 (<u>View</u>) | |
| Agency Information | City of Pembroke Pines, FL (<u>viev</u> | <u>v agency's bids</u>) | Q & A | | Questions & Answer Questions: 2 Q&A Deadline: Apr | <u>ers</u> 23, 2018 8:30:00 PM EDT |
| Bid Classifications | Classification Codes | | | | | |
| Bid Regions | <u>Regions</u> | | | | | |
| Bid Contact | see contact information | | | | | |
| Pre-Bid Conference(s) | Apr 25, 2018 10:00:00 AM EDT Attendance is mandatory Location: There will be a Manda Pines Public Services Building, 8 | · · | 0 1 | | 0 | on will be at the City of Pembroke |
| | All vendors will be required to co to show proof of attendance to <u>Transcript</u> <u>Attendance</u> | | | e-Bid Meeting Form' | ' at the meeting and | submit it as part of their proposal |
| Copy Bid | Click here to <u>copy</u> the bid and re | list it as a new bid | | | | |
| View Rules | Click here to change the rules for | r this bid. | | | | |
| Bid Packet | Packet for Bid PSEN-18-01 | [download] | | | | |
| Best and Final Offer: | Create | | | | | |

Approval

 View Approval Flow
 View Approval Flow

 Approval Status
 Approved

Bid Comments

| Contract Duration | One Time Purchase |
|----------------------|---|
| Contract Renewal | Not Applicable |
| Prices Good for | 90 days |
| Budgeted Amount | \$175,000.00 (<u>change</u>) |
| Expected Expenditure | \$175,000.00 |
| Standard Disclaimer | Bids/proposals must be submitted electronically |
| | Please note vendors should be registered on BidSync under the name of the organization that they are operating as and it should match the organization name on the documents that they are submitting and utilizing when responding to the solicitation. The vendor must provide the necessary information on the BidSync website and upload all of the requested documents listed in the PROPOSAL REQUIREMENTS section of this solicitation. Unless otherwise specified, the City requests for vendors to upload their documents as one (1) PDF document in the order that is outline in the bid package. |
| | proposals on the BidSync website. Proposals may be modified or withdrawn prior to the deadline for submitting Proposals. BidSync Support is happy to help you with submitting your proposal and to ensure that you are submitting your proposals correctly, but we ask that you contact their support line at 1-800-990-9339 with ample time before the bid closing date and time. |
| | PLEASE DO NOT SUBMIT ANY PROPOSALS VIA MAIL, E-MAIL OR FAX. |
| | However, please note that any required Bid Bond or Cashier's Check should be in a sealed envelope, plainly marked âxBID SECURITYâ (with the Solicitation Number and Title) and sent to the City of Pembroke Pines, City Clerk's Office, 4th Floor, 601 City Center Way, Pembroke Pines, FL |

Bid Comments Asphalt Surface Treatment with High Density Mineral Bond for NW 178 Ave. and NW 17 St. including Repair Line Items

| Documents | Select All Select None Download Selected |
|--|---|
| bocuments | Select Air Select Noire Download Selected |
| 1. 1. PSEN-18-01 Road Repair and Resurfacing Plan for NW 178.pdf [download] | 2. 1 Attachment A - Contact Information Form.docx [download] |
| 3. 🔁 Attachment B - Vendor Information Form and a W-9.pdf [download] | 4. 🕘 <u>Attachment C - Non-Collusive Affidavit</u> [download] |
| 5. Attachment D - Sworn Statement on Public Entity Crimes [download] | 6. 1 Attachment E - Local Vendor Preference Certification [download] |
| 7. Attachment F - Veteran Owned Small Business (VOSB) Preference Certification [download] | 8. 1 Attachment G - Equal Benefits Certification Form [download] |
| 9. 🜒 Attachment H - Proposers Qualifications Statement [download] | 10. 10. Attachment I - Sample Insurance Certificate.pdf [download] |
| 11. 11. Attachment J - Specimen Contract Construction Agreement Rev. 2017- 07-22.pdf [download] | 12. 🕘 Attachment K - References Form [download] |
| 13. 🚺 Attachment L - Plans.PDF [download] | 14. 🔁 Attachment M - Standard Release of Lien.pdf [download] |
| 15. 🔁 Attachment N - Special License Requirements.pdf [download] | 16. <u>Attachment O - Florida Department of Transportation Asphalt</u> <u>Requirements.pdf</u> [download] |
| 17. Ta Attachment P - High Density Mineral Bond HDMB Requirements.pdf | |
| [<u>download]</u> | |
| 18. 🔁 Mandatory Pre-Bid Attendance Sheet - 04.25.2018.pdf [download] | |
| | 🧐 = Included in Bid Packet 🛛 🔀 = Excluded from Bid Packet |
| | 🔽 = Included in Bid Packet 🦷 🦰 = Excluded from Bid Packet |
| | |
| Items | |
| High Density Mineral Bond/Asphalt Surface Treatment | [Description] |
| ⊞ Alternative - Bid | [Description] |
| Pavement Maintenance/Preservation Bid Items | [Description] |
| Special License Requirements | [Description] |
| | |
| Addendum #1 - Made On Apr 16, 2018 1:32:54 PM EDT | |
| New Documents Addendum 1.pdf Attachment N - Special License Requirements Revise | :d.pdf |
| New Lot: Special License Requirements | |
| Pre-Bid Conference Changes Pre-Bid Conference information has changed. Please | e review all Pre-Bid Conferences. |
| Added Items Hot Plant Mixed Bitum & Flexible Paving Certifica • Striping Subcontractor Certificate of Competency | |
| | |
| Change Made On Apr 25, 2018 11:07:39 AM EDT | |
| New Documents Mandatory Pre-Bid Attendance Sheet - 04.25.2018.pdf | |
| Change Made On May 3, 2018 6:51:03 PM EDT | |
| Added Items • Hot Patch | |

Changed Items • Repair by Mill and Resurface

Questions? Contact a BidSync representative: 800-990-9339 or email: support@bidsync.com





PEMBROKE PINES CITY COMMISSION

Frank C. Ortis MAYOR 954-450-1020 fortis@ppines.com

Angelo Castillo VICE MAYOR -DISTRICT 4 954-450-1030 acastillo@ppines.com

Thomas Good DISTRICT 1 954-450-1030 tgood@ppines.com

Jay Schwartz DISTRICT 2 954-450-1030 jschwartz@ppines.com

Iris A. Siple DISTRICT 3 954-450-1030 isiple@ppines.com

Charles F. Dodge CITY MANAGER 954-450-1040 cdodge@ppines.com April 16, 2018

Addendum # 1 City of Pembroke Pines IFB # PSEN-18-01 Asphalt Surface Treatment with High Density Mineral Bond for NW 178 Ave and NW 17 St including Repair Line Items

A) MANDATORY PRE-BID MEETING RE-SCHEDULED DATE

The **Mandatory** Pre-Bid Meeting has been re-scheduled to **April 25, 2018 at 10:00 a.m.** Meeting location will be at the City of Pembroke Pines Public Services Building, 8300 South Palm Drive, Pembroke Pines, FL, Pembroke Pines, FL 33025.

B) REVISIONS TO SECTION 1.5.9 AND 1.5.10 OF THE BID PACKAGE

1.5.9 Attachment K: References Form

- a. **Milling & Resurfacing:** Proposer must have completed 3 milling and resurfacing projects of the same type within the last two years.
- b. High Density Mineral Bond: The Contractor should have successfully completed at least five (5) projects using the same mix design as given in Table 4 Mix Properties of Attachment P "High Density Mineral Bond Requirements". The Contractor should provide a list of five (5) projects which used the mix design in Table 4 Mix Properties and <u>have demonstrated</u> a five year minimum proven performance on a bituminous surface.

An alternative to the Contractor required experience is an HDMB supplier representative providing support and inspection of the project. The HDMB supplier representative must have the same experience required of the Contractor with five projects using the mix design specified in Table 4 – Mix Properties of Attachment P "High Density Mineral Bond Requirements" that have a five year performance history.

c. Complete Attachment K: References Form, for at least three other municipalities or contracts where similar Milling & Resurfacing services have been satisfactorily performed within the past two years. In addition, complete Attachment K: References Form, for at five other municipalities or contracts where similar High Density Mineral Bond services have been satisfactorily performed within the past five years. For each contract listed, include the name and telephone number of a representative for whom the contract was undertaken who can verify satisfactory performance.

City of Pembroke Pines | Procurement Division | 8300 S. Palm Drive | Pembroke Pines, FL 33025 954-518-9020 | purchasing@ppines.com | www.ppines.com

- d. Please provide any additional information that the proposer feels will help explain their work experience and how it meets the minimum requirements.
- e. As part of the proposal evaluation process, the City may conduct an investigation of references, including a record check or consumer affairs complaints. Proposers' submission of a proposal constitutes acknowledgment of the process and consent to investigate. The City is the sole judge in determining Proposers qualifications.

<u>1.5.10</u> Professional Licenses, Special Requirements and Business Tax <u>Receipts</u>

- a. Please indicate the Proposer's selected Asphalt Plant that will be utilized and also submit a copy of the certification of qualification in Hot Plant mixed Bitum and flexible paving from the selected Asphalt Plant.
- b. Please indicate the Striping Subcontractor and submit a certificate of competency from Broward County for your Striping subcontractor in the area of striping, marking and signage of major roads to include pavements (3F or approved equal). Note the striper can be changed at any time provided a copy of the certificate of competency is submitted to the Environmental Services Division.
- c. Copies of any other necessary city, county, and state professional licenses and business tax receipts.

C) <u>REVISION TO ATTACHMENT N "SPECIAL LICENSE</u> <u>REQUIREMENTS"</u>

Please see the revised "Attachment N "Special License Requirements."



ATTACHMENT N (REVISED)

SPECIAL LICENSE REQUIREMENTS

<u>These requirements shall take precedent over the requirements in the specifications and in any other paragraph in the contract or bid package in conflict with these requirements</u>

License Requirements:

• Proposer's Selected Asphalt Plant must hold a certificate of qualification from the Florida Department of Transportation in Hot Plant mixed Bitum and flexible paving. Please submit a copy of the certification of qualification from the Florida Department of Transportation with the original bid.

• Striping subcontractor must hold a certificate of competency from Broward County in the area of striping, marking and signage of major roads to include pavements (3F or approved equal). Submit a copy of the certificate with the original bid. The striper can be changed at any time provided a copy of the certificate of competency is submitted to the Environmental Services Division.

A list of previous road projects, copy of the striper's license, and a copy of the Asphalt Plant certificate of qualification from the Florida Department of Transportation must be attached to the proposal. Proposer must have completed 3 milling and resurfacing projects of the same type for municipal governmental entities within the last two years.



Home Search Source Contracts Tools
Go to Bid Information

Question and Answers for Bid #PSEN-18-01 - Asphalt Surface Treatment w/ High Density Mineral Bond for NW 178 Ave. & 17 St.

Create New Question Question Deadline: Apr 23, 2018 8:30:00 PM EDT **Overall Bid Ouestions Question 1** Will their be an opportunity to use an alternative product that meets or exceeds the specifications of the HA-5 High Density Mineral Bond material? This will open up the opportunity for more contractors to bid the job and provide more competitive bids, and their are multiple manufacturers in the state that supply products that meet these specs. (Submitted: Apr 23, 2018 12:20:13 PM EDT) Answer Any alternative product must meet the specifications as enumerated in the documents for the High Density Mineral Bond(HDMB) material. Any alternate material must supply copies of test results produced by a laboratory licensed in the State of Florida showing compliance with all criteria as specified for the Binder/Emulsion, Aggregate, and Design Mix sections. Please note that the contractor must also have the Minimum Qualifications as enumerated in the HDMB specification section of the specifications. Ī However, the BidSync website allows for the bidders to submit their bids on the specified product and also allows for the bidder to submit alternative edit proposals. The City recommends that bidders submit both pricing on the specified product and the alternative that is being recommended by the bidder. Pursuant to section 3.7 "Brand Names" of the bid package, "If and wherever in the specifications a brand name, make, name of manufacturer, trade name, or vendor catalog number is mentioned, it is for the purpose of establishing a grade or quality of material only. Since the City does not wish to rule out other competition and equal brands or makes, the phrase âx OR EQUALâ is added. However, if a product other than that specified is bid, Bidders shall indicate on their proposal and clearly state the proposed substitution and deviation. It is the vendorâTMs responsibility to provide any necessary documentation and samples within their bid submittal to prove that the product is equal to that specified. Such samples are to be furnished before the date of bid opening, unless otherwise specified. Additional evidence in the form of documentation and samples may be requested if the proposed brand is other than that specified. The City retains the right to determine if the proposed brand shall be considered as an approved equivalent or not." (Answered: May 3, 2018 6:39:02 PM EDT) Add to Answer: **Question 2** Good Morning, I'm preparing to submit the Bid Bond and noticed the address listed on the Bid Package is from the Old City Hall Building, could you provide me with the correct address. (Submitted: May 1, 2018 11:32:02 AM EDT) Answer I edit The original Bid Bond or Cashier's Check should be in a sealed envelope, plainly marked âxBID SECURITY - IFB # PSEN-18-01 - Asphalt Surface Treatment with High Density Mineral Bond for NW 178 Ave. and NW 17 St. Including Repair Line Itemsâ and sent to the City of Pembroke Pines, City Clerk's Office, City Hall Administration Building 601 City Center Way, Pembroke Pines, Florida, 33025. (Answered: May 1, 2018 11:34:23 AM EDT) Add to Answer:

Submit



Copyright © 1999-2018 - BidSync - All rights reserved.

PRE-BID ATTENDANCE SHEET

Date: Wednesday, April 25, 2018 at 10:00 a.m.

Proposal/Bid #: IFB #PSEN-18-01 "Asphalt Surface Treatment with High Density Mineral Bond for NW 178th"

| Date | Wednesday, April 25, 2018 at 10:00 a.m. | - | | | | |
|--------------------------------|---|----------------------|--|---------------------------|------------|---|
| Company Name | Address | Representative Name | E-Mail | Phone Number | Signature | |
| ISG Strategic ISG Partners | 1300 CR 525E Sunterville, FL | Ken Yerk | ken.yerk@isgsp. | 100 1001 | 16- h | |
| whita lever Contracting | 692 convict cump Rd Substassoille AL | Micher Brich | michael Knisht@ + Whitaker-contraction | 256 505-1105 | Mulula | |
| 2) S Constructu | , 20535 NW ZALE Stc 202 MIAMI | Kodericie Spencer | nodericke Msconstructs.co | 786 | thest | |
| | SUNTERVILLE, FL | TES GRA | • 05 | ap 478-998 | u | • |
| Blaent Construction Company | 1730 Sands Place Manietta GA 30067 | Randall Pophan | randell.pophane blocentconstruction.com | 720-541- 7333 | Radaer Ppr | |
| Weekly Asp. | 20701 Stirling Rd B.P.m., 33332 | mike Vlam | mike e weekleyasp. | 954-600 8005 | m | |
| City of Pormanake M | | bearbe wries | GURVES OPPINES. CON | 954 518 - 9040 | Ga | |
| City of Pembroke | Pines Purchasi | g CabrielFe | Mandez gfernand | (954) SIF-S eza pines, | | Z |
| | WES EWILKERNING | | V KKENNED EPTINES | | Theling | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

1 of 1

WEEKLEY ASPHALT PAVING, INC.

Bid Contact June Stone

june@weekleyasp.com Ph 954-680-8005 Fax 954-680-8671

Address 20701 STIRLING RD PEMBROKE PINES, FL 33332

Supplier Code 239444

| Item # | Line Item | Notes | Unit Price | Qty/Unit | | Attch. | Docs |
|-----------------|---|------------------------------|---------------------------|---------------------|--------------|--------|------|
| PSEN-18-0101-01 | High Density Mineral Bond/Asphalt Surface Treatment: High Density Mineral | Supplier Product Code: | First Offer - \$3.78 | 65000 / square yard | \$245,700.00 | Y | Y |
| PSEN-18-0101-02 | High Density Mineral Bond/Asphalt Surface Treatment: Repair by Mill and Resurface | Supplier Product Code: | First Offer - \$5.05 | 7050 / square foot | \$35,602.50 | | Y |
| PSEN-18-0101-03 | High Density Mineral Bond/Asphalt Surface Treatment: Hot Patch | Supplier Product Code: | First Offer - \$7.50 | 2000 / square foot | \$15,000.00 | | Y |
| PSEN-18-0101-04 | High Density Mineral Bond/Asphalt Surface Treatment: Pavement Markings | Supplier Product Code: | First Offer - \$95,000.00 | 1 / lump sum | \$95,000.00 | | Y |
| PSEN-18-0101-05 | High Density Mineral Bond/Asphalt Surface Treatment: Maintenance of Traffic (MOT) | Supplier Product Code: | First Offer - \$45,000.00 | 1 / lump sum | \$45,000.00 | | Y |
| PSEN-18-0101-06 | High Density Mineral | Supplier Product Code: | First Offer - \$10,000.00 | 1 / lump sum | \$10,000.00 | | Y |

| | Bond/Asphalt Surface Treatment: Additional Cost to provide a Payment & Performance Bond | | | | | | |
|---------------------------|--|---------------------------------|---------------------------------|-------------------|-------------|--------------|-----------------|
| | | | | <u></u> | Lot Total | \$446,302.50 | |
| Item # PSEN-18-0102-01 | Line Item Notes Alternative - Supplie Bid: Mill and Produc Resurface Code: (3/4 inch SP 9.5) | | Unit Price st Offer - \$6.85 | Qty/Ur 65000 / | square yard | ¥445,250.00 | ttch. Docs Y |
| PSEN-18-0102-02 | 2 Alternative - Supplie Bid: Produc Pavement Code: Markings | | er- \$60,000.00 | 1 / lump | sum | \$60,000.00 | Y |
| PSEN-18-0102-03 | Alternative - Supplie Bid: Produc Maintenance Code: of Traffic (MOT) | | er - \$40,000.00 | 1 / lump | sum | \$40,000.00 | Y |
| PSEN-18-0102-04 | Alternative - Supplie Bid: Produc Additional Code: Cost to provide a Payment & Performance Bond | | ifer - \$9,000.00 | 1 / lump | sum | \$9,000.00 | Y |
| | | | | | Lot Total | \$554,250.00 | |
| ltem # | Line Item | Notes | U | nit Price | Qty/Unit | | Attch. Doo |
| PSEN-18-0103- 01 | Pavement Maintenance/Preservati Bid Items: Mobilization (per location) Crack Fill Crew | Supplier on Product Code: | First Offer - \$ | 4,285.00 | 10 / each | \$42,850.00 | Ň |
| PSEN-18-0103- 02 | Pavement Maintenance/Preservati Bid Items: Mobilization (per location) Pavement Patching Crew | Supplier on Product Code: | First Offer - \$ | 1,800.00 | 10 / each | \$18,000.00 | Ŷ |
| PSEN-18-0103- 03 | Pavement Maintenance/Preservati Bid Items: Mobilization (per location) HDMB Application Crew | Supplier on Product Code: | First Offer - \$ | 4,284.00 | 10 / each | \$42,840.00 | Ŷ |
| PSEN-18-0103- 04 | Pavement Maintenance/Preservati | Supplier on Product | First Offer - \$ | 1,800.00 | 10 / each | \$18,000.00 | Y |

Bid Items: Mobilization

Code:

| | (per location) Milling and Resurfacing Crew | | | | | |
|-----------------|---|------------------------------|------------------------|--------------------|-------------|---|
| PSEN-18-0103-05 | Pavement Maintenance/Preservation Bid Items: Traffic Control Officer (minimum 4 hours each) | Supplier Product Code: | First Offer - \$68.00 | 50 / hour | \$3,400.00 | Y |
| PSEN-18-0103-06 | Pavement Maintenance/Preservation Bid Items: FDOT CERTIFIED FLAG PERSON | Supplier Product Code: | First Offer - \$380.00 | 100 / day | \$38,000.00 | Y |
| PSEN-18-0103-07 | Pavement Maintenance/Preservation Bid Items: Work Zone Signs | Supplier Product Code: | First Offer - \$1.00 | 100 / day | \$100.00 | Y |
| PSEN-18-0103-08 | Pavement Maintenance/Preservation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, | Supplier Product Code: | First Offer - \$0.75 | 1000 / day | \$750.00 | Y |
| PSEN-18-0103-09 | Pavement Maintenance/Preservation Bid Items: Barricade, Temporary, F&I, Type Iii, 6', F&I | Supplier Product Code: | First Offer - \$1.50 | 50 / day | \$75.00 | Y |
| PSEN-18-0103-10 | Pavement Maintenance/Preservation Bid Items: Advance Warning Arrow Panels, F&I | Supplier Product Code: | First Offer - \$25.00 | 15 / day | \$375.00 | Y |
| PSEN-18-0103-11 | Pavement Maintenance/Preservation Bid Items: Temporary Retroreflective Pavement Marker | Supplier Product Code: | First Offer - \$4.00 | 100 / day | \$400.00 | Y |
| PSEN-18-0103-12 | Pavement Maintenance/Preservation Bid Items: Lights, Temporary, Type C, Steady Burn, F&I | Supplier Product Code: | First Offer - \$1.00 | 50 / day | \$50.00 | Y |
| PSEN-18-0103-13 | Pavement Maintenance/Preservation Bid Items: Portable Changeable Message Sign Temporary, F&I | Supplier Product Code: | First Offer - \$35.00 | 10 / day | \$350.00 | Y |
| PSEN-18-0103-14 | Pavement Maintenance/Preservation Bid Items: Pavement Marking Removable Tape, White-Black, White-Black, Skip | Supplier Product Code: | First Offer - \$2.80 | 5000 / linear foot | \$14,000.00 | Y |

| PSEN-18-0103-15 | Pavement Maintenance/Preservation Bid Items: Pavement Marking Removable Tape, White-Black, Solid | Supplier Product Code: | First Offer - \$2.00 | 500 / linear foot | \$1,000.00 | Y |
|-----------------|---|------------------------------|------------------------|--------------------|------------|---|
| PSEN-18-0103-16 | Pavement Maintenance/Preservation Bid Items: Pavement Marking Removable Tape, Yellow, Solid | Supplier Product Code: | First Offer - \$2.00 | 500 / linear foot | \$1,000.00 | Y |
| PSEN-18-0103-17 | Pavement Maintenance/Preservation Bid Items: Sediment Barrier | Supplier Product Code: | First Offer - \$3.00 | 100 / linear foot | \$300.00 | Y |
| PSEN-18-0103-18 | Pavement Maintenance/Preservation Bid Items: Staked Turbidity Barrier - Nylon Reinforced Pvc | | First Offer - \$2.50 | 100 / linear foot | \$250.00 | Y |
| PSEN-18-0103-19 | Pavement Maintenance/Preservation Bid Items: Inlet Protection System | | First Offer - \$150.00 | 50 / each | \$7,500.00 | Y |
| PSEN-18-0103-20 | Pavement Maintenance/Preservation Bid Items: Limerock Base Repair, 4" Thickness | Supplier Product Code: | First Offer - \$40.00 | 200 / square yard | \$8,000.00 | Y |
| PSEN-18-0103-21 | Pavement Maintenance/Preservation Bid Items: Limerock Base Repair, 6" Thickness | | First Offer - \$49.00 | 200 / square yard | \$9,800.00 | Y |
| PSEN-18-0103-22 | Pavement Maintenance/Preservation Bid Items: Bituminous Crack And Joint Sealing For Asphalt Concrete Roadway | Code: | First Offer - \$18.00 | 6 / linear foot | \$108.00 | Y |
| PSEN-18-0103-23 | Pavement Maintenance/Preservation Bid Items: Pavement Patching-Remove/Replace HMA, 1 1/2" Depth (6 SY Min) | Supplier Product Code: | First Offer - \$225.00 | 6 / square yard | \$1,350.00 | Y |
| PSEN-18-0103-24 | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1" Avg Depth | Supplier Product Code: | First Offer - \$3.50 | 2000 / square yard | \$7,000.00 | Y |
| PSEN-18-0103-25 | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1 1/2" Avg Depth | Supplier Product Code: | First Offer - \$4.00 | 2000 / square yard | \$8,000.00 | Y |

| PSEN-18-0103-26 | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1/2" Avg Depth | Supplier Product Code: | First Offer - \$3.25 | 2000 / square yard | \$6,500.00 | Y |
|-------------------------|---|------------------------------|------------------------|---------------------|----------------|---|
| PSEN-18-0103-27 | Pavement Maintenance/Preservation Bid Items: Superpave Asphaltic Concrete, Traffic A, B, Or C | Code: | First Offer - \$185.00 | 100 / ton | \$18,500.00 | Y |
| PSEN-18-0103-28 | Pavement Maintenance/Preservation Bid Items: High Density Mineral Bond, Asphalt Surface Treatment | Supplier Product Code: | First Offer - \$3.78 | 30000 / square yard | i \$113,400.00 | Y |
| PSEN-18-0103-29 | Pavement Maintenance/Preservation Bid Items: Manhole, Adjust | Supplier Product Code: | First Offer - \$575.00 | 20 / each | \$11,500.00 | Y |
| PSEN-18-0103- 30 | Pavement Maintenance/Preservation Bid Items: Valve Adjust | Supplier Product Code: | First Offer - \$395.00 | 20 / each | \$7,900.00 | Y |
| PSEN-18-0103-31 | Pavement Maintenance/Preservation Bid Items: Remove Concrete; Curb, Sidewalk, Driveways | Supplier Product Code: | First Offer - \$50.00 | 20 / square yard | \$1,000.00 | Y |
| PSEN-18-0103-32 | Pavement Maintenance/Preservation Bid Items: Concrete Curb, Type D | | First Offer - \$48.00 | 250 / linear foot | \$12,000.00 | Y |
| PSEN-18-0103-33 | Pavement Maintenance/Preservation Bid Items: Concrete, Sidewalk, 4" Thick, Non- Reinforced | Supplier Product Code: | First Offer - \$54.00 | 50 / square yard | \$2,700.00 | Y |
| PSEN-18-0103- 34 | Pavement Maintenance/Preservation Bid Items: Concrete, Sidewalk, 6" Thick, Non- Reinforced | Supplier Product Code: | First Offer - \$73.00 | 50 / square yard | \$3,650.00 | Y |
| PSEN-18-0103-35 | Pavement Maintenance/Preservation Bid Items: Detectable Warning Surface | Supplier Product Code: | First Offer - \$49.00 | 100 / square foot | \$4,900.00 | Y |
| PSEN-18-0103-36 | Pavement Maintenance/Preservation Bid Items: Marker Pavement Retro- Reflective | Supplier Product Code: | First Offer - \$3.75 | 200 / each | \$750.00 | Y |
| PSEN-18-0103-37 | Pavement Maintenance/Preservation Bid Items: Painted | Supplier Product Code: | First Offer - \$1.00 | 200 / linear foot | \$200.00 | Y |

| | Pavement Markings, Standard, White Or Yellow, Solid, 6" | | | | | |
|-------------------------|---|------------------------------|-----------------------|--------------------|------------|---|
| PSEN-18-0103-38 | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12" | Supplier Product Code: | First Offer - \$1.00 | 100 / linear foot | \$100.00 | Y |
| PSEN-18-0103- 39 | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 24 | Supplier Product Code: | First Offer - \$2.00 | 100 / linear foot | \$200.00 | Y |
| PSEN-18-0103-40 | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Skip, 6", 10-30 Or 3-9 Skip | Supplier Product Code: | First Offer - \$1.00 | 300 / linear foot | \$300.00 | Y |
| PSEN-18-0103-41 | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Arrows | Supplier Product Code: | First Offer - \$30.00 | 10 / each | \$300.00 | Y |
| PSEN-18-0103-42 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 6" | | First Offer - \$1.50 | 1000 / linear foot | \$1,500.00 | Y |
| PSEN-18-0103-43 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 12" | | First Offer - \$2.00 | 100 / linear foot | \$200.00 | Y |
| PSEN-18-0103-44 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 24" | | First Offer - \$4.50 | 10 / linear foot | \$45.00 | Y |
| PSEN-18-0103-45 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Other Surfaces, White, Skip, 6", 10†30 Skip Or 3†9 Lane Drop | Supplier Product Code: | First Offer - \$2.00 | 100 / linear foot | \$200.00 | Y |
| PSEN-18-0103-46 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White, Arrow | Supplier Product Code: | First Offer - \$85.00 | 20 / each | \$1,700.00 | Y |
| PSEN-18-0103-47 | Pavement Maintenance/Preservation | Supplier Product | First Offer - \$11.00 | 500 / square foot | \$5,500.00 | Y |

Bid Items: Thermoplastic, **Code:** Remove · **Water Blast**

Lot Total \$416,543.00

| Item # | Line Item | Notes | Unit Price | Qty/Unit | Attch. | Docs |
|-----------------|---|------------------------------|---------------|-----------|----------------------------|------|
| PSEN-18-0104-01 | Special License Requirements: Hot Plant Mixed Bitum & Flexible Paving Certificate of Qualification from FDOT | Supplier Product Code: | First Offer - | 1 / each | | Y |
| PSEN-18-0104-02 | Special License Requirements: Striping Subcontractor Certificate of Competency from Broward County | Supplier Product Code: | First Offer - | 1 / each | | Y |
| | | | | Lot Total | \$0.00 | |
| | | | | | Supplier Total \$1,417,095 | .50 |
| | | | | | | |

WEEKLEY ASPHALT PAVING, INC.

Item: High Density Mineral Bond/Asphalt Surface Treatment:High Density Mineral

Attachments

City of Pembroke Pines PSEN-18-01 Asphalt Surface Treatment with High Density Mineral Bond for NW 178th Ave. NW 17th Ave..pdf

Supplier Response Form

CONTACT INFORMATION FORM

IN ACCORDANCE WITH "IFB # PSEN-18-01" titled Asphalt Surface Treatment with High Density Mineral Bond for NW 178 Ave and NW 17 St including Repair Line Items" attached hereto as a part hereof, the undersigned submits the following:

A) Contact Information The Contact Information form shall be electronically signed by one duly authorized to do so, and in case signed by a deputy or subordinate, the principal's properly written authority to such deputy or subordinate must accompany the proposal. This form must be completed and submitted through <u>www.bidsync.com</u> as part of the bidder's submittal. The vendor must provide their pricing through the designated lines items listed on the BidSync website.

COMPANY INFORMATION:

| COMPANY: Weekley | Asphalt Paving, Inc | |
|-------------------|--------------------------------|--|
| STREET ADDRESS: | 20701 Stirling Road | |
| CITY, STATE & ZIP | CODE: Pembroke Pines, FL 33332 | |

PRIMARY CONTACT FOR THE PROJECT:

| NAME: Daniel | D. Weekley | TII | LE: President | |
|--------------|----------------|------|-------------------------|--|
| E-MAIL: week | leyasp@aol.com | | Country Country Toronto | |
| TELEPHONE: | 954-680-8005 | FAX: | 954-680-8671 | |

AUTHORIZED APPROVER:

| | NAME: Daiel D. Weekley TITLE: President | |
|-----------|--|--|
| les | E-MAIL: weekleyasp@aol.com | |
| e Pin | TELEPHONE: 954-680-8005 FAX: 954-680-8671 | |
| oroke | SIGNATURE: | |
| emt | | |
| <u>B)</u> | Sample Proposal Form | |
| City | | and the second state of the se |
| Th | ne following sample price proposal is for information only. The BidSync website. | e vendor must provide their pricing through the designated lines items listed |
| | | |

BID PRICE FORM

High Density Mineral Bond/Asphalt Surface Treatment

The bidder, having carefully examined the specifications and Terms and Conditions herein, proposes to furnish all labor, materials, equipment and other items without exception for the proper execution and completion of the work, and if awarded the contract, to complete the said work within time limits as specified for the following bid prices.

| Submit pricing via BidSync | |
|-------------------------------|-------------------------------|
| | |
| Submit pricing via BidSync | |
| Submit pricing via BidSync | |
| Submit pricing via BidSync | |
| | Submit pricing via BidSync |

5/8/2018

LS

1

Submit pricing via BidSync

| | ******** | | Alternative - Bid | | |
|-------------|-----------------------|----------|---|-------------------------------|-------|
| Item No. | Estimated Quantity | Unit | Description | Unit Price | Total |
| 1 | 65,000 | Sq. Yds. | Mill and Resurface(3/4 inch SP 9.5) | Submit pricing via BidSync | |
| 2 | 1 | LS | Pavement Markings | Submit pricing via BidSync | |
| 3 | 1 | LS | Maintenance of Traffic (MOT) | Submit pricing via BidSync | |
| 4 | 1 | LS | Additional Cost to provide a Payment & Performance Bond | Submit pricing via BidSync | |

| Pay Item | Description | Unit | QTY | Unit Price | Tota |
|---------------------------------------|--|------|-------|--------------------------|----------|
| 101-1 | Mobilization (per location) Crack Fill Crew | EA | 10 | Submit pricing via | |
| | | | | BidSync | |
| 101-2 | Mobilization (per location) Pavement Patching Crew | EA | 10 | Submit | |
| | | | | pricing | |
| | | | | Via | |
| 101-3 101-4 | Mobilization (per location) HDMB Application Crew | EA | 10 | BidSync Submit | |
| 101-3 | | | | pricing | |
| | | | | via | |
| | | | | BidSync | |
| 101-4 | Mobilization (per location) Milling and Resurfacing Crew | EA | 10 | Submit | |
| , , , , , , , , , , , , , , , , , , , | ······································ | | | pricing | |
| | | | | via | |
| | | | | BidSync | |
| 102-14 | Traffic Control Officer (minimum 4 hours each) | HR | 50 | Submit | |
| | | | | pricing | |
| | | | | Via | |
| | | | 100 | BidSync Submit | |
| | FDOT CERTIFIED FLAG PERSON | HR | 100 | pricing | |
| | | | | via | |
| | | | | BidSync | |
| 102-60 | Work Zone Signs | ED | 100 | Submit | |
| 102 00 | | | | pricing | |
| | | | | via | |
| | | | | BidSync | <u> </u> |
| Pay Item | Description | Unit | QTY | Unit Price | Tota |
| 102-74-1 | BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, | ED | 1,000 | Submit | |
| | | | | pricing | |
| | | | | via | |
| | | | | BidSync | |
| 102-74-2 | Barricade, Temporary, F&I, Type lii, 6', F&I | ED | 50 | Submit | |
| | | | | pricing via | |
| | | | | BidSync | |
| 102-76 | Advance Warning Arrow Panels, F&I | ED | 15 | Submit | 1 |
| 102-10 | | | | pricing | |
| | | | | ' via ĭ | |
| | | | | BidSync | |
| 102-78 | Temporary Retroreflective Pavement Marker | ED | 100 | Submit | |
| | | | | pricing | |
| | | | | Via | |
| 100.70 | Liebb Tenneser, Tune C. Cheede Dure E81 | ED | 50 | BidSync Submit | |
| 102-79 | Lights, Temporary, Type C, Steady Burn, F&I | | 50 | pricing | |
| | | | 1 | pricing | |

| | 1 | I | 1 | via | e 3 of |
|----------------------------------|---|----|--------|-------------------|--------|
| | | | | BidSync | |
| 102-99 | Portable Changeable Message Sign Temporary, F&I | ED | 10 | Submit | |
| | | | | pricing via | |
| | | | | BidSync | |
| 102-911-1 | Pavement Marking Removable Tape, White-Black, White-Black, Skip | LF | 5,000 | Submit | |
| | | | | pricing via | |
| | | | | BidSync | |
| 102-911-2 | Pavement Marking Removable Tape, White-Black, Solid | LF | 500 | Submit | |
| | | | | pricing | |
| | | | | via BidSync | |
| 102-912-2 | Pavement Marking Removable Tape, Yellow, Solid | LF | 500 | Submit | |
| | | | | pricing | |
| | | | | Via | |
| 104-10-3 | Sediment Barrier | LF | 100 | BidSync Submit | |
| | | | 100 | pricing | |
| | | | | via | |
| 104-12 | Staked Turbidity Barrier - Nylon Reinforced Pvc | LF | 100 | BidSync | |
| 104-12 | Staked Turbidity Barrier - Nyion Reinforced PVC | | 100 | Submit pricing | |
| | | | | via | |
| | | | | BidSync | |
| 104-18 | Inlet Protection System | EA | 50 | Submit | |
| | | | | pricing via | |
| | | | | BidSync | |
| 285-4 285-6 | Limerock Base Repair, 4" Thickness | SY | 200 | Submit | |
| | | | | pricing via | |
| | | | | BidSync | |
| 285-6 | Limerock Base Repair, 6" Thickness | SY | 200 | Submit | |
| | | | | pricing | |
| 305 | | | | via BidSync | |
| 305 | Bituminous Crack And Joint Sealing For Asphalt Concrete Roadway | LF | 6 | Submit | |
| | | | | pricing | |
| | | | | via BidSync | |
| 324 | Pavement Patching-Remove/Replace HMA, 1 1/2" Depth (6 SY Min) | SY | 6 | Submit | |
| | | | Ů | pricing | |
| | | | | via | |
| 327-70-1 | Milling Exist Asph Pavt, 1" Avg Depth | SY | 2,000 | BidSync Submit | |
| 527-70-1 | I willing Exist Aspirit avt, i Avg Deptir | 51 | 2,000 | pricing | |
| | | | | via | |
| 207 70 0 | | | 0.000 | BidSync | |
| 327-70-6 | Milling Exist Asph Pavt, 1 1/2" Avg Depth | SY | 2,000 | Submit pricing | |
| | | | | via | |
| | | | | BidSync | |
| 327-70-16 | Milling Exist Asph Pavt, 1/2" Avg Depth | SY | 2,000 | Submit | |
| | | | | pricing via | |
| | | | | BidSync | |
| 334-1-11, 334-1-12, OR 334- 1-13 | Superpave Asphaltic Concrete, Traffic A, B, Or C | TN | 100 | Submit | |
| | | | | pricing via | |
| | | | | BidSync | |
| 335-1 | High Density Mineral Bond, Asphalt Surface Treatment | SY | 30,000 | Submit | |
| | | | | pricing | |
| | | | | via BidSync | |
| 425-5 | Manhole, Adjust | EA | 20 | Submit | |
| | | , | | pricing | |
| | | | | via | |
| 425-6 | Valve Adjust | EA | 20 | BidSync Submit | |
| | | | 120 | pricing | |

| PPX Form | | | | | ;e 4 of |
|--|---|------|-------|-------------------|----------|
| | | | | via BidSync | |
| 520-1 | Remove Concrete; Curb, Sidewalk, Driveways | SY | 20 | Submit | I |
| | | | | pricing via | |
| | | | | BidSync | |
| 520-3 | Concrete Curb And Gutter, Type F | LF | 250 | Submit | |
| | | | | pricing via | |
| | | | | BidSync | |
| 520-4 | Concrete Curb, Type D | LF | 250 | Submit | |
| | | | | pricing via | |
| | | | | BidSync | |
| 520-6 | Concrete, Sidewalk, 4" Thick, Non-Reinforced | SY | 50 | Submit | |
| | | | | pricing via | |
| | | | | BidSync | |
| 520-7 | Concrete, Sidewalk, 6" Thick, Non-Reinforced | SY | 50 | Submit | |
| | | | | pricing via | |
| 7 . 7 . | | | | BidSync | |
| Pay Item | Description | Unit | QTY | Unit Price | Tota |
| 520-8 | Detectable Warning Surface | SF | 100 | Submit | |
| | | | | pricing | |
| | | | · · | via BidSync | |
| 706-3 | Marker Pavement Retro-Reflective | EA | 200 | Submit | |
| | | | | pricing | |
| | | | | via BidSync | |
| 710-11-111 OR 710-11-211 | Painted Pavement Markings, Standard, White Or Yellow, Solid, 6" | LF | 200 | Submit | |
| | | | | pricing via | - |
| | | | | BidSync | |
| 710-11-111 OR 710-11-211 710-11-123 OR 710-11-223 | Painted Pavement Markings, Standard, White Or Yellow, Solid, 12" | LF | 100 | Submit | |
| | | | | pricing via | |
| | | | | BidSync | |
| 710-11-125 OR 710-11-225 | Painted Pavement Markings, Standard, White Or Yellow, Solid, 24 | LF | 100 | Submit | |
| | | | | pricing via | |
| | | | | BidSync | |
| 710-11-131 | Painted Pavement Markings, Standard, White, Skip, 6", 10-30 Or 3-9 Skip | LF | 300 | Submit | |
| | | | | pricing via | |
| | | | | BidSync | |
| 710-11-170 | Painted Pavement Markings, Standard, White, Arrows | EA | 10 | Submit | |
| | | | | pricing via | |
| | | | | BidSync | |
| 711-11-121 OR 711-11-221 | Thermoplastic, Standard, White Or Yellow, Solid, 6" | LF | 1,000 | Submit pricing | |
| | | | | via | |
| | | | 10- | BidSync | |
| 711-11-123 OR 711-11-223 | Thermoplastic, Standard, White Or Yellow, Solid, 12" | LF | 100 | Submit pricing | |
| | | | | via | |
| 744 44 405 00 744 44 005 | The mean leads Oben dead MARTINE On Maller On Maller | | 10 | BidSync | |
| 711-11-125 OR 711-11-225 | Thermoplastic, Standard, White Or Yellow, Solid, 24" | LF | 10 | Submit pricing | |
| | | | | via | |
| 711 10 101 | | 1 | 100 | BidSync | |
| 711-16-131 | Thermoplastic, Other Surfaces, White, Skip, 6", 10-30 Skip Or 3-9 Lane Drop | LF | 100 | Submit pricing | |
| | | | | via | |
| 744 44 470 | | | 00 | BidSync | |
| 711-11-170 | Thermoplastic, Standard, White, Arrow | EA | 20 | Submit pricing | |
| | | | | via | |
| | | | | BidSync | |

Please enter your password below and click Save to save your response.

Please be aware that typing in your password acts as your electronic signature, which is just as legal and binding as an original signature. (See <u>Electronic</u> <u>Signatures in Global and National Commerce Act</u> for more information.)

To take exception:

1) Click Take Exception.

2) Create a Word document detailing your exceptions.

3) Upload exceptions as an attachment to your offer on BidSync's system.

By completing this form, your bid has not yet been submitted. Please click on the place offer button to finish filling out your bid.

Username june@weekleyasp.com

Password *

Save <u>Take Exception</u> <u>Close</u>

* Required fields

BidSync



(OFFICE USE ONLY) Vendor number:

Please complete this vendor information form entirely along with the

IRS Form W-9, scan and upload it to the www.bidsync.com

Vendor Information Form

| Operating Name (Payce) | Weekley Asphalt Paving, Inc. | | | | |
|--|------------------------------|--------|--------------|--|--|
| Legal Name (as filed with IRS) | Weekley Asphalt Paving, Inc. | | | | |
| Remit-to Address (For Payments) | 20701 Stirling Road | | | | |
| | Pembroke Pines, FL 33332 | | | | |
| Remit-to Contact Name: | Daniel D. Weekley | Title: | President | | |
| Email Address: | weekleyasp@aol.com | | | | |
| Phone #: | 954-680-8005 | Fax # | 954-680-8671 | | |
| Order-from Address (For purchase orders) | 20701 Stirling Road | | | | |
| | Pembroke Pines, FL 33332 | | | | |
| Order-from Contact Name: | Daniel D. Weekley | Title: | President | | |
| Email Address: | weekleyasp@aol.com | | | | |
| Phone #: | 954-680-8005 | Fax # | 954-680-8671 | | |
| Return-to Address (For product returns) | 20701 Stirling Road | | | | |
| | Pembroke Pines, FL 33332 | | | | |
| Return-to Contact Name | Daniel D. Weekley | Title: | President | | |
| Email Address: | weekleyasp@aol.com | | | | |
| Phone #: | 954-680-8005 | Fax # | 954-680-8671 | | |
| Payment Terms: | upon receipt of invoice | | | | |

Type of Business (please check one and provide Federal Tax identification or social security Number)

| Corpo | ration | Federal ID Number | : 59-0753039 | | |
|------------------------------|-------------------------------------|---------------------------|--|--|--|
| Sole P | roprietorship/Individual | Social Security No.: | | | |
| Partne | ership | | | | |
| Health | Care Service Provider | | | | |
| | LC – C (C corporation) – S (S corpo | ration) – P (partnership) | | | |
| Other | (Specify): | | | | |
| Name of A | pplicant / Signature Daniel D. | Weeklev | ciprol by Daniel D. Westley annie D. Westley, e-WEBKLEY ASPHALT PAVHIO, INC., eu-President, encommentagespiljsek.com. 8.043011:28.01.04109 | | |
| Title of Applicant President | | | Date 4/30/18 | | |

5/8/2018

| | Name (as shown or Weekley Asp |
|--|--|
| ge 2. | 2 Business name/dis |
| Print or type See Specific Instructions on page | Check appropriate Individual/sole prisingle-member L Limited liability or Note. For a singlithe tax classifica Other (see instruction of the second of the second |

W-9

Form

Request for Taxpayer Identification Number and Certification

Give Form to the requester. Do not send to the IRS.

| | 1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank. Weekley Asphalt Paving, Inc. | | | | | |
|---|--|---|-------------------------|--|-----|----|
| Print or type Specific Instructions on page 2. | 2 Business name/disregarded entity name, if different from above | | | | | |
| | | | | 4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3): Exempt payee code (if any) Exemption from FATCA reporting code (if any) (Apples to eccurts maintained outside the U.S.) | | |
| ilic P | | Requester's name and address (optional) | | entre se la | | |
| | 20701 Stirling Road | | | | | |
| | | | | | | |
| See | Pembroke Pines, FL 33332 | | | | | |
| | 7 List account number(s) here (optional) | | | | | |
| | Let the second of the second with | | | | | |
| Par | t I Taxpayer Identification Number (TIN) | | | | | |
| backu reside entitie | your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid p withholding. For individuals, this is generally your social security number (SSN). However, for a int alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other is, it is your employer identification number (EIN). If you do not have a number, see <i>How to get a</i> n page 3. | | ecurity num | ber - | | |
| | | | r identification number | | | |
| guidel | ines on whose number to enter. | 59 | - 0 7 | 53 | Ó : | 39 |
| Par | Certification | | | | | |

DSEN-18-01

Under penalties of perjury, I certify that:

- 1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
- 2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- 3. I am a U.S. citizen or other U.S. person (defined below); and
- 4. The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions on page 3.

Siden

| Sign Here | Signature of U.S. person ► | 1 |
|--------------|---|---|
| | A CONTRACT OF A | |

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted Future developments. Information about developments affecting Form W-9 (such as legislation enacted after we release it) is at www.irs.gov/fw9.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer Identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following:

- Form 1099-INT (interest earned or paid)
- . Form 1099-DIV (dividends, including those from stocks or mutual funds)
- · Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- · Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)

Date 04/30/2018

· Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)

- · Form 1099-C (canceled debt)
- · Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident allen), to provide your correct TIN

- If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See What is backup withholding? on page 2.
- By signing the filled-out form, you:

1. Certify that the TIN you are giving is correct (or you are walting for a number to be issued).

2. Certify that you are not subject to backup withholding, or

3. Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income, and

4. Certify that FATCA code(s) entered on this form (if any) indicating that you are exempt from the FATCA reporting, is correct. See What is FATCA reporting? on page 2 for further information.

Cat. No. 10231X

Page 2 of 5

Attachment B: Vendor Information Form and a W-9

5/8/2018

BidSync

5

à

City of Pembroke Pines

Form W-9 (Rev. 12-2014)

Note. If you are a U.S. person and a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.

Definition of a U.S. person. For federal tax purposes, you are considered a U.S. person if you are:

An individual who is a U.S. citizen or U.S. resident alien;

A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States;

· An estate (other than a foreign estate); or

• A domestic trust (as defined in Regulations section 301.7701-7).

Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax under section 1446 on any foreign partners' share of effectively connected taxable income from such business. Further, in certain cases where a Form W-9 has not been received, the rules under section 1446 require a partnership to presume that a partner is a foreign person, and pay the section 1446 withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid section 1446 withholding on your share of partnership income.

In the cases below, the following person must give Form W-9 to the partnership for purposes of establishing its U.S. status and avoiding withholding on its allocable share of net income from the partnership conducting a trade or business in the United States:

. In the case of a disregarded entity with a U.S. owner, the U.S. owner of the disregarded entity and not the entity;

• In the case of a grantor trust with a U.S. grantor or other U.S. owner, generally, the U.S. grantor or other U.S. owner of the grantor trust and not the trust; and

. In the case of a U.S. trust (other than a grantor trust), the U.S. trust (other than a grantor trust) and not the beneficiaries of the trust

Foreign person. If you are a foreign person or the U.S. branch of a foreign bank that has elected to be treated as a U.S. person, do not use Form W-9. Instead, use the appropriate Form W-8 or Form 8233 (see Publication 515, Withholding of Tax on Nonresident Aliens and Foreign Entities).

Nonresident alien who becomes a resident alien. Generally, only a nonresident alien individual may use the terms of a tax treaty to reduce or eliminate U.S. tax on certain types of income. However, most tax treaties contain a provision known as a "saving clause." Exceptions specified in the saving clause may permit an exemption from tax to continue for certain types of income even after the payee has otherwise become a U.S. resident alien for tax purposes

If you are a U.S. resident alien who is relying on an exception contained in the saving clause of a tax treaty to claim an exemption from U.S. tax on certain types of income, you must attach a statement to Form W-9 that specifies the following five items:

1. The treaty country. Generally, this must be the same treaty under which you claimed exemption from tax as a nonresident alien.

2. The treaty article addressing the income.

3. The article number (or location) in the tax treaty that contains the saving clause and its exceptions.

4. The type and amount of income that qualifies for the exemption from tax.

5. Sufficient facts to justify the exemption from tax under the terms of the treaty article.

Example. Article 20 of the U.S.-China income tax treaty allows an exemption from tax for scholarship income received by a Chinese student temporarily present in the United States. Under U.S. law, this student will become a resident alien for tax purposes if his or her stay in the United States exceeds 5 calendar years. However, paragraph 2 of the first Protocol to the U.S.-China treaty (dated April 30, 1984) allows the provisions of Article 20 to continue to apply even after the Chinese student becomes a resident alien of the United States. A Chinese student who qualifies for this exception (under paragraph 2 of the first protocol) and is relying on this exception to claim an exemption from tax on his or her scholarship or fellowship income would attach to Form W-9 a statement that includes the information described above to support that exemption.

If you are a nonresident alien or a foreign entity, give the requester the appropriate completed Form W-8 or Form 8233.

Backup Withholding

What is backup withholding? Persons making certain payments to you must under certain conditions withhold and pay to the IRS 28% of such payments. This is called "backup withholding." Payments that may be subject to backup withholding include interest, tax-exempt interest, dividends, broker and barter exchange transactions, rents, royalties, nonemployee pay, payments made in settlement of payment card and third party network transactions, and certain payments from fishing boat operators. Real estate transactions are not subject to backup withholding.

You will not be subject to backup withholding on payments you receive if you give the requester your correct TIN, make the proper certifications, and report all your taxable interest and dividends on your tax return.

Payments you receive will be subject to backup withholding if:

1. You do not furnish your TIN to the requester,

2. You do not certify your TIN when required (see the Part II instructions on page 3 for details)

Page 2

9

3. The IRS tells the requester that you furnished an incorrect TIN,

4. The IRS tells you that you are subject to backup withholding because you did not report all your interest and dividends on your tax return (for reportable interest and dividends only), or

5. You do not certify to the requester that you are not subject to backup withholding under 4 above (for reportable interest and dividend accounts opened after 1983 only)

Certain payees and payments are exempt from backup withholding. See Exempt payee code on page 3 and the separate Instructions for the Requester of Form W-9 for more information.

Also see Special rules for partnerships above.

What is FATCA reporting?

The Foreign Account Tax Compliance Act (FATCA) requires a participating foreign financial institution to report all United States account holders that are specified United States persons. Certain pavees are exempt from FATCA reporting. See Exemption from FATCA reporting code on page 3 and the Instructions for the Requester of Form W-9 for more information.

Updating Your Information

You must provide updated information to any person to whom you claimed to be an exempt payee if you are no longer an exempt payee and anticipate receiving reportable payments in the future from this person. For example, you may need to provide updated information if you are a C corporation that elects to be an S corporation, or if you no longer are tax exempt. In addition, you must furnish a new Form W-9 if the name or TIN changes for the account; for example, if the grantor of a grantor trust dies.

Penalties

Failure to furnish TIN. If you fail to furnish your correct TIN to a requester, you are subject to a penalty of \$50 for each such failure unless your failure is due to reasonable cause and not to willful neglect.

Civil penalty for false information with respect to withholding. If you make a false statement with no reasonable basis that results in no backup withholding, you are subject to a \$500 penalty.

Criminal penalty for falsifying information. Willfully falsifying certifications or affirmations may subject you to criminal penalties including fines and/or imprisonment.

Misuse of TINs. If the requester discloses or uses TINs in violation of federal law, the requester may be subject to civil and criminal penalties.

Specific Instructions

Line 1

You must enter one of the following on this line; do not leave this line blank. The name should match the name on your tax return.

If this Form W-9 is for a joint account, list first, and then circle, the name of the person or entity whose number you entered in Part I of Form W-9.

a. Individual. Generally, enter the name shown on your tax return. If you have changed your last name without informing the Social Security Administration (SSA) of the name change, enter your first name, the last name as shown on your social security card, and your new last name.

Note. ITIN applicant: Enter your individual name as it was entered on your Form W-7 application, line 1a. This should also be the same as the name you entered on the Form 1040/1040A/1040EZ you filed with your application.

b. Sole proprietor or single-member LLC. Enter your individual name as shown on your 1040/1040A/1040EZ on line 1. You may enter your business, trade, or "doing business as" (DBA) name on line 2.

c. Partnership, LLC that is not a single-member LLC, C Corporation, or S **Corporation.** Enter the entity's name as shown on the entity's tax return on line 1 and any business, trade, or DBA name on line 2.

d. Other entities. Enter your name as shown on required U.S. federal tax documents on line 1. This name should match the name shown on the charter or other legal document creating the entity. You may enter any business, trade, or DBA name on line 2.

e. Disregarded entity. For U.S. federal tax purposes, an entity that is disregarded as an entity separate from its owner is treated as a "disregarded entity." See Regulations section 301.7701-2(c)(2)(iii). Enter the owner's name on line 1. The name of the entity entered on line 1 should never be a disregarded entity. The name on line 1 should be the name shown on the income tax return on which the income should be reported. For example, if a foreign LLC that is treated as a disregarded entity for U.S. federal tax purposes has a single owner that is a U.S. person, the U.S. owner's name is required to be provided on line 1. If the direct owner of the entity is also a disregarded entity, enter the first owner that is not disregarded for federal tax purposes. Enter the disregarded entity's name on line 2, "Business name/disregarded entity name." If the owner of the disregarded entity is a foreign person, the owner must complete an appropriate Form W-8 instead of a Form W-9. This is the case even if the foreign person has a U.S. TIN.

Line 2

If you have a business name, trade name, DBA name, or disregarded entity name, you may enter it on line 2.

Line 3

Check the appropriate box in line 3 for the U.S. federal tax classification of the person whose name is entered on line 1. Check only one box in line 3.

Limited Liability Company (LLC). If the name on line 1 is an LLC treated as a partnership for U.S. federal tax purposes, check the "Limited Liability Company" box and enter "P" in the space provided. If the LLC has filed Form 8832 or 2553 to be taxed as a corporation, check the "Limited Liability Company" box and in the space provided enter "C" for C corporation or "S" for S corporation. If it is a single-member LLC that is a disregarded entity, do not check the "Limited Liability Company" box; instead check the first box in line 3 "Individual/sole proprietor or single-member LLC."

Line 4, Exemptions

If you are exempt from backup withholding and/or FATCA reporting, enter in the appropriate space in line 4 any code(s) that may apply to you.

Exempt payee code

Generally, individuals (including sole proprietors) are not exempt from backup withholding.

 Except as provided below, corporations are exempt from backup withholding for certain payments, including interest and dividends.

 Corporations are not exempt from backup withholding for payments made in settlement of payment card or third party network transactions.

 Corporations are not exempt from backup withholding with respect to attorneys' fees or gross proceeds paid to attorneys, and corporations that provide medical or health care services are not exempt with respect to payments reportable on Form 1099-MISC.

The following codes identify payees that are exempt from backup withholding. Enter the appropriate code in the space in line 4.

1—An organization exempt from tax under section 501(a), any IRA, or a custodial account under section 403(b)(7) if the account satisfies the requirements of section 401(f)(2)

2-The United States or any of its agencies or instrumentalities

3-A state, the District of Columbia, a U.S. commonwealth or possession, or any of their political subdivisions or instrumentalities

4-A foreign government or any of its political subdivisions, agencies, or instrumentalities

5-A corporation

City of Pembroke Pines

6-A dealer in securities or commodities required to register in the United States, the District of Columbia, or a U.S. commonwealth or possession

7—A futures commission merchant registered with the Commodity Futures Trading Commission

8-A real estate investment trust

 $9-\mbox{An entity}$ registered at all times during the tax year under the investment Company Act of 1940

10-A common trust fund operated by a bank under section 584(a)

11-A financial institution

12-A middleman known in the investment community as a nominee or custodian

13—A trust exempt from tax under section 664 or described in section 4947 The following chart shows types of payments that may be exempt from backup withholding. The chart applies to the exempt payees listed above, 1 through 13.

| IF the payment is for | THEN the payment is exempt for |
|--|--|
| Interest and dividend payments | All exempt payees except for 7 |
| Broker transactions | Exempt payees 1 through 4 and 6 through 11 and all C corporations. S corporations must not enter an exempt payee code because they are exempt only for sales of noncovered securities acquired prior to 2012. |
| Barter exchange transactions and patronage dividends | Exempt payees 1 through 4 |
| Payments over \$600 required to be reported and direct sales over \$5,000 ¹ | Generally, exempt payees 1 through 5 ² |
| Payments made in settlement of payment card or third party network transactions | Exempt payees 1 through 4 |

¹See Form 1099-MISC, Miscellaneous Income, and its instructions.

ġ

²However, the following payments made to a corporation and reportable on Form 1099-MISC are not exempt from backup withholding: medical and health care payments, attorneys' fees, gross proceeds paid to an attorney reportable under section 6045(f), and payments for services paid by a federal executive agency.

Exemption from FATCA reporting code. The following codes identify payees that are exempt from reporting under FATCA. These codes apply to persons submitting this form for accounts maintained outside of the United States by certain foreign financial institutions. Therefore, if you are only submitting this form for an account you hold in the United States, you may leave this field blank. Consult with the person requesting this form if you are uncertain if the financial institution is subject to these requirements. A requester may indicate that a code is not required by providing you with a Form W-9 with "Not Applicable" (or any similar indication) written or printed on the line for a FATCA exemption code.

A—An organization exempt from tax under section 501(a) or any individual retirement plan as defined in section 7701(a)(37)

B-The United States or any of its agencies or instrumentalities

C-A state, the District of Columbia, a U.S. commonwealth or possession, or any of their political subdivisions or instrumentalities

D-A corporation the stock of which is regularly traded on one or more established securities markets, as described in Regulations section 1.1472-1(c)(1)(i)

E-A corporation that is a member of the same expanded affiliated group as a corporation described in Regulations section 1.1472-1(c)(1)(i)

F—A dealer in securities, commodities, or derivative financial instruments (including notional principal contracts, futures, forwards, and options) that is registered as such under the laws of the United States or any state

G-A real estate investment trust

H—A regulated investment company as defined in section 851 or an entity registered at all times during the tax year under the Investment Company Act of 1940

I-A common trust fund as defined in section 584(a)

J-A bank as defined in section 581

K-A broker

L-A trust exempt from tax under section 664 or described in section 4947(a)(1)

M—A tax exempt trust under a section 403(b) plan or section 457(g) plan Note. You may wish to consult with the financial institution requesting this form to determine whether the FATCA code and/or exempt payee code should be completed.

Line 5

Enter your address (number, street, and apartment or suite number). This is where the requester of this Form W-9 will mail your information returns.

Line 6

Enter your city, state, and ZIP code.

Part I. Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. If you are a resident alien and you do not have and are not eligible to get an SSN, your TIN is your IRS individual taxpayer identification number (ITIN). Enter it in the social security number box. If you do not have an ITIN, see *How to get a TIN* below.

If you are a sole proprietor and you have an EIN, you may enter either your SSN or EIN. However, the IRS prefers that you use your SSN.

If you are a single-member LLC that is disregarded as an entity separate from its owner (see *Limited Liability Company (LLC)* on this page), enter the owner's SSN (or EIN, if the owner has one). Do not enter the disregarded entity's EIN. If the LLC is classified as a corporation or partnership, enter the entity's EIN.

Note. See the chart on page 4 for further clarification of name and TIN combinations.

How to get a TIN. If you do not have a TIN, apply for one immediately. To apply for an SSN, get Form SS-5, Application for a Social Security Card, from your local SSA office or get this form online at www.ssa.gov. You may also get this form by calling 1-800-772-1213. Use Form W-7, Application for IRS Individual Taxpayer Identification Number, to apply for an ITIN, or Form SS-4, Application for Employer Identification Number, to apply for an EIN. You can apply for an EIN online by accessing the IRS website at www.irs.gov/businesses and clicking on Employer Identification Number (EIN) under Starting a Business. You can get Forms W-7 and SS-4 from the IRS by visiting IRS.gov or by calling 1-800-TAX-FORM (1-800-829-3676).

If you are asked to complete Form W-9 but do not have a TIN, apply for a TIN and write "Applied For" in the space for the TIN, sign and date the form, and give it to the requester. For interest and dividend payments, and certain payments made with respect to readily tradable instruments, generally you will have 60 days to get a TIN and give it to the requester before you are subject to backup withholding on payments. The 60-day rule does not apply to other types of payments. You will be subject to backup withholding on all such payments until you provide your TIN to the requester.

Note. Entering "Applied For" means that you have already applied for a TIN or that you intend to apply for one soon.

Attachment B: Vendor Information Form and a W-9

Caution: A disregarded U.S. entity that has a foreign owner must use the appropriate Form W-8.

BidSync

munity as a nominee or or described in section 4947 City of Pembroke Pines

Part II. Certification

To establish to the withholding agent that you are a U.S. person, or resident alien, sign Form W-9. You may be requested to sign by the withholding agent even if items 1, 4, or 5 below indicate otherwise.

For a joint account, only the person whose TIN is shown in Part I should sign (when required). In the case of a disregarded entity, the person identified on line 1 must sign. Exempt payees, see *Exempt payee code* earlier.

Signature requirements. Complete the certification as indicated in items 1 through 5 below.

1. Interest, dividend, and barter exchange accounts opened before 1984 and broker accounts considered active during 1983. You must give your correct TIN, but you do not have to sign the certification.

2. Interest, dividend, broker, and barter exchange accounts opened after 1983 and broker accounts considered inactive during 1983. You must sign the certification or backup withholding will apply. If you are subject to backup withholding and you are merely providing your correct TIN to the requester, you must cross out item 2 in the certification before signing the form.

3. Real estate transactions. You must sign the certification. You may cross out item 2 of the certification.

4. Other payments. You must give your correct TIN, but you do not have to sign the certification unless you have been notified that you have previously given an incorrect TIN. "Other payments" include payments made in the course of the requester's trade or business for rents, royatties, goods (other than bills for merchandise), medical and health care services (including payments to corporations), payments to a nonemployee for services, payments made in settlement of payment card and third party network transactions, payments to certain fishing boat crew members and fishermen, and gross proceeds paid to attorneys (including payments to corporations).

5. Mortgage interest paid by you, acquisition or abandonment of secured property, cancellation of debt, qualified tuition program payments (under section 529), IRA, Coverdell ESA, Archer MSA or HSA contributions or distributions, and pension distributions. You must give your correct TIN, but you do not have to sign the certification.

What Name and Number To Give the Requester

| For this type of account: | Give name and SSN of: |
|--|---|
| Individual Two or more individuals (joint account) | The individual The actual owner of the account or, If combined funds, the first individual on the account ⁴ |
| Custodian account of a minor (Uniform Gift to Minors Act) | The minor ² |
| a. The usual revocable savings trust (grantor is also trustee) b. So-called trust account that is not a legal or valid trust under state law | The grantor-trustee' The actual owner' |
| 5. Sole proprietorship or disregarded entity owned by an individual | The owner ^a |
| 6. Grantor trust filing under Optional Form 1099 Filing Method 1 (see Regulations section 1.671-4(b)(2)(i) (A)) | The grantor* |
| For this type of account: | Give name and EIN of: |
| Disregarded entity not owned by an individual | The owner |
| 8. A valid trust, estate, or pension trust | Legal entity⁴ |
| 9. Corporation or LLC electing corporate status on Form 8832 or Form 2553 | The corporation |
| 10. Association, club, religious, charitable, educational, or other tax- exempt organization | The organization |
| 11. Partnership or multi-member LLC | The partnership |
| 12. A broker or registered nominee | The broker or nominee |
| 13. Account with the Department of Agriculture in the name of a public entity (such as a state or local government, school district, or prison) that receives agricultural program payments | The public entity |
| Grantor trust filing under the Form 1041 Filing Method or the Optional Form 1099 Filing Method 2 (see Regulations section 1.671-4(b)(2)(i) (B)) | The trust |

List first and circle the name of the person whose number you furnish. If only one person on a joint account has an SSN, that person's number must be furnished.

² Circle the minor's name and furnish the minor's SSN.

- ³ You must show your individual name and you may also enter your business or DBA name on the "Business name/disregarded entity" name line. You may use either your SSN or EIN (if you have one), but the IRS encourages you to use your SSN.
- ⁴ List first and circle the name of the trust, estate, or pension trust. (Do not furnish the TIN of the personal representative or trustee unless the legal entity itself is not designated in the account title.) Also see *Special rules for partnerships* on page 2.

*Note. Grantor also must provide a Form W-9 to trustee of trust.

Note. If no name is circled when more than one name is listed, the number will be considered to be that of the first name listed.

Secure Your Tax Records from Identity Theft

Identity theft occurs when someone uses your personal information such as your name, SSN, or other identifying information, without your permission, to commit fraud or other crimes. An identity thief may use your SSN to get a job or may file a tax return using your SSN to receive a refund.

- To reduce your risk:
- Protect your SSN,
- · Ensure your employer is protecting your SSN, and
- Be careful when choosing a tax preparer.

If your tax records are affected by identity theft and you receive a notice from the IRS, respond right away to the name and phone number printed on the IRS notice or letter.

If your tax records are not currently affected by identity theft but you think you are at risk due to a lost or stolen purse or wallet, questionable credit card activity or credit report, contact the IRS Identity Theft Hotline at 1-800-908-4490 or submit Form 14039.

For more information, see Publication 4535, Identity Theft Prevention and Victim Assistance.

Victims of identity theft who are experiencing economic harm or a system problem, or are seeking help in resolving tax problems that have not been resolved through normal channels, may be eligible for Taxpayer Advocate Service (TAS) assistance. You can reach TAS by calling the TAS toll-free case intake line at 1-877-777-4778 or TTY/TDD 1-800-829-4059.

Protect yourself from suspicious emails or phishing schemes. Phishing is the creation and use of email and websites designed to mimic legitimate business emails and websites. The most common act is sending an email to a user falsely claiming to be an established legitimate enterprise in an attempt to scam the user into surrendering private information that will be used for identity theft.

The IRS does not initiate contacts with taxpayers via emails. Also, the IRS does not request personal detailed information through email or ask taxpayers for the PIN numbers, passwords, or similar secret access information for their credit card, bank, or other financial accounts.

If you receive an unsolicited email claiming to be from the IRS, forward this message to *phishing@irs.gov*. You may also report misuse of the IRS name, logo, or other IRS property to the Treasury Inspector General for Tax Administration (TIGTA) at 1-800-366-4484. You can forward suspicious emails to the Federal Trade Commission at: *spam@uce.gov* or contact them at *www.ftc.gov/idtheft* or 1-877-IDTHEFT (1-877-438-4338).

Visit IRS.gov to learn more about identity theft and how to reduce your risk.

Privacy Act Notice

Section 6109 of the Internal Revenue Code requires you to provide your correct TIN to persons (including federal agencies) who are required to file information returns with the IRS to report interest, dividends, or certain other income paid to you; mortgage interest you paid; the acquisition or abandonment of secured property; the cancellation of debt; or contributions you made to an IRA, Archer MSA, or HSA. The person collecting this form uses the information on the form to file information include giving it to the Department of Justice for civil and criminal litigation and to cities, states, the District of Columbia, and U.S. commonwealths and possessions for use in administering their laws. The information also may be disclosed to other countries under a treaty, to federal and intelligence agencies to combat terrorism. You must provide your TIN whether or not you are required to file a tax return. Under section 3406, payers must generally withhold a percentage of taxable interest, dividend, and certain other payments to a payee who does not give a TIN to the payer. Certain penalties may also apply for providing false or fraudulent information.

5/8/2018

BidSync

| n to fix the price of the Bid |
|--|
| ies in interest, with any other attached Bid ha ectly or indirectly to fix the price o d Price or the Bid |
| ies in interest, with any other attached Bid ha ectly or indirectly to fix the price o d Price or the Bid |
| ies in interest, with any other attached Bid ha ectly or indirectly to fix the price o d Price or the Bid |
| n to fix the price of the Bid |
| n to fix the price of the Bid |
| a hard and a state of the |
| eement any , connivance, or oyees or parties in |
| |
| ALT PAVING, INC |
| 1 |
| n original signature. |
| id. |
| |
| |
| |
| |

1.

2.

Citypef Pembroke Pines

5.

6.

| City of Pembroke Pines | Attachment D |
|---|--|
| SWORN STATEMENT ON PUBLIC ENTITY CRIN UNDER FLORIDA STATUTES CHAPT | 1ES ER 287.133(3)(a). |
| This sworn statement is submitted WEEKLEY ASPHALT PAVING, INC. statement) whose business address is 20701 Stirling Rd, Pembroke Pine Identification Number (FEIN) is 59-0753039 . (If the entity of the individual signing this sworn statement: | (name of entity submitting sworn s, FL 333 and (if applicable) its Federal Employer has no FEIN, include the Social Security Number .) |
| My name is Daniel D. Weekley and my (Please print name of individual signing) | |
| relationship to the entity named above is President | |
| I understand that a "public entity crime" as defined in Paragraph 287.1 any state or federal law by a person with respect to and directly relate entity or with an agency or political subdivision of any other state or to, any bid, proposal, reply, or contract for goods or services, any leas construction or repair of a public building or public work, involving a racketeering, conspiracy, or material misrepresentation. | with the United States, including, but not limited |
| I understand that a "convicted" or "conviction" as defined in Paragraph of guilt or a conviction of a public entity crime, with or without an ad court of record relating to charges brought by indictment or information nonjury trial, or entry of a plea of guilty or nolo contendere. | h 287.133(1)(b), <u>Florida Statutes</u> , means a finding judication of guilt, in any federal or state trial on after July 1, 1989, as a result of a jury verdict, |
| I understand that an "affiliate" as defined in Paragraph 287.133(1)(a), | Florida Statutes, means: |
| 1. A predecessor or successor of a person convicted of a public e | ntity crime: or |
| 2. An entity under the control of any natural person who is active been convicted of a public entity crime. The term "affiliate" is partners, shareholders, employees, members, and agents who Cityship by one person of shares constituting a controlling int equipment or income among persons when not for fair marke a prima facie case that one person controls another person. A with a person who has been convicted of a public entity crime be considered an affiliate. | are active in the management of an affiliate. The erest in another person, or a pooling of t value under an arm's length agreement, shall be person who knowingly enters into a joint venture |
| I understand that a "person" as defined in Paragraph 287.133(1)(e), <u>Fle</u> entity organized under the laws of any state or of the United States wi and which bids or applies to bid on contracts let by a public entity, or business with a public entity, or which otherwise transacts or applies t term "person" includes those officers, directors, executives, partners, s who are active in management of an entity. | th the legal power to enter into a binding contract which otherwise transacts or applies to transact to transact business with a public entity. The |
| | |

7. Based on information and belief, the statement which I have marked below is true in relation to the entity submitting this sworn statement. (Please indicate which statement applies.)

 \blacksquare A) Neither the entity submitting this sworn statement, nor any officers, directors, executives, partners, shareholders, employees, members, or agents who are active in management of the entity, nor any affiliate of the entity have been charged with and convicted of a public entity crime subsequent to July 1, 1989.

 \square B) The entity submitting this sworn statement, or one or more of the officers, directors, executives, partners, shareholders, employees, members, or agents who are active in management of the entity, or an affiliate of the entity has been charged with and convicted of a public entity crime subsequent to July 1, 1989, <u>AND</u> (Please indicate which additional statement applies.)

 \square B1) There has been a proceeding concerning the conviction before a hearing officer of the State of Florida, Division of Administrative Hearings. The final order entered by the hearing officer did not place the person or affiliate on the convicted vendor list. (Please attach a copy of the final order.)

□ B2) The person or affiliate was placed on the convicted vendor list. There has been a subsequent proceeding before a hearing officer of the State of Florida, Division of Administrative Hearings. The final order entered by the hearing officer determined that it was in the public interest to remove the person or affiliate from the convicted vendor list. (Please attach a copy of the final order.)

B3) The person or affiliate has not been placed on the convicted vendor list. (Please describe any action taken by or pending with the Department of General Services.)

Daniel D. Weekley, Presider * Bidder's Name/Signature

WEEKLEY ASPHALT PAVING

| 4/30/18 | |
|---------|--|
| Date | |

Please enter your password below and click Save to save your response.

Please be aware that typing in your password acts as your electronic signature, which is just as legal and binding as an original signature. (See <u>Electronic Signatures in Global and National Commerce Act</u> for more information.)

take exception:

Click Take Exception.

2) Create a Word document detailing your exceptions.

(5) Upload exceptions as an attachment to your offer on BidSync's system.

by completing this form, your bid has not yet been submitted. Please click on the place offer button to finish filling out your bid.

gsername june@weekleyasp.com

| Password | | * |
|----------|----------------|------|
| Save | Take Exception | Clos |

* Required fields



Attachment E

LOCAL VENDOR PREFERENCE CERTIFICATION

SECTION 1 GENERAL TERM

LOCAL PREFERENCE

The evaluation of competitive bids is subject to section 35.36 of the City's Procurement Procedures which, except where contrary to federal and state law, or any other funding source requirements, provides that preference be given to local businesses. To satisfy this requirement, the vendor shall affirm in writing its compliance with either of the following objective criteria as of the bid or proposal submission date stated in the solicitation. A local business shall be defined as:

1. "Local Pembroke Pines Vendor" shall mean a business entity which has maintained a permanent place of business with full-time employees within the City limits for a minimum of one (1) year prior to the date of issuance of a bid or proposal solicitation. The permanent place of business may not be a post office box. The business location must actually distribute goods or services from that location. In addition, the business must have a current business tax receipt from the City of Pembroke Pines.

y of Pembroke Pines 5. "Local Broward County Vendor" shall mean or business entity which has maintained a permanent place of business with full-time employees within the Broward County limits for a minimum of one (1) year prior to the date of issuance of a bid or proposal solicitation. The permanent place of business may not be a post office box. The business location must actually distribute goods or services from that location. In addition, the business must have a current business tax receipt from the Broward County or the city within Broward County where the business resides.

A preference of five percent (5%) of the total evaluation point, or five percent (5%) of the total price, shall be given to the Local Pembroke Pines Vendor (s); A preference of two and a half percent (2.5%) of the total evaluation point for local, or two and a half percent (2.5%) of the total price, shall be given to the Local Broward County Vendor(s).

COMPARISON OF QUALIFICATIONS

The preferences established in no way prohibit the right of the City to compare quality of supplies or services for purchase and to compare qualifications, character, responsibility and fitness of all persons, firms or corporations submitting bids or proposals. Further, the preference established in no way prohibit the right of the city from giving any other preference permitted by law instead of the preferences granted, nor prohibit the city to select the bid or proposal which is the most responsible and in the best interests of the city.

SECTION 2 AFFIRMATION

LOCAL PREFERENCE CERTIFICATION:

Place a check mark here only if affirming bidder meets requirements above as a Local Pembroke Pines Vendor.

In addition, the business must attach a current business tax receipt from the City of Pembroke Pines along with any previous business tax receipts to indicate that the business entity has maintained a permanent place of business for a minimum of one (1) year.

Place a check mark here only if affirming bidder meets requirements above as a Local Broward County Vendor.

In addition, the business must attach a current business tax receipt from the Broward County or the city within Broward County where the business resides along with any previous business tax receipts to indicate that the business entity has maintained a permanent place of business for a minimum of one (1) year.

L Place a check mark here only if affirming bidder does not meet the requirements above as a Local Vendor.

5/8/2018

BidSync

Failure to complete this certification at this time (by checking either of the boxes above) shall render the vendor ineligible for Local Preference. This form must be completed by/for the proposer; the proposer <u>WILL NOT</u> qualify for Local Vendor Preference based on their sub-contractors' qualifications.

| COMPANY NAME: | WEEKLEY ASPHALT PAVIN | IG, INC. | * | |
|------------------|-----------------------|-------------------|-------------|---|
| PRINTED NAME / A | UTHORIZED SIGNATURE: | Daniel D. Weekley | , President | * |
| | | | 1ª | |

Please enter your password below and click Save to save your response.

Please be aware that typing in your password acts as your electronic signature, which is just as legal and binding as an original signature. (See <u>Electronic Signatures in Global and National Commerce Act</u> for more information.)

To take exception:

1) Click Take Exception.

- 2) Create a Word document detailing your exceptions.
- 3) Upload exceptions as an attachment to your offer on BidSync's system.

By completing this form, your bid has not yet been submitted. Please click on the place offer button to finish filling out your bid.

| Username | june@weekleyasp.com |
|----------|---------------------|
|----------|---------------------|

| Password |
|----------|
|----------|

Save

| (Tr | ake Eve | ontion | 7 | Close |
|-----|----------|--------|---|-------|
| 1 1 | ake Exce | eption | | Close |

Required fields

5/8/2018



Attachment F

VETERAN OWNED SMALL BUSINESS (VOSB) PREFERENCE CERTIFICATION

SECTION 1 GENERAL TERM

VETERAN OWNED SMALL BUSINESS (VOSB) PREFEREENCE

The evaluation of competitive bids is subject to section 35.37 of the City's Procurement Procedures which, except where contrary to federal and state law, or any other funding source requirements, provides that preference be given to veteran owned small businesses. To satisfy this requirement, the vendor shall affirm in writing its compliance with the following objective criteria as of the bid or proposal submission date stated in the solicitation. A veteran owned small business shall be defined as:

1. "Veteran Owned Small Business" shall mean a business entity which has received a "Determination Letter" from the United States Department of Veteran Affairs Center for Verification and Evaluation notifying the business that they have been approved as a Veteran Owned Small Business (VOSB).

A preference of two and a half percent (2.5%) of the total evaluation point, or two and a half percent (2.5%) of the total price, shall be given to the Veteran Owned Small Business (VOSB). This shall mean that if a VOSB submits a bid/quote that is within 2.5% of the lowest price submitted by any vendor, the VOSB shall have an option to submit another bid which is at least 1% lower than the lowest responsive bid/quote. If the VOSB submits a bid which is at least 1% lower than that lowest responsive bid/quote. the award will go to the VOSB. If not, the award will be made to the vendor that submits the lowest responsive bid/quote. If the lowest responsive and responsible bidder 诺 a ''Local Pembroke Pines Vendor'' (LPPV) or a ''Local Broward County Vendor'' (LBCV) as established in Section 35.36 of the City's Code of Ordinances, entitled 😤 ocal Vendor Preference", then the award will be made to that vendor and no other bidders will be given an opportunity to submit additional bids as described herein. õ

#there is a LPPV, a LBCV, and a VOSB participating in the same bid solicitation and all three vendors qualify to submit a second bid, the LPPV will be given first option. If the PV cannot beat the lowest bid received by at least 1%, an opportunity will be given to the LBCV. If the LBCV cannot beat the lowest bid by at least 1%, an opportunity will be given to the VOSB. If the VOSB cannot beat the lowest bid by at least 1%, then the bid will be awarded to the lowest bidder.

If multiple VOSBs submit bids/quotes which are within 2.5% of the lowest bid/quote and there are no LPPV or LBCV as described in Section 35.36 of the City's Code of Ordinance, entitled "Local Vendor Preference", then all VOSBs will be asked to submit a Best and Final Offer (BAFO). The award will be made to the VOSB submitting the lowest BAFO providing that that BAFO is at least 1% lower than the lowest bid/quote received in the original solicitation. If no VOSB can beat the lowest bid/quote by at least 1%, then the award will be made to the lowest responsive bidder.

COMPARISON OF QUALIFICATIONS

The preferences established in no way prohibit the right of the City to compare quality of supplies or services for purchase and to compare qualifications, character, responsibility and fitness of all persons, firms or corporations submitting bids or proposals. Further, the preference established in no way prohibit the right of the city from giving any other preference permitted by law instead of the preferences granted, nor prohibit the city to select the bid or proposal which is the most responsible and in the best interests of the city.

SECTION 2 AFFIRMATION

VETERAN OWNED SMALL BUSINESS (VOSB) PREFEREENCE CERTIFICATION:

LI Place a check mark here only if affirming bidder meets requirements above as a Veteran Owned Small Business. In addition, the bidder must attach the "Determination Letter" from the U.S. Dept. of Veteran Affairs Center.

Place a check mark here only if affirming bidder does not meet the requirements above as a VOSB.

Failure to complete this certification at this time (by checking either of the boxes above) shall render the vendor ineligible for VOSB Preference. This form must be completed by/for the proposer; the proposer WILL NOT qualify for VOSB Preference based on their sub-contractors' qualifications. 5/8/20

COMPANY NAME: WEEKLEY ASPHALT PAVING, INC.

https://wayay hidewoo com/DPXViewer

| DPX Form | Page 2 |
|--|--|
| | |
| PRINTED NAME / AUTHORIZED SIGNATURE: Daniel D. Weekley, President * | |
| | |
| Please enter your password below and click Save to save your response. Please be aware that typing in your password acts as your electronic signature, which is just as led | nal and binding as an original signatu |

Please be aware that typing in your password acts as your electronic signature, which is just as legal and binding as an orig (See <u>Electronic Signatures in Global and National Commerce Act</u> for more information.)

To take exception:

1) Click Take Exception.

2) Create a Word document detailing your exceptions.

3) Upload exceptions as an attachment to your offer on BidSync's system.

By completing this form, your bid has not yet been submitted. Please click on the place offer button to finish filling out your bid.

Username june@weekleyasp.com

| assword | | * |
|---------|----------------|-------|
| Save | Take Exception | Close |

e.

BidSync

BidSync



Attachment G

EQUAL BENEFITS CERTIFICATION FORM FOR DOMESTIC PARTNERS AND ALL MARRIED COUPLES

Except where federal or state law mandates to the contrary, a Contractor awarded a Contract pursuant to a competitive solicitation shall provide benefits to Domestic Partners and spouses of its employees, irrespective of gender, on the same basis as it provides benefits to employees' spouses in traditional marriages.

The Contractor shall provide the City and/or the City Manager or his/her designee, access to its records for the purpose of audits and/or investigations to ascertain compliance with the provisions of this section, and upon request shall provide evidence that the Contractor is in compliance with the provisions of this section upon each new bid, contract renewal, or when the City Manager has received a complaint or has reason to believe the Contractor may not be in compliance with the provisions of this section. Records shall include but not be limited to providing the City and/or the City Manager or his/her designee with certified copies of the Contractor's records pertaining to its benefits policies and its employment policies and practices.

The Contractor must conspicuously make available to all employees and applicants for employment the following statement:

"During the performance of a contract with the City of Pembroke Pines, Florida, the Contractor will provide Equal Benefits to its employees with spouses, as defined by Section 35.39 of the City's Code of Ordinances, and its employees with Domestic Partners and all Married Couples".

The posted statement must also include a City contact telephone number and email address which will be provided to each contractor when a covered contract is executed.

SECTION 1 DEFINITIONS

of Pembroke Pin

- 1. Benefits means the following plan, program or policy provided or offered by a contractor to its employees as part of the employer's total compensation package which may include but is not limited to sick leave, bereavement leave, family medical leave, and health benefits.
- 2. Cash Equivalent mean the amount of money paid to an employee with a domestic partner or spouse in lieu of providing benefits to the employee's domestic partner or spouse. The cash equivalent is equal to the employer's direct expense of providing benefits to an employee for his or her spouse from a traditional marriage.
- 3. Covered Contract means a contract between the City and a contractor awarded subsequent to the date when this section becomes effective valued at over \$25,000 or the threshold amount required for competitive bids as required in section 35.18(A) of the Procurement Code.
- 4. Domestic Partner shall mean any two (2) adults of the same or different sex who have registered as domestic partners with a governmental body pursuant to state or local law authorizing such registration, or with an internal registry maintained by the employer of at least one of the domestic partners. A contractor may institute an internal registry to allow for the provision of equal benefits to employees with domestic partners who do not register their partnerships pursuant to a governmental body authorizing such registration, or who are located in a jurisdiction where no such governmental domestic partnership registry exists. A contractor that institutes such registry shall not impose criteria for registration that are more stringent than those required for domestic partnership registration by the City of Pembroke Pines.

- DPX Form 5. Equal benefits means the equality of benefits between employees with spouses and/or dependents of spouses and employees with domestic partners and/or dependents of domestic partners, and/or between spouses of employees and/or dependents of spouses and domestic partners of employees and/or dependents of domestic partners.
 - 6. Spouse means one member of a married pair legally married under the laws of any state within the United States of America or any other jurisdiction under which such marriage is legally recognized, irrespective of gender.
 - 7. Traditional marriage means a marriage between one man and one woman.

SECTION 2 CERTIFICATION OF CONTRACTOR

The firm providing a response, by virtue of the signature below, certifies that it is aware of the requirements of Section 35.39 "City Contractors providing Equal Benefits for Domestic Partners and all Married Couples" of the City's Code of Ordinances, and certifies the following (Check only one box below):

- A. Contractor currently complies with the requirements of this section; or
- B. Contractor will comply with the conditions of this section at the time of contract award; or
- C. Contractor will not comply with the conditions of this section at the time of contract award: or
- D. Contractor does not comply with the conditions of this section because of the following allowable exemption (Check only one box below):

The Contractor does not provide benefits to employees' spouses in traditional marriages;

2. The Contractor provides an employee the cash equivalent of benefits because the Contractor is unable for provide benefits to employees' Domestic Partners or spouses despite making reasonable efforts to provide them. The meet this exception, the Contractor shall provide a notarized affidavit that it has made reasonable efforts to provide such benefits. The affidavit shall state the efforts taken to provide such benefits and the amount of the cash equivalent. Cash equivalent means the amount of money paid to an employee with a Domestic Partner or spouse rather than providing benefits to the employee's Domestic Partner or spouse. The cash equivalent is equal to the employer's direct expense of providing benefits to an employee's spouse:

3. The Contractor is a religious organization, association, society, or any non-profit charitable or educational institution or organization operated supervised or controlled by or in conjunction with a religious organization, association, or society;

4. The Contractor is a governmental agency;

The certification shall be signed by an authorized officer of the Contractor. Failure to provide such certification (by checking the appropriate boxes above along with completing the information below) shall result in a Contractor being deemed non-responsive.

| COMPANY NAME: | WEEKLEY ASPHALT PAVING, IN | C. |]* |
|----------------|----------------------------|-----------------------|-----------|
| AUTHORIZED OFF | ICER NAME / SIGNATURE: | Daniel D. Weekley, | President |
| | | and the second second | / |

Please enter your password below and click Save to update your response. Please be aware that typing in your password acts as your electronic signature, which is just as legal and binding as an original signature. Please be aware that typing in your password acts as your electronic signature, which is just as legal and binding as an original signature.

City of Pembroke Pines

To take exception: المالي) Click Take Exception.

2) Create a Word document detailing your exceptions.

3) Upload exceptions as an attachment to your offer on BidSync's system.

By completing this form, your bid has not yet been submitted. Please click on the place offer button to finish filling out your bid.

Username june@weekleyasp.com

| | | (|
|-------------|----------------|--------------|
| <u>Save</u> | Take Exception | <u>Close</u> |

* Required fields

0

BidSync

5/8/2018

Attachment H

City of Pembroke Pines

PROPOSER'S QUALIFICATIONS STATEMENT

PROPOSER shall furnish the following information. Failure to comply with this requirement will render Bid non-responsive and shall cause its rejection. Additional sheets shall be attached as required.

PROPOSER'S Name and Principal Address:

| WEEKLEY ASPHALT PAVING, INC. | |
|---|--------------|
| 20701 STIRLING RD | |
| PEMBROKE PINES, FL 33332 | |
| * | |
| | |
| Contact Person's Name and Title: Daniel D. Weekley, Presider * | |
| Contact Person's E-mail Address: weekleyasp@aol.com * | |
| PROPOSER'S Telephone and Fax Number: 954-680-8005 (pl * | |
| PROPOSER'S License Number: 78-581 * (Please attach certificate of status, competency, and/or state registration.) | |
| (Please attach certificate of status, competency, and/or state registration.) | |
| PROPOSER'S Federal Identification Number: 59-0753039 * | BidSync |
| Wumber of years your organization has been in business 62 Years * | Bic |
| ≥ State the number of years your firm has been in business under your present business name 62 Year * | |
| State the number of years your firm has been in business in the work specific to this solicitation: 62 Year * | |
| Names and titles of all officers, partners or individuals doing business under trade name: | |
| Daniel D. Weekley, President | |
| Troy L. Weekley, Vice President | |
| Wayne D. Weekley, Secretary/Treasurer | |
| * | |
| | |
| The business is a: Sole Proprietorship \Box Partnership \Box Corporation \checkmark | |
| IF USING A FICTITIOUS NAME, SUBMIT EVIDENCE OF COMPLIANCE WITH FLORIDA FICTITIOUS NA STATUTE. (ATTACH IN PROPOSER EXHIBIT SECTION) | 4ME |
| Under what former name has your business operated? Include a description of the business. Failure to include information shall be deemed to be intentional misrepresentation by the City and shall render the proposer RFP submittals responsive. | such non- |

None

At what address was that business located?

https://www.bidsync.com/DPXViewer/Attachment_H_-Proposers_Qualifications_Statement_2.htm?ac=sup... 5/8/2018

N/A

BidSync

Name, address, and telephone number of surety company and agent who will provide the required bonds on this contract:

Western Surety Co. 333 S. Wabash Ave, 41st Floor Chicago, IL 60604 Bruce Bozelka 407-919-3942

Have you ever failed to complete work awarded to you. If so, when, where and why?

Yes

Have you personally inspected the proposed WORK and do you have a complete plan for its performance?

Will you subcontract any part of this WORK? If so, give details including a list of each sub-contractor(s) that will perform work in excess of ten percent (10%) of the contract amount and the work that will be performed by each subcontractor(s).

| Lines Unlimited Inc. will be performing Striping. | |
|---|---|
| ESG Strategic Partners will be performing High Density Mineral Bond | • |
| | |
| | 1 |
| | |

The foregoing list of subcontractor(s) may not be amended after award of the contract without the prior written approval of the Contract Administrator, whose approval shall not be reasonably withheld.

List and describe all bankruptcy petitions (voluntary or involuntary) which have been filed by or against the Proposer, its parent or subsidiaries or predecessor organizations during the past five (5) years. Include in the description the disposition of each such petition.

None

List and describe all successful Bond claims made to your surety (ies) during the last five (5) years. The list and descriptions should include claims against the bond of the Proposer and its predecessor organization(s).

None

aims made to your surety (ies) during the last five (5) years of the Proposer and its predecessor organization(s).

List all claims, arbitrations, administrative hearings and lawsuits brought by or against the Proposer or its predecessor organizations(s) during the last (10) years. The list shall include all case names; case, arbitration or hearing identification numbers; the name of the project over which the dispute arose; and a description of the subject matter of the dispute.

| PPX Form | Page 3 c |
|---|--|
| DPX Form | |
| | |
| | Q |
| | Ŧ |
| List and describe all criminal proceedings or hearings conc principals or officers or predecessor organization(s) were d | erning business related offenses in which the Proposer, its efendants. |
| None | |
| | |
| | * |
| | |
| | anization(s) been CONVICTED OF A Public Entity Crime, tity? If so, provide details. |
| No | 6 |
| | |
| | S * |
| | |
| Are you an 🗹 Original provider 🗆 sales representative l commodities/services proposed upon? If other than the orig | \Box distributor, \Box broker, \Box manufacturer \Box other, of the ginal provider, explain below. |
| N/A | |
| | |
| | iness with any governmental agency? If yes, please explain: |
| | |
| Have you ever been debarred or suspended from doing bus | iness with any governmental agency? If yes, please explain: |
| ло | ~ |
| | |
| | ↓ * |
| | ``` |
| Describe the firm's local experience/nature of service with | contracts of similar size and complexity, it the previous three (3) |
| ears: | |
| see Attachment #1 | |

The PROPOSER acknowledges and understands that the information contained in response to this Qualification Statement shall be relied upon by CITY in awarding the contract and such information is warranted by PROPOSER to be true. The discovery of any omission or misstatement that materially affects the PROPOSER'S qualifications to perform under the contract shall cause the CITY to reject the Bid, and if after the award, to cancel and terminate the award and/or contract.

| VEEKLEY ASPHALT | PAVING |
|--------------------|----------|
| (Company N | ame) |
| Daniel D. Weekley, | Presider |
| (Printed Name/S | ignature |

Please enter your password below and click Save to update your response. Please be aware that typing in your password acts as your electronic signature, which is just as legal and binding as an original signature. https://www.bidsync.com/DPXViewer/Attachment_H_- Proposers_Qualifications_Statement_2.htm?ac=sup... 5/8/2018

See <u>Electronic Signatures in Global and National Commerce Act</u> for more information.)

1) Click Take Exception.

2) Create a Word document detailing your exceptions.

3) Upload exceptions as an attachment to your offer on BidSync's system.

By completing this form, your bid has not yet been submitted. Please click on the place offer button to finish filling out your bid.

Username june@weekleyasp.com

| Password | | * |
|----------|----------------|-------|
| Save | Take Exception | Close |
| | | |

* Required fields

https://www.bidsync.com/DPXViewer/Attachment H - Proposers Qualifications Statement 2.htm?ac=sup... 5/8/2018

BidSync

| DPX Form | |
|-----------------------|---|
| | |
| Supplier Response For | n |

REFERENCES FORM

Provide specific examples of similar contracts. References should be should be capable of explaining and confirming your firm's capacity to successfully complete the scope of work outlined herein. <u>This form should be duplicated for each reference and any</u> <u>additional information that would be helpful can be attached.</u>

Reference Contact Information:

| Name of Firm, City, County or Agency: FLORIDA DEPARTMENT OF TRANSPORTATI * |
|---|
| Address: 1773 NE 205 St * |
| City/State/Zip: North Miami Beach, FL 33179 * |
| Contact Name: ROLAND RODRIGUEZ * Title: MIAMI-DADE CEI RESIDENCY CONSULTAN * |
| E-Mail Address: rrodriguez@pinnaclecei.com * |
| Telephone: 305-640-7185 * Fax: 305-655-2737 * |
| Project Information: ame and location of the project: SR-A1A (COLLINS AVE) & SR-922 FROM 9; * MILLING, RESURFACING, SIGNALIZATION & |
| MILLING, RESURFACING, SIGNALIZATION & DRAINAGE IMPROVEMENTS Nature of the firm's responsibility on the project: |
| Project duration: 7 MONTHS * Completion (Anticipated) Date: MARCH, 2014 * |
| Size of project: 3,220 LF * Cost of project: \$1,574,706.00 * |
| Work for which staff was responsible: CLEARING & GRUBBING, PAVING, MOT, DF * |
| Contract Type: FDOT CONSTRUCTION * |
| The results/deliverables of the project: PROJECT ACCEPTED & ON TIME * |

REFERENCES FORM

Provide specific examples of similar contracts. References should be should be capable of explaining and confirming your firm's capacity to successfully complete the scope of work outlined herein. <u>This form should be duplicated for each reference and any</u> <u>additional information that would be helpful can be attached.</u>

Reference Contact Information:

Name of Firm, City, County or Agency: FLORIDA DEPARTMENT OF TRANSPORTATI *

5/8/2018

https://www.hidowna.com/DDVViewar/Attachmont V Deferences Form htm9.0-- average and beau-202 1/2012

| Dep PX Form | Page 2 of 5 |
|--|---------------|
| DPX Form Address: 5548 NW 9TH AVE * | |
| City/State/Zip: FORT LAUDERDALE, FL 33309 * | |
| Contact Name: TIMOTHY BUTLER * Title: PROJECT ADMINISTRATOR * | |
| E-Mail Address: timothy.butler@dot.state.fl.us * | |
| Telephone: 954-958-7646 * Fax: 954-868-7232 * | |
| Project Information: | |
| Name and location of the project: BROWARD BLVD & NW 9TH AVE INTERSEC * | |
| ROADWAY WIDENING AND SIDEWALKS | |
| Nature of the firm's responsibility on the project: | |
| Project duration: 5 Months * Completion (Anticipated) Date: FEBRUARY 2016 * | |
| د التحقق التحقيق التحق التحقيق التحقيق التحق التحقيق التحقيق التحق التحقيق التحقيق التحقيق التحقيق التحقيق التحق التحقيق التحقيق التحق التحقيق التحق التحق التحق التحق التحقيق التحق التحق التحق التحق التحق التحق التحق التحق التحق التحقيق التحق التحق التحق الحقيق التحق التحق التحق الحقيق الحقيق ال | |
| Work for which staff was responsible: WIDENING & SIDEWALK * | BidSync |
| © Sontract Type: FDOT CONSTRUCTION * | Ш |
| The results/deliverables of the project: PROJECT ACCEPTED & ON TIME * | |

REFERENCES FORM

Provide specific examples of similar contracts. References should be should be capable of explaining and confirming your firm's capacity to successfully complete the scope of work outlined herein. <u>This form should be duplicated for each reference and any</u> <u>additional information that would be helpful can be attached.</u>

Reference Contact Information:

| Name of Firm, City, County or Agency: CITY OF P | LANTATION |]* | |
|---|------------------------|------|---|
| Address: 400 NW 73 AVE | * | | |
| City/State/Zip: PLANTATION, FL 33317 | * | | |
| Contact Name: JUAN JOSE FGUEROA | * Title: P.E., ENGINEE | R II | * |
| E-Mail Address: jfigueroa@plantation.org | * | | |
| Telephone: 954-797-2283 * Fax: 954-797 | -2761 * | | |

5/8/2018

5/8/2018

| Name and location of the project: 84th AVENUE GREENWAY IMPROVEMENTS * |
|---|
| ASPHALT, CONCRETE, LIMEROCK, STABILIZATION, EARTHWORK, CURBING, PAVERS & DRAINAGE |
| Nature of the firm's responsibility on the project: |
| Project duration: 19 MONTHS * Completion (Anticipated) Date: OCTOBER 2013 * |
| Size of project: .69 MILE * Cost of project: \$3,735,589.00 * |
| Work for which staff was responsible: ALL PHASES OF CONSTRUCTION * |
| Contract Type: CONSTRUCTION * |
| The results/deliverables of the project: PROJECT ACCEPTED & ON TIME * |
| REFERENCES FORM rovide specific examples of similar contracts. References should be should be capable of explaining and confirming your firm's apacity to successfully complete the scope of work outlined herein. This form should be duplicated for each reference and any additional information that would be helpful can be attached. |
| Address: 8300 S PALM DR |
| City/State/Zip: PEMBROKE PINES, FL 33025 |
| Contact Name: KARL KENNEDY Title: CITY ENGINEER |
| E-Mail Address: kkennedy@ppines.com |
| Telephone: 954-518-9060 Fax: 954-435-6755 |
| Project Information: |
| Name and location of the project: TAFT ST FROM DOUGLAS TO UNIVERSITY I |
| CONCRETE, PAVERS, GUARDRAIL, IRRIGATION, LANDSCAPING, SIGNALIZATION, PAVING, STRIPING & SIGNAGE |
| Nature of the firm's responsibility on the project: |
| Project duration: 11 MONTHS Completion (Anticipated) Date: FEBURARY 2016 |

Size of project: 4,985 LF Cost of project: \$1,290,369.62

Work for which staff was responsible: MOT, CLEARING & GRUBBING, EROSION C

Contract Type: CONSTRUCTION

The results/deliverables of the project: PROJECT ACCEPTED & ON TIME

REFERENCES FORM

Provide specific examples of similar contracts. References should be should be capable of explaining and confirming your firm's capacity to successfully complete the scope of work outlined herein. This form should be duplicated for each reference and any additional information that would be helpful can be attached.

Reference Contact Information:

| Name of Firm, City, County or Agency: CITY OF HOLLYWOOD | |
|--|---|
| Address: 2600 HOLLYWOOD BLVD, SUITE 308 | |
| City/State/Zip: HOLLYWOOD, FL 33022 | |
| Contact Name: CLARISSA IP Title: ENGINEERING SUPPORT SERVICES MANAG | |
| 월-Mail Address: cip@hollywoodfl.org | |
| ≥ Telephone: 954-921-3915 Fax: 954-921-3481 | |
| Project Information: | |
| Name and location of the project: SR-A1A FROM OAKLAND PARK BLVD TO FL | |
| CITY-WIDE STREET RESURFACING 2015 | 4 |
| Nature of the firm's responsibility on the project: | Ŷ |
| Project duration: 5 MONTHS Completion (Anticipated) Date: OCTOBER 2015 | |
| Size of project: 12.5 Miles Cost of project: \$1,776,222.00 | |
| Work for which staff was responsible: Paving | |
| Contract Type: CONSTRUCTION | |
| The results/deliverables of the project: PROJECT ACCEPTED & ON TIME | |
| | |

Please enter your password below and click Save to save your response.

5/8/2018 Please be aware that typing in your password acts as your electronic signature, which is just as legal and binding as an original signature.

To take exception:

1) Click Take Exception.

2) Create a Word document detailing your exceptions.

3) Upload exceptions as an attachment to your offer on BidSync's system.

<u>Close</u>

By completing this form, your bid has not yet been submitted. Please click on the place offer button to finish filling out your bid.

Username june@weekleyasp.com

| Password | * |
|----------|---|
| | |

| | (| ~ |
|------|----------------|---|
| Save | Take Exception | |

* Required fields

BidSync

REFERENCES FORM

Provide specific examples of similar contracts. References should be should be capable of explaining and confirming your firm's capacity to successfully complete the scope of work outlined herein. <u>This form should be duplicated for each reference and any additional information that would be helpful can be attached.</u>

Reference Contact Information:

| Name of Firm, City, County or Agency: Cow Hammock * |
|--|
| Address: 1020 Lake Sumter Landing * |
| City/State/Zip: The Villages, FL 32162 * |
| Contact Name: Mark Morse * Title: Owner * |
| E-Mail Address: mark.morse@thevillages.com * |
| Telephone: 352-753-6220 * Fax: * |
| Project Information: |
| Name and location of the project: Cow Hammock - Ocklawaha, FL * |
| |
| |
| Nature of the firm's responsibility on the project: Prime |
| Project duration: 3 weeks * Completion (Anticipated) Date: 2/20/2018 |
| Size of project: 56,077 SY * Cost of project: 188,608.07 * |
| Work for which staff was responsible: Concrete, patching, crackfill, HA5 * |
| Contract Type: T&M * |
| The results/deliverables of the project: Exceptional work |

PSEN-18-01

BidSync

/ *****

Supplier Response Form

REFERENCES FORM

Provide specific examples of similar contracts. References should be should be capable of explaining and confirming your firm's capacity to successfully complete the scope of work outlined herein. <u>This form should be duplicated for each reference and any additional information that would be helpful can be attached.</u>

Reference Contact Information:

| Name of Firm, City, County or Agency: Glen Hollow Farms HOA * |
|---|
| Address: 3231 Wedgewood Lane * |
| City/State/Zip: The Villages, FL 32162 |
| Contact Name: Christina Robbins * Title: Property Manager * |
| E-Mail Address: christina.robbins@tvcs.org * |
| Telephone: 352-750-9455 * Fax: 352-750-3381 * |
| Project Information: |
| Name and location of the project: Glen Hollow Farms - The Villages, FL * |
| |
| Nature of the firm's responsibility on the project: Prime |
| Project duration: 9 days * Completion (Anticipated) Date: 12/20/2018 * |
| Size of project: 10,499 SY * Cost of project: 31,017.16 * |
| Work for which staff was responsible: HA5, Striping * |
| Contract Type: AIA contract |
| The results/deliverables of the project: Excellent * |

PSEN-18-01

BidSync

Supplier Response Form

REFERENCES FORM

Provide specific examples of similar contracts. References should be should be capable of explaining and confirming your firm's capacity to successfully complete the scope of work outlined herein. <u>This form should be duplicated for each</u> reference and any additional information that would be helpful can be attached.

Reference Contact Information:

| Name of Firm, City, County or Agency: Lakes & Live Oaks Property Owners Association * |
|---|
| Address: 11491 NE 72nd Blvd. * |
| City/State/Zip: Lady Lake, FL 32162 * |
| Contact Name: Lord Lyall * Title: HOA President * |
| E-Mail Address: Iordofpolo@msn.com * |
| Telephone: 352-406-9433 * Fax: * |
| Project Information: |
| Name and location of the project: Lakes and Live Oaks - The Villages, FL * |
| |
| |
| Nature of the firm's responsibility on the project: Prime |
| Project duration: 3 weeks * Completion (Anticipated) Date: 11/29/2017 |
| Size of project: 26,000 SY * Cost of project: 77,457.78 * |
| Work for which staff was responsible: Crackfill, HA5, Paint * |
| Contract Type: Quote * |
| The results/deliverables of the project: Great work * |

PSEN-18-01

*

REFERENCES FORM

Provide specific examples of similar contracts. References should be should be capable of explaining and confirming your firm's capacity to successfully complete the scope of work outlined herein. <u>This form should be duplicated for each</u> reference and any additional information that would be helpful can be attached.

.

*

Reference Contact Information:

The results/deliverables of the project: Looks great

| Name of Firm, City, County or Agency: The Villages Charter School * |
|--|
| Address: 490 Village Campus Circle * |
| City/State/Zip: The Villages, FL 32162 * |
| Contact Name: Arlyn Collopy * Title: Project Manager * |
| E-Mail Address: arlyn.collopy@tvcs.org * |
| Telephone: 352-266-3121 * Fax: * |
| Project Information: |
| Name and location of the project: TVCS - Ball Field Lot * |
| Nature of the firm's responsibility on the project: Prime |
| Project duration: 4 days * Completion (Anticipated) Date: 3/22/18 |
| Size of project: 5,905 SY * Cost of project: 22,233.22 * |
| Work for which staff was responsible: Crackfill, Patching, HA5, Striping * |
| Contract Type: Quote * |

PSEN-18-01

*

Supplier Response Form

REFERENCES FORM

Provide specific examples of similar contracts. References should be should be capable of explaining and confirming your firm's capacity to successfully complete the scope of work outlined herein. <u>This form should be duplicated for each reference and any additional information that would be helpful can be attached.</u>

Reference Contact Information:


| Name of Firm, City, County or Agency: Woodgate Property Owners Association * |
|--|
| Address: 4450 NE 83rd Road * |
| City/State/Zip: Wildwood, FL 34785 * |
| Contact Name: Bob Farner * Title: HOA President * |
| E-Mail Address: bfarner@farnerbarley.com * |
| Telephone: 352-267-4433 * Fax: * |
| Project Information: |
| Name and location of the project: WoodGate - Lady Lake, FL * |
| |
| |
| Nature of the firm's responsibility on the project: Prime |
| Project duration: 3 days * Completion (Anticipated) Date: 4/27/2018 |
| Size of project: 7,901 SDY * Cost of project: 23,622.28 * |
| Work for which staff was responsible: HA5, Striping * |
| Contract Type: Quote * |
| The results/deliverables of the project: Excellent * |

PSEN-18-01

*

5/8/2018

43



Mandatory Pre-Bid/Site Visit Confirmation Form

The scanned form, signed by both the Contractor and City Representatives must be uploaded in order for the bid to be considered complete.

who is a representative of (Printed name of Contractor's representative) PERSONALLY came and appeared (Contractor's Company) before me and affirms that they have completed the mandatory pre-bid/site visit on this the

25th day of April , 20 **2018** as required by:

Solicitation #:

IFB #PSEN-18-01

Solicitation Title:

"Asphalt Surface Treatment with High Density Mineral Bond for NW 178th"

(Contractor Representative's Printed Name)

(Contractor Representative's Signature)

(Contractor's Company)

680-8005

(Contractor's Phone Number)

04/25/2018

(Date)

BidSync nand

(City Representative's Printed Name)

(City Representative's Signature)

Engineering

(City Representative's Department)

(City Representative's Phone Number)

04/25/2018

(Date)

The City requires all questions on the "the BidSync website. Such request must be received by the "Question Due Date," questions received after the "Question Due Date" shall not be answered. Interpretations or clarifications in response to such questions will be issued via BidSync. The issuance of a response via BidSync is considered an Addendum and shall be the only official method whereby such an interpretation or clarification will be made.

4

à

ATTACHMENT N

SPECIAL LICENSE REQUIREMENTS

<u>These requirements shall take precedent over the requirements in the</u> <u>specifications and in any other paragraph in the contract or bid package in</u> <u>conflict with these requirements</u>

License Requirements:

• Hold a certificate of qualification from the Florida Department of Transportation in Hot Plant mixed Bitum and flexible paving and submit a copy of the certification of qualification from the Florida Department of Transportation with the original bid.

• Striping subcontractor must hold a certificate of competency from Broward County in the area of striping, marking and signage of major roads to include pavements (3F or approved equal). Submit a copy of the certificate with the original bid. The striper can be changed at any time provided a copy of the certificate of competency is submitted to the Environmental Services Division.

A list of previous road projects, copy of the striper's license, and a copy of certificate of qualification from the Florida Department of Transportation must be attached to the proposal. Proposer must have completed 3 milling and resurfacing projects of the same type for municipal governmental entities within the last two years.

City of Pembroke Pines

City of Pembroke Pines

QUALIFYING

3E STRIPING MARKING AND SIGNAGE OF ROADWAYS TO INCLUDE

CRONE, BRENT A. - QUALIFYING LINES UNLIMITED INC 1107 KEY PLAZA SUITE 313 KEY WEST FL 33040 EXPIRES 08/31/2018

PAVEMENTS

03-1737-X



1

CERTIFICATE OF COMPETENCY

 COUNTY
 Detach and SIGN the reverse side of this

 card IMMEDIATELY upon receipt! You

 R I P A

Contractor must obtain a photo I.D. Certificate of Competency Card every two years.

CRONE, BRENT A. 1012 18 ST KEY WEST FL 33040

503-207 (Rev. 1/12) PC201247908

CERT and C <u> 600 m</u> 208 BROWARD COUNTY, FLORIDA EXERT SEC31 CERTIFICATE OF COMPETENCY 3E STRIPING, MARKING AND SIGNAGE OF CC# ROADWAYS TO INCLUDE PAVEMENTS 03-1737-X CRONE, BRENTA. - QUALIFYING C LINES UNLIMITED INC 1107 KEY PLAZA SUITE 313 No. Control of col KEY WEST FL 33040 Countralond ANTERCY OF SUMPOR HOR --- EXPIRES -08/31/2018 NIE RO

BidSync

5/8/2018

PSEN-18-01

City of Pembroke Pines City of Pembroke Pines PROJECT REFERENCES/INFORMATION

Althonnant #1

| COMPLETION DATE | 8/7/2015 | 5/27/2015 | 410/101/01 | | 5/27/2015 | 7100/91/5 | 3/4/2015 | 8/28/2015 | |
|---|--|---|---|---|------------------------|---|---|--|---|
| START DATE | Etto2/1/E | 2/1/2014 | 8/00/J0E/8 | | 10/31/2013 | 2102/21/01 | 4/8/2014 | 4/29/2014 | \$10 <i>0</i> 17 |
| WORK DESCRIPTION | RECONSTRUCTION OF BLA 1281 FROM NORTH OF JUNIOR BUSTER ROAD TO NORTHERN RESERVATION BOUNDARY LINE. | The Improvements under this Contract consist of milling and esurfacing, addressing ADA sidewalk and curb ramp deficiendes throughout the SR 808 corridor, upgrading existing guardrail connections and approaches at the bridge widening for the extension of the SR 808 westbound left turn larne at the Bfazz /Shadowood square intersection, addition of a second left turn larne at the SPA Avenue South intersection, replacements at Roca Plaza / Shadowood square, SSth Avenue South, and Lyons Road Intersections, and innor hardscope and pavement maniforg; agnalization improvements at Roca Plaza / Shadowood Square, SSth Avenue South, and Lyons Road Intersections, and innor hardscope and irrelation improvements in Palm Beach County. | The Improvements under this Contract consist of Jog Road Bridge widening over C-51 Canal in Palm Beach County, Improvements also Include milling/resurtacing of Jog Road, infor roadway widening to correct through lane deflections in accordance with Palm Beach County standards and provide continuous undersignated bike lanes. Project limits are from Gun Club Road to Wallis Road. | The Improvements under this Contract consist of resurfacing of State Road No. AJA / Collins Avenue from 5700 slock to begin of bridge over faker's Haulover Cut and resurfacing of State Road No. 922 / Kune Concourse from East of E. (Bay Harbor FPID(S): 429144-1-52-03, ETC-5-05/ne to Harding Avenue. Project also included drainage improvements of State Road No. AJA / Collins Avenue from North of Harbour Way to Baker's Haulover Cut | | The improvements under this Contract consists of SR-9 (1-95)/SR 862 ()- 555)Interchange Landscaping. | The Improvements under this Contract consist of Milling and Resurfacing along SR 916/ NW 135 Street from SR 9/ NW 27 Avenue to NW 8 Avenue and also Intersection Improvement at NW 17 Avenue. | Restoration of Median on Lynos Road | TAXILARE CHARLE PAVEMENT REHABILITATION AND REPLACEMENT OF AIRFIELD LIGHTING TTB 433-11279 PROJECT 11745 RE-BID |
| PROJECT CONTRACT & LOCATION | 55342 - RECONSTRUCTION OF BIA ROUTE 1281, SEGMENT 3A & 3B. SNAKE ROAD (1054E BILLE HIGHWAY) PROJECT | T-4357 - SR-806, FROM SR-7 (US-441) TO A PT. E OF LYONS RD | T-4358- (JOG RD) AT SR-80 BR. WIDENING OVER C-51 CAMAL | T-2389 - SR-AJA (COLLINS AVE] & SR- 922 FROM 9700 BLOCK TO BEGIN OF BR. OVER BAKES HAULOVER CUT & FROM A PT. E OF E BAY HAREOR DR TO HARDING AVE | | E-4N94 - 1-95 (SR-9) / 1-595 (SR-862) INTERCHANGE LANDSCAPING | 1,568,343.04 1,568,343.04 NW 27TH AVE TO NW 8TH AVE | AQX-50 - LYONS ROAD MEDIAN RESTORATION PROJECT, FROM COPANS RD TO SAWGRASS EXPRESSMAY | BID NO. 433-11279 - TAXILANE CHARLIE PAVEMENT REHABILITATION AND REPLACEMENT OF AIRFIELD LIGHTING, FORT LAUDERIDALE EXECUTIVE AIRFORT |
| CONTRACT | \$ 10,412,912.40 | 2,431,934,89 | 2,422,104,26 | \$ 1,574,705.63 | | \$ 5,939,442.07 | \$ 1,568,943.04 | \$ 1,418,370.35 | \$ 1,236,359,60 |
| CONTACT PERSON TITLE PHONE # FAX # E-MAIL | CIMA lames R. Jeffers, PE 544-580-7142 emsil : jamesjeffers@cimaemail.com | David Schweiger FDDT Construction Project Overafte 5548 NW 9th Avenue FL Lauderdak, FL 33309 954-7343539 | Khorow Gandjel, El Construction Project Oversite FDOT West Palm Beach Operations (S61) 531-3877 Cell khoerow gandjeljë dorstate fl.us | Roland A. Rodriguet, P. E. Plinade Consulting Enterprises, Inc. 1773 N. E. 205 Street. North Marth Beach, FL 33179 Cellular: 305.345,0665 Office: 305.640,7185 Fax: 305.662,07185 Email: rrodriguet@primaclecci.com | | Hassan Abedi Phi. 944-868-8583 Email: hassan.abedi@dor.state.fl.us | Virgil Versaggi, PE Project Engineer Rew Millennium Engineering, Inc. Manni-Dade ER Readency Chrouthant North Dade Construction 1773 NR 205 Street North Miami Beach, FI 33779 | Brian Rosen Ph: 944545-6614 Email: brozen@rocountcreek.net | Tom White Phr: 954-828-6801 Email: thwhite@fortlauderdale.gov |
| ADDRESS | Seminole Tribe of Florida Headquarters 6300 Strifing Road Hollywood, Florida 33024 | Palm beach operations center 7900 forest hill bouleverid West palm beach, florida 33413 | Paim beach operations center 7900 forest hill boulevard West paim beach, florida 33414 | FDOT District VI 1000 NW 111 Avenue Milami, Florida 33172 | Enot Dictore & Browsed | Fort Lauderdale, FL 33309 | FDDT District VI 1000 NW 111 Avenue Miami, Florida 93172 | City of Coconut Creek 4800 West Coparis Read Coconut Creek, FL 33063 | Public Works Department 100 North Andrews Avenue Fort Lauderdale, Florida 33301 |
| OWNER | SEMINOLE TRIBE DF FLORIDA | EDOT | FOOT | FDOT | | FDOT | FDOT | CITY OF COCONUT CREEK | CITY OF FORT |
| # 90ľ | 13029 | 3006 | 13056 | 13057 | | 13062 | 13070 | 13071 | 13077 |

p. 46

| | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | I |
|---|---|--|---|---|---|--|--|---|--|
| COMPLETION DATE | 10/14/2015 | 710C/E1/E | 7/30/2014 | s/7/2015 | 1/11/2016 | 2/10/2017 | 6/22/2015 | 4/27/2015 | 8/8/2015 |
| START DATE | 3/28/2014 | 3100/E1/C | 4/24/2014 | 8/4/2014 | 10/17/2014 | 6/18/2014 | 12/8/2014 | 10/27/2014 | 2/1/2016 |
| WORK DESCRIPTION | | The Improvements under this Contract consist of Traffic Operations Districtwide Safety Pushbutton Projects | | The improvements under this contract consist of milling and resurfacing. Work includes new lighting, signalization and mastarm installation in Broward County. | The improvements under this contract consist of resurfacing, signing and pavement markings, signalization and lighting on SR A1A. | The Improvements under this Contract consist of Milling and Resurfacing along SR 934/NW/NE 79 Street from NW 14 Avenue to North Bayshore Drive. | This contract primarily consists of an Intersection Improvement at US 1 / SW 27th Ave. Work includes Milling & resurfacing, new lighting, signalization and mastarm installation, fence & signs. | The improvements under this Contract consist of milling and resurfacing, signing and pavement marking. | landscaping enhancements along State Road S/Overseas Highway from Mile Marker 90.8/Tavernier Creek Bridge to Mile Marker 99. |
| PROJECT CONTRACT & LOCATION | ITB #2013-14/07 - CITY-WIDE ROADWAY RESURFACING 2014 | 1,141,014.00 DISTRICTWIDE SAFETY PUSHBUTTON PROJECTS | 1,012,831.00 ITB NO. 8-13 - RESURFACING CITY OF BELLE GLADE ROADWAYS | T-4382 - 5R-7 (US-441) & 5R-818 (SARFIN RO) AT THE INTERSECTION OF SR-7 & SR-38 FROM SW 33RD OF SR-7 & SW 32ND AVE AVE TO SW 32ND AVE | T-4386 - SR AJA (S OCEAN DR) FROM COUNTY LINE RD TO SEACREST PKWY | T-6328 - 5R-934 (NW / NE 79TH 5T) FROM NW 14TH AVE TO N BAYSHORE DR | T-6355 - Intersection at US 1 / 5W 27th Ave | T-6356 - SR 817, NW 27th Ave from South of NV 187th Street to North of 202nd Terrace and NW 27th Ave at Milani Gardens Drive | E6I51 - SR5/Óverseas Highway form MM 90.87 to 99 |
| CONTRACT AMOUNT | \$ 5,196,973.50 | \$ 1,141,014.00 | \$ 1,012,831.00 | \$ 1,400,486.00 | \$ 3,994,610.71 | \$ 8,067,382.06 | \$ 1,061,110.72 | \$ 1,625,644.29 | \$1,948,053.00 |
| CONTACT PERSON TITLE PHONE # FAX # E-MAIL | John Melton 200 Gaulsby Blud Deerfield Beach, FL 33472 924-520-0136 email: Jinelton@deerfield-beach.com | lgor Calcedo Ph: 305-640-7188 Email: Igor.calcedo@dot.state.fl.us | Berverly Scott Deputy City Manager 110 MLK Blvd West Glade, FL Ph: 651-992-2221 Fax: 561-992-2221 Email: bscott@bellegjade-fl.com | Christian Rojas, P.E. Office: (2019-940-7515 Cell: (954) 931-61182 Christian. Rojas@dot.state.fl.us | David Schweiger, P.E. FDOT Construction Project Oversite 954-734-35395 David.Schweiger@dot.state.fl.us | Bermon Artola Ph: 786-367-4674 Email: bartola@metriceng.com | Farhang Esmailtadeh Project Oversite I Office: (305) 640-7298 Fax: (305) 640-7298 Call: (305) 986-9230 Cell: (305) 986-9230 Farhang, Esmailtadeh@dot,state.fl.us | Mario Vega, E.I. Project Oversite 1 Cell: 305-568-8460 Telephone: 305-640-7187 Marío.Vega@dot.state.fi.us | Jacki Hart, PE Senior Project Engineer 3100 Overseas Hwy, Marathon, Fl. 33050 Jacki, hart@rsandh.com |
| ADDRESS | City of Deerfield Beach 401 SW 4th Street Deerfield Beach, FL 33441 | FDOT District VI 1000 NW 111 Avenue Miami, Florida 33172 | CITY OF BELLE GLADE 2050 W. CANAL ST. 5 BELLE GLADE, FL 33430 | FDOT, District 4, Broward Operations 5548 NW 9th Avenue Fort Lauderdale, FL 33309 | FDOT, District 4, Broward Operations 5548 NW 9th Avenue Fort Lauderdale, FL 33309 | FDOT District VI 1000 NW 111 Avenue Miami, Florida 33172 | South Mlami-Dade Construction 1000 NW 111th Ave. Miami, Florida, 33172 | Florida Department of Transportation North Miami-Dade Construction 1773 NE 20Sth Street North Miami Beach, Florida 33179 | FDOT District VI 1000 NW 111 Avenue Miami, Florida 33172 |
| OWNER | CITY OF DEERFIELD BEACH | FDOT | CITY OF BELLE GLADE | FDOT | FDOT | FDOT | FDOT | FDOT | FDOT |
| 480ľ | 14027 | 14029 | 14035 | 14042 | 14051 | 14050 | 14066 | 14067 | 14073 |

| | | 1 | | | | | |
|--|---|--|--|--|---|--|---|
| COMPLETION DATE | 2/12/2017 | 11/20/2015 | 8/10/2016 | 6/16/2015 | 1/10/2016 | 3/7/2017 | 1/26/2016 |
| START DATE | 12/9/2014 | 2/21/2015 | 11/14/2014 | 2/17/2015 | 6/15/2015 | ST02/62/ <i>1</i> | S/5/2015 |
| WORK DESCRIFTION | This project involves the reconstruction/realignment of Andrews Avenue from John Knox Village Blvd. (SW 3rd Street) to Atlantic Blvd., in Broward County, from a 2 lane undivided roadway to a 4 lane divided urban section with bike lanes and sidewalks. | The improvements under this contract consist of adding an auxiliary lane in the northbound direction (St 81.7) installation cf an additional overhead cantilever sign facing the section of an additional westbound right turn lane and eastbound left turn lane, modifications to the existing drainage system, installation of new mast arms, sign structures and existing light pole relocation, installation of new mast arms, sign structures and reconstruction to meet turn and a sidewalk upgrades and reconstruction to meet turnent ADA standards. | The Improvements under this Contract consist of resurfacing and widening of SR 845/ Powerline Road in Broward County, from N of West Drive to the Broward/Palm Beach countyline. Work includes ADA, pavement markings, signs and signal improvements. | Ansin Boulevard, Sidewalk, Landscaping and Solar Pedestrian Lights Improvements FDOT Grant Project | The improvements under this Contract consist of replacement of expansion joints at piers 7 and 10, placement of sidewalk cover plates, installation of bracing at piers 2, 5, 13, and 15, and repairs to the aluminum bullet rails for Bridge No. 050064 on State Road 25 (US 27) over the Caloosahatchee River in Glades County. | Provide all labor, materials, necessary equipment, incidentals and services to complete the Landscape Work, as inclutated on the clawings, as specified herein or both, except as for items specifically indicated as "NIC ITEMS". Work shall be in strict accordance with sound horicultural practices and shall include maintenance and watering of the work until final approval. The landscaping shall be performed by a contractor who is fully experienced in projects of this type and whose main business is landscaping. The contractor or subcontractor shall be subject to the approval of the Landscape Architect. | Provide for asphaltic concrete pavement resulfacing in city streets, rights-of- way within the City of Hollywood. |
| PROJECT CONTRACT & LOCATION | T-4367 - ANDREWS AVE FROM JOHN KNOX VILLAGE BLVD (SW 3RD ST) TO ATLANTIC BLVD | T-4403 - SR 817 (UNIVERSITY DR) FROM S OF NOVA DR TO THE I-59S WB RAMP | E-4Q13 - SR-845 (POWERLINE RD) FROM NORTH OF WEST DR TO BROWARD / PALM BEACH COUNTY LINE | FY2013-2014-005 - Ansin Blvd from Hallandale Bch Blvd to .53 miles to the sout. | E-1003 - SR-25 (US-27) FROM INDUSTRIAL CANAL WEST APPROX. 1.862 MILES TO MERCHANT ST | B-15-17 - DAVIE ROAD PHASE I, ROADWAY IMPROVEMENTS | PW-14-022 - CITY-WIDE STREET RESURFACING 2015 |
| CONTRACT AMOUNT | \$ 3,396,284.27 | \$ 2,695,774.98 | \$ 3,05,505,98 | \$ 1,625,644.29 | \$ 3,069,378.46 | \$ 3,665,749.61 | \$ 1,790,891.00 |
| CONTACT PERSON TTLE PHONE # FAX # E-MAIL | Project Oversite III Broward Operations Angela Lietz, PE Ph: 954-90-7523 call: 954-93:-6179 email: angela.liet2@dot.state.fi.us | Murtuza Aluminiumwala, P.E. Celi: 554-892-2362 Murtuza.Aluminiumwala@dot.state.fi.us | Christian Rojas, P.E. Office: (954) 940-7615 Calif (954) 931-6182 Christian, Rojas@doc.state.fl.us | Beatriz Alvarez, E.I., IEED ^a AP Project Manager Phone: (954) 457 – 3040 Cell: (954) 873-0360 Fax: (954) 457 – 1624 balvarez@hallardalebeachfl.gov | Chris Mollitor Project Administrator Office: 239.985.7883 Cell: 239.272.7175 Cell: 239.272.7175 Christopher, Mollitor@dot.state.fl.us | Laura Borgesi Ph: 954.797-1096 Email: Iborgesi@davio-fl.gov | Clarissa IP Engineering Support Services MGR. 2600 Holiywood Bud #308 Holiywood, FL 33022 Ph: 954-263-3715 Email: cip@holiywoodfl.org |
| ADDRESS | FDOT, District 4, Broward Operations 5548 NW 9th Avenue Fort Lauderdale, FL 33309 | FDOT, District 4, Broward Operations 5548 NW 9th Avenue Fort Lauderdale, FL 33309 | F DOT, District 4, Broward Operations 5548 NW 9th Avenue Fort Lauderdale, FL 33310 | City of Hailandale Beach Department of Public Works 630 NW 2nd Street Hailandale Beach, FL 33009 | Florida Department of Transportation 2981 N.E. Pine Island Rd. Cape Goral, Florida 33909 | Town of Davie 6591 Orange Drive Davie, Florida 33314 | CITY OF HOLLYWOOD DEPARTMENT OF PUBLIC WORKS ENGINEERING & ARCHTFETURAL SERVICES DIVISION 2600 HOLLYWOOD BOULEVARD HOLLYWOOD, FL 33022 |
| OWNER | FDOT | FDOT | FDOT | CITY OF HALLANDALE | FDOT | TOWN OF DAVIE | CITY OF HOLLYWOOD |
| JOB# | 14085 | 14087 | 14090 | 14104 | 15048 | 15050 | 15053 |

| | | r | <u> </u> | 1 | I | 1 |
|---|--|--|--|---|---|---|
| COMPLETION DATE | 12/15/2016 | Tto2/ET/2 | 5/6/2016 | 3/15/2016 | 8/24/2016 | 7102/S1/E |
| START DATE | 10/7/2015 | 7/22/2015 | 8/25/2015 | 5/6/6 | 1/19/2016 | 2/22/2016 |
| WORK DESCRIPTION | The Improvements under this Contract consist of Milling and Resurfacing along SR-334/NE 79th Street/J. F. Kennedy Causeway from east of North Bay Shore to Bay Drive West, and also Bridge Rehabilitation (Bridges 870550 and 870084) over Biscayne Bay. | The services required are the design, permitting reconstruction of the asphait, tock base and stabilized subgrade of the northermost westbound lane and milling and resurfacing of the entire width of Taft Street between University. Drive and Douglas Road – including replacement of the thermoplastic pavement markings, PNWs and other traffic control device a listurbed, removed, or damaged during this project. The existing guardral and support posts stall be removed and replaced to comply with Index 400 of the Florida Department of Transportation Robusty and Traffic Design Strandsch, alters the addition of four landscaped medians, one at either end of the project limits and two on either side of Sth Way as shown on the drawings. Median Islands shall include irrigation with water from canal or wells. Irrigation system shall be designed, permitted and installed by DBF. Project also includes design, permitting and construction of 6 foor wide paver frosswalks on al four toreal relation market the data for the project, pay for and obtain premits from all agencies, including the City of Pennocke, pay for and obtain premits drawings, materials and labor, provide all required testing, provide all surveying, as-builts and other nequirements of all agencies. | The Improvements under this Contract consist of resurfacing, signing and pavement markings, installing new curb stops, constructing soil stabilization by Column Supported Embankments (CSE), and replacing 4 Broward County Transit bus shelters with amenities on the SR 922/Sheridan Street Park and Ride Lot, located at the SW quadrant of the I-95/Sheridan Street Interchange | This project consists of primarily milling and resurfacing SR 25(NW 36 ST) from Okeechobee RD to NW 23 AVE and ADA improvements along the corridor. This Contract also includes, drainage structures, free relocations, signalization, and signing and pavement marking. | The improvements under this Contract consist of widening the SR-9/I-95 exit ramps to SR 708/Blue Heron Blvd to provide an additional left turn lance and new shoulders, and lengthening several left turn lance along Blue Heron Blvd from east of Military Trail to Garden Road. This Contract also includes milling and resurfacing, drainage structures, guardrail, tree relocations, irrigation repair, patterned pavement, signalization, and signing and pavement marking. | The Improvements under this Contract consist of Landscape improvements on SR 5/Overseas Highway from Jerome Avenue/MM 81.47 to Smuggler's Cove Entrance/MM85.59 |
| PROJECT CONTRACT & LOCATION | T-6374 - SR-934 (NE 79TH ST) (J F KENNEDY CAUSEWAY) FROM E OF N BAYSHORE TO BAY DRIVE W & OVER BISCAYNE BAY BR NOS. 870550 & BISCAYNE BAY, BN NOS. 870550 & | PSEN-15-01 - DESIGN BUILD SERVICES FERTAFT ST ADADWAY RECONSTRUCTION - UNIVERSITY DR TO DOUGLAS RD | E-4Q79 - SR-822/SHERIDAN ST PARK AND RIDE LOT | T-6335 - 5R 25 (NW 36TH 5T) FROM OKEECHOBEE RD TO NW 23RD AVE AND AT THE INTERSECTION OF NW 27TH AVE | T-4415 - SR-9 (1-95) (BLUE HERON BLVD) & FROM E OF SR-809 (MILITARY TRAIL) TO GARDEN RD | E-6186 - SR-5/OVERSEAS HIGHWAV FROM JEROME AVE/MM 81.47 TO SMUGGLER'S COVE ENTRANCE/MM 85.59 |
| CONTRACT AMOUNT | \$ 5,144,044.54 | \$ 1,127,514.62 | \$ 1,217,846.47 | \$ 1,885,541.29 | \$ 1,247,191.11 | \$ 2,079,118.00 |
| CONTACT PERSON TITLE PHONE # FAX # E-MAIL | Joan Fabian Ph: 305.640.7400 Email: joan.fabian@dot.state.fl.us | Marín Scattolini, P.E. Project Engineer R.J. Behar & Company 6861 S.W. 193322 Pembroke Pines, FL 13332 Tel. (954) 680-7781 Fax. (954) 680-7781 | Murtuza Aluminiumwala, P.E. Celi: 554-892-2362 Murtuza.Aluminiumwala@dot.state.fi.us | Victor Diaz, E.I. Projec Oversite I Cell: (305) 962-4116 Victor Diaz@dot.state.fl.us | Jerssica Lewis Project Administrator Cell: (55.1) 459-0908 Office: (55.1) 370-1113 Dessica.Lewis@dot.state.fl.us | Jacki Hart, PE Senior Project Engineer 3100 Overseas Hwy, Marathon, FL 33050 954-775-6949 jacki.hart@rsandh.com |
| ADDRESS | FDOT District VI 1000 NW 111 Avenue Miami, Florida 33172 | City of Pembroke Pines, City of Icek's Office Sta Floor, 10100 Pines Boulevard, Pembroke Pines, FL 33026. | FDOT, District 4, Broward Operations 5548 NW 9th Avenue Fort Lauderdale, FL 33309 | FDOT District VI 1000 NW 111 Avenue Miami, Florida 33172 | Palm beach operations center 7900 forest hill boulevard West palm beach, florida 33413 | FDOT District VI 1000 NW 111 Avenue Miami, Florida 33172 |
| OWNER | FDOT | CITY OF PINES | FDOT | FDOT | FDOT | FDOT |
| # 800 0 | 15054 | 15663 | 15067 | 15071 | 15074 | 15084 |

| J | | | | | | |
|---|--|--|--|---|---|---|
| COMPLETION DATE | 3/2/2017 | /1/c | 12/15/2017 | 3/17/2017 | LT02/ST/E | CURRENT |
| START DATE | 1/29/2016 | S102/62/ <i>T</i> | 1/11/2016 | 5/24/2016 | 4/27/2016 | 9/2/2016 |
| WORK DESCRIPTION | The Improvements under this Contract consist of Milling & Resurfacing along SR- S/Biscayne Blvd from North of NE 190 Street (MP 24, 278) to N of NE 213 Street (MP 25, 464) with minor widening, signing and pavement markings and intersection safety improvements at all the intersection along the project limits, excluding the NE 203 Street / Ives Dairy Overpass, within the City of Aventura in Milami-Dade Courty. Aiso induced in this Contract are Landscape and Irrigation improvements. | Silver Lakes Home Owner's Association (HOA) is seeking qualified contractors to provide a cost proposal for Asphalt Pavement Milling and Resurfacing for the following communities: Sapphire Bay Coconut Shores Coconut Reef Emerald Springs Maibu Pointe Maibu Pointe Sumstel Kiek | The project consists of furnishing all labor, equipment, tools, and materials for the construction of a new sideway indicators, lighting, milling and resurfacing, pavement markings, etc. along MIK Boulevard from Powerline Road to Blount Road. This a LAP project in conjunction with FDOT. | Milling & Resurfacing, widening and resurfacing of intersecting streets, up to the existing joint at the side street or up to the Point of Curvture as determined by Engineer | The Improvements under this Contract consist of 3R (resurface, restore and rehabilitare)improvements along SR AJA (Broward County, / Sections 88.180 and 86050). Improvements include the milling and resurfacing of SR AJA, from the Just reast of the Nareedee River Findles to Sumes Bouleward, including the section of Sumise Bouleward from the Bridge to sume the Intracoastal Waterway to the SR-AJA intersection. Additional improvements consist of the SR-AJA intersection. Additional improvements consist of Mayan Drive Intersectional Souleward inform signification upgrades, upgrades to pedestrian and vehicular signage and installation of new pavement markings. In addition, removal of abandoned driveway cuts and utility/agency owners will be addressed under this RR project. Also, in-pavement control will be in addressed under this RR project. Also, in-pavement of order to enhance driverawits will be installation or der to enhance driver awareness and pedestrian aziefty at those locations. | E-4R50 - PUSHBUTTON - ROADWAY CONSTRUCTION, INTERSECTION IMPROVEMENTS, ROADWAY SIGNING IMPROVEMENTS, ROADWAY SIGNING & PAVEMENT MARKINGS & PAVEMENT MARKINGS |
| PROJECT CONTRACT & LOCATION | T-6380 - SR-5 (BISCAYNE BLVD) FROM N OF NE 196TH STTO N OF NE 213TH ST | 13-0609.02 - SILVER LAKES ASPHALT RESURFACING - SAPHHRE SOUND, COCONUT SHORES, CRYSTAL SOUND, SAPPHIRE BAY, COCONUT REEF, EMERALD SPRINGS, SUNSET ISLES & MALIBU POINTE | ART-05 - MIK BOULEVARD STREETSCAPE PROJECT (LOCAL AGENCY PROGRAM) LAP | PCPW1600123 - ROADWAY RESURFACING CONTRACT | T-4407 - SR-AJA, FROM JUST EAST OF THE MERCEDES RIVER BRIDGE TO SUNRISE BLVD | E-4R50 - PUSHBUTTON - ROADWAY CONSTRUCTION IMPROVEMENTS, ROADWAY SIGNING R PAVEMENT MARKINGS |
| CONTRACT AMOUNT | \$ 3,520,907.11 | \$ 1,122,414,00 | \$ 3,532,605.43 | \$ 1,917,307.29 | \$ 4,429,693.38 | \$ 1,000,000.00 |
| CONTACT PERSON TITLE PHONE # FAX # E-MAIL | Melissa DeZayas Ph.: 305-640-7174 Email: melissa.dezayas@dot.state.fl.us | Stephen F. Botek, P.E., LEED Green Associate Botek Thurlow Engineering, Inc. 3409 XW 9th Avenue, Suite 1102 FL. Lauderclale, FL 33309 (954)261-4094 c | Mohamed Mabrouk Ph: 954-921-7781 Email: mmåbrouk®cgasolutions.com | Frank Mendoza 111 N.W. Jar Street Mami, FL 33128 Ph: 305-281-9724 Email: frank.mendoza@miamidade.gov | Eduardo A. Hernandez, P.E. Project Administrator 3000 NE 30th Place, Suite 309 Fort Lauderdale, FL 33306 Cell: (954) 770-7781 | Timothy Butler Ph: 954-958-7646 Emall: Timothy, butler@dot.state.fl.us |
| ADDRESS | FDOT District VI 1000 NW 111 Avenue Miami, Florida 33172 | Botek Thurlow Engineering, inc.'s 3409 NW 9th Avenue, Suite 1102, Fort Lauderdale, FL 33309 | City of Pompano Beach1190 N.E. 3rd Avenue, Building C (front) Pompano Beach, Florida 33060 | Miami Dade County 111 N.W. 1st Street Miami, FL 33128 | FDOT, District 4, Broward Operations 5542 NW 9th Avenue Fort Lauderdale, FL 33309 | FDOT, District 4, Broward Operations 5548 NV 9th Avenue Fort Lauderdale, FL 33309 |
| OWNER | FboT | SILVER LAKES COMMUNITY ASSOC, INC. | CITY OF POMPANO BEACH | MIAMI-DADE CO. | FDOT | FDOT |
| 198 # | 15097 | 15105 | 15129 | 15137 | 15142 | 16029 |

p. 50

٠

BidSync

| N | 117 | 117 | 117 | 117 | 017 | 112 | |
|---|---|--|--|---|---|--|--|
| COMPLETION DATE | 3/20/2017 | 3/31/2017 | 3/24/2017 | 3/13/2017 | 2/10/2017 | 3/29/2017 | |
| START DATE | 1/18/2017 | 12/1/2016 | 5/23/2016 | 8/30/2016 | 7/20/2016 | 6/20/2016 | |
| WORK DESCRIPTION | E 4RS4 - PUSHBUTTON - ROADWAY CONSTRUCTION, INTERSECTION IMPROVEMENTS, ROADWAY SIGNING intersection improvements, roadway signing and pavement marking throughout & PAVEMENT MARKINGS | This project is City-wide in the City of Fort Lauderdale. It is an amual contract without fixed volume of work. Work will be dependent upon the desire of the City to perform work on a task order basis. Work in the first year will include, but is not limited to, installation of 6-inches thick concrete sidewalk, various curbs, butck pavers, limerack base of various depths, type 2-3 asphalts concrete, thermoplastic pavement marking. ADA concrete ramps, removal of asphalt, tree roots and other items quantified in the proposal pages of this contract. | The Improvements under this Contract consist of intersection improvements along State Road No. 90 / S.W. Bth Street from S.W. 38th Avenue to West of S.W. 33rd Avenue and at the intersection of State Road No. 90 / S.W. 8th Street and State Road 953 / Leleune Road. | T-6385 - SH-94 / SW 88TH ST / The Improvements under this Contract consist of intersection improvements KENDALL DR FROM W OF SW 127TH along State Road 94 / SW 88 Street / Kendall Drive from West of SW 127 Avenue. AVE TO W OF SW 122ND AVE | The improvements under this contract consist of intersection improvements along SR-933/SW 12th Ave. from SW 8th St. to SW 6th St in Miami-Dade County | The scope of work is identified on the plans. The following streets will be reconstructed and/or resurfaced: Area 1: Area 1: SW 1at St from SW 2nd to SW61h Ave • SW 1at St from SW 2nd to SW61h Ave • SW 3th Ave from SW 121 to West Palm Dr. • SW 5th Ave from SW 151 to West Palm Dr. • SW 5th Ave from SW 15tto West Palm Dr. • SW 4th Ave from NW 15tto West Palm Dr. • NW 4th Ave from NW 15tto West Palm Dr. • NW 4th Ave from NW 15tto West Palm Dr. | |
| PROJECT CONTRACT & LOCATION | E 4R54 - PUSHBUTTON - ROADWAY CONSTRUCTION, INTERSECTION IMPROVEMENTS, ROADWAY SIGNING & PAVEMENT MARKINGS | 12134 - ANNUAL CONCRETE AND PAVER STONES | T-6372 - SR-90 / SW 8TH ST. FROM SW 39TA NZET OW OF SW 33D0 AVE & AT THE INTERSECTION OF SR-90 / SW 8TH ST AND SR-953 / LEIEUNE RD | T-638S - SR-94 / SW 88TH 4T / KENDALL DR FROM W OF SW 127TH AVE TO W OF SW 122ND AVE | Project Name: SR-333/SW 12th Ave. from SW 8th St. to SW 6th St. Financial No:: 433433-1-52-01 Contract No:: 76386 FAP No:: 6155014U | 14-019.08 - FLORIDA CITY COMMUNITY REDEVELOPMENT AGENCY (CRA) SW 15T STREET AREA ROADWAY IMPROVEMENTS PHASE 1 | |
| CONTRACT AMOUNT | \$ 1,000,000.00 | \$ 5,373,503.00 | \$ 1,089,885.00 | \$ 1,122,163.66 | \$ 648,208.71 | \$ 1,127,640,68 | |
| CONTACT PERSON TTTLE PHONE # FAX # E-MAIL | Mark Riordan Ph: 561-370-1262 Email: Mark.riordan@dot.state.fl.us | Barbara Howell Ph: 954-828-4505 Email: bhowell@fortlauderdale.gov | Andres Diaz, M.S., E.I. Project Oversite 1 FDOT - District VI 1000 NW 1111th Ave. Mlami, FI 33172 Phone: (305) 640-7426 Cell: (305) 540-7426 Cell: (305) 640-7426 | Andres Jaz, M.S., E.L. Project Oversite 1 FDGT - District VI 1000 NW 1111h Ave. Miami 1 33172 Phone: [305] 540-745 Cell: [305] 540-745 Andres. Diaz@ddt.state.fi.us | Andres Diaz, M. S., E.I. Project Oversite 1 FDOT - District VI 1000 NW 1111th Ave. Miami, FI 3317 A2 Phone: (305) 640-7425 Call: (305) 525-4951 Andres. Diaz@dot.state.fl.us | Pedro D. Gonzalez, P.E. Baljet Envirormental, Inc. 10661 N. Kendall D., Suite 218 Miami, Florida 33176 Telephone 305-598-0199 | |
| ADRESS | Palm beach operations center 7900 forest hill boulevard West palm beach, florida 33414 | City of Fort Lauderdale 100 North Andrews Avenue Fort Lauderdale, FL | FDOT District VI 1000 NW 111 Avenue Miami, Florida 33172 | FDOT District VI 1000 NW 111 Avenue Miami, Florida 33172 | FDOT District VI 1000 NW 111 Avenue Miami, Florida 33172 | Commission Chambers at City Hall 404 West Palm Drive, Florida City, Florida, 33034 | |
| OWNER | FDOT | CITY OF FORT LAUDERDALE | F O T | 5001 | FOOT | CITY OF FLORIDA CITY | |
| JOB # | 16038 | 16042 | 16045 | 16046 | 16047 | 16050 | |

| 7 | 1 | 1 | | | | | | |
|---|--|---|--|---|--|---|--|---|
| COMPLETION DATE | 2/27/2017 | 3/30/2017 | 12/2/2016 | 1/8/2018 | 3/12/2017 | 3/17/2017 | 2/27/2017 | 3/22/2017 |
| START DATE | 8/18/2016 | 5/10/2016 | 6/13/2016 | 10/3/2016 | 11/8/2016 | 11/30/2016 | 1/4/2017 | 8/30/2016 |
| WORK DESCRIPTION | The Improvements under this Contract consist of roadway reconstruction, widening, milling and securitaring, as well as sidewalk widening, new sidewalks and pedestrian access crosswalks, drainage system modifications and improvements including French Drains, utility adjustments, traffic calming measures, signing and pavernent markings, signalization, solar pedestrian lights, pedestrian detectors, and landscaping along NW 9th Avenue (Powerline Road) from State Road 842 (Broward Boulevard) in the City of Fort Lauderdale, Broward County ¹⁰ . | T-6337 - SR-968 (W FLAGLER ST) AND The Improvements under this Contract consist of reconstruction along SR-968 SR-9 (NW/SW 27TH AVE) FROM WEST (W. Flagler SL, from West of SR-9 (W. 27th Ave) to West of W. 14th Ave. and OF SR-9 (27TH AVE) TO WEST OF 14TH also intersection improvement along SR-9 (NW/SW 27 Ave) from SW 10th Street AVE | The Improvements under this Contract for 5,R 882 / Forest Hill Boulevard from east of Olive Tree Boulevard to east of Jog Road consist of milling and resufacing, ADA upgrades, drainage improvements, widening for bits lanes, pedestriating, ADA ungrades, drainage improvements, widening for bits lanes, pedestriating and and going and pavement markings. This facility is an east- west urban principal arterial with an overall length of 0,40 miles and is located in Palm Basch County, within the city limits of Greenacres | Furnish all labor, materials, equipment, supervision and incidentals required to perform roadway milling, resurfacing, pavement marking, miscellaneous pavement repair activities, and maintenance of traffic per specifications in a competent and professional manner and in compliance with applicable building, safety, technical and manner and in compliance with applicable building, safety, technical and | The Improvements under this Contract consist of videning, milling and resurfacing, curb and gutter, sidewalk, drainage improvements, signal improvements, signing and pavement marking, and incelligent transportation system components at the Florida's Tumpike Mainline Interchange with SR 786 (PGA Boulevard) at MP 109 in Palm Beach County. | The Improvements under this Contract consist of Work under this Contract consists of widening, milling & resurfacing, driveways, curb and gutter, consists of widening, milling & resurfacing, and pavement making, and pavement making, signalization, lighting, and landscaping on SW 30th Avenue from State Road B18 (Griffin Road) northerly 0.243 miles to SW 42nd Street in Broward County. | The improvements under this Contract consist of milling and resurfacing, widening, drainage, signing and pavement markings, detectable warnings, and signalization improvements along State Road 882 / Forest Hill Blvd from west of Rich Drive easterly 0.298 miles in the City of Palm Springs, Palm Beach County. | The improvements under this Contract consist of constructing decorative concrete sidewalks and installing a street and pedestrian lighting system along State Road No. AI.A./South Ocean Dive from Courny Line Road (Nassini Avenue northerity 0.774 milles to State Road No. 828 / Hailandale Beach Boulevard in the City of Hailandale Beach, Broward County. |
| PROJECT CONTRACT & LOCATION | T 4429 - NW 9TH AVE (POWERLINE RD) FROM BROWARD BL'D TO S OF SISTRUNK BLVD | T-6337 - SR-968 (W FLAGLER ST) AND SR-9 (NW/SW 27TH AVE) FROM WEST OF SR-9 (27TH AVE) TO WEST OF 14TH AVE | T4426 - SR-882 (FOREST HILL BLVD) FROM E OF OLIVE TREE BLVD TO RIVER BRIDGE CENTER | J138700281 - BROWARD CO. PAVEMENT RESURFACE & REPAIR SERVICES | E-8P93 - SR-821 (PGA BLVD), TURNPIKE INTERCHANGE IMPROVEMENTS (MP 109) | T-4428 - SW 30TH AVE FROM GRIFFIN RD TO SW 45TH ST | T-440 SR-882 (FOREST HILL BLVD) FROM W OF RICH DR. EASTERLY 0.298 MILES | E-4R66 - SR-A14/SOUTH OCEAN DR FROM COUNTY UNE RD/MASSINI AVE NORTHERLY 0.774 MILES TO SR- 858/HALLANDALE BEACH BLVD |
| CONTRACT AMOUNT | \$ 1,817,367,89 | \$ 1,445,137.60 | \$ 1,093,694.94 | \$ 4,372,170.00 | \$ 1,627,382.52 | \$ 1,321,404.07 | \$ 1,336,352.57 | \$ 2,866,096.05 |
| CONTACT PERSON TITLE PHONE # FAX # E-MAIL | Erik Nemati, E.I. Office: 928-7671 Cell: 954-299-6441 Erik.Nemati@dot.state.fl.us | Brian Gibbs, V.P. Ph: 954-691-7762 Email: brian g@russellengine com | Omar McFarlane Arc Electric, Inc. (954) 583-9800 Fax: (954) 583-9807 omdarlane@arcelectricfl.com | Luis Velez, P.E. Highway & Bridge Maintenance Division 1600 Blourt Road Pompano Bach, F.L 33069 Ph: 554-357-046 Fmail: Iveler/@httmard.org | 5ri Mavanor Ph. 305-796-0708 Email: sri@cegroupfl.com | Murtuza Aluminiumwala, P. E. Project Oversite Florida Department of Transportation 554 & NW. 3th Avenue 554 & NW. 3th Avenue Fort Lauderdale, Florida 33309 Email: Murtuza.Aluminiumwala@dot.state.fl.us Mobile: 954-892-2362 | Saira Rothschild FDOT District 4 Ph.:561-531-0853 Saira.Rothschild@dot.state.fl.us | William Grey P.E. Project Oversite I Florida Department of Transportation Mobile: (954) 540-0062 Mobile: (954) 640-61062 IIs |
| ADDRESS | FDOT, District 4, Broward Operations 5548 NW 9th Avenue Fort Lauderdale, FL 33309 | RUSSELL ENGINEERING, INC. 2530 S.W. 36TH STREET FT. LAUDERDALE, FL 33312 | ARC ELECTRIC, INC. 3330 SW 46TH AVENUE DAVIE, FL 33314 | Broward County 115 South Andrews Ave, Ft. Lauderdale, FL 33301 | Palm beach operations center 7900 forest hill boulevard West palm beach, florida 334,14 | FDOT, District 4, Broward Operations 548 NW 9th Avenue Fort Lauderdale, FL 33309 | Palm beach operations center 7900 forest hill boulevard West palm beach, florida 33414 | FDOT, District 4, Broward Operations 5548 NW 9th Avenue Fort Lauderdale, FL 33309 |
| OWNER | FDOT | RUSSELL ENGINEERING, INC. | ARC ELECTRIC, INC. | BROWARD CO. | FDOT | FDOT | FDOT | FDOT |
| # 80Г | 16055 | 16057 | 16059 | 16065 | 16068 | 16071 | 16087 | 16088 |

| NOILE E | 210; | 017 | 210; | 2016 | 017 | 2016 | |
|---|---|--|--|--|---|---|--|
| COMPLETION | 3/30/2017 | 1/3/2017 | 7102/1E/E | 12/19/2016 | 71/2017 | 12/9/2016 | |
| START DATE | 8/17/2016 | 10/10/2016 | 3/3/2017 | 11/2/2016 | 10/18/2016 | 12/8/2016 | |
| WORK DESCRIPTION | The improvements under this Contract consist of flexible pavement reconstruction along SR-968/W. Flagler St. | Scope includes, but is not limited to, the furnishing of all labor, materials, equipment, services and incidentals for the construction of: Pine Island Road Construction from South of Nova Drive/SW24 Street to SR 84/I-595 located within Broward County limits in the Town of Davie | ASPHALT RESURFACING PHASE III - COCONUT BAY, PELICAN BAY, SAPPHIRE PARK, MISTY HARBOR, BRITTANY BAY, BRITTANY, COCONUT KEY, TREASURE SOUND | Broward County Board of County Commissioners approved an agreement on June 3, 2014 for 50% funding from the Florida Department of Transportation (FDDT), County Incentive Grant Program (CIGP). The work set forth includes but is not limited to the furnishing of all labor, materials, equipment, tools, incidentals and services required for the widening of Wiles Road from west of Rock Island Road to State Road 7 (US 441) and identified as Project No. 5388 in the City of Coral Spirings, State of Florida. The Project Includes Roadway Reconstruction, Drainage Modification, Signing and Pavement Markings, Signalization Upgrades, Maintenance of Traffic, Lighting, Landscape and Inrigation | 12" WATERMAIN EXTENSION MARTIN LUTHER KING, JR. BLVD./PALM BEACH ROAD | The Improvements under this Contract consist of: milling and resurfacing, roadway and median widening, bike lanes, detectable warnings, countdown timers for pedestrian crosswalks, vehicle detection systems, traffic monitoring sites, guardrail relocation and new anchorage assemblies, drainage improvements, overhead motorist guide signs, lighting, replacing span-wire signalization with mast arms, geinging and pavement markings and ATV improvements alone State Road 848 (Stirling Road) from State Road 817 (University Drive) asserity 2.768 miles to east of SR 7 J us 441 from 0.152 miles south of SR-848 (Stirling Road) to 0.189 miles north of SR 848 (Stirling Road) in Broward County. | |
| PROJECT CONTRACT & LOCATION | 1,019,116.00 FROM WEST 14TH AVE TO WEST 2ND AVE | R1392616C1 - PINE ISLAND ROAD FROM NOVA DRIVE / SW 24TH STREET TO SR-84, MILL & PAVE | 13-0609.03 - SILVER LAKES ASPHALT RESURFACING PHASE III - COCONUT BAY, PELCAN BAY, SAPPHIRE PARK, MISTY HARBOR, BRITTANY BAY, BRITTANY, COCONUT KEY, TREASURE SOUND | R1392101C1 - WILES ROAD FROM ROCK ISLAND ROAD TO SR-7 (US-441) | 15-025 - RECONSTRUCTION OF MARTIN LUTHER KING BLVD | T-4439 - 5R-848 (STIRLING RD) AND SR-7 (US-441) FROM E OF SR-817 (UNIVERSITY DR) TO E OF SR-7 (US- 441) AND FROM S OF SR-848 TO N OF SR-848 | |
| CONTRACT AMOUNT | \$ 1,019,116.00 | \$ 1,082,222.92 | \$ 1,018,815.75 | \$ 1,280,750.00 | \$ 2,323,381,85 | \$ 4,580,758.00 | |
| CONTACT PERSON TITLE PHONE # FAX # E-MAIL | Brian Gibbs, V.P. Ph: 954-691-7762 Email: brian.g@russellengineering.com | Sandy Leiper, P. M. Ph: 561-441-7407 Email: Sleiper@rrrpaving.com | Stephen F. Botek, P. F., LEED Green Associate Botek Thurlow Engineering, Inc. 3409 NW 9th Avenue, Suite 1102 Ft. Lauderdale, FL 33209 (954)568-0888 p (954)261-4094 c | Sandy Leiper, P. M. Ph: 561-441-7407 Email: sleiper@rrrpaving.com | Dave Mendez CAP Engineering Ph: 305-445-1711 Email: dmendez@capfia.com | Brandon Baggett, P.E. President / Senior Project Engineer 1414 NW 107 Avenue, Suite # 314 Sweetwater, Fiofrida 33172 T. (786)600-2867 F. (786)600-3867 C. (954)931-6791 | |
| ADDRESS | RUSSELL ENGINEERING, INC. 2S30 S.W. 36TH STREET FT. LAUDERDALE, FL 33312 | TRIPLE R PAVING, INC. 3328 S.W. 46TH AVENUE FORT LAUDERDALE, FL 33314 | Botek Thurlow Engineering, Inc.'s 3409 NW 9th Avenue, Suite 1102, Fort Lauderdale, FL 33309 | TRIPLE R PAVING, INC. 3328 S.W. 46TH AVENUE FORT LAUBERDALE, FL 33314 | CITY OF SOUTH BAY 335 SW 2nd Ave South Bay, FL 33493 | FDOT, District 4, Broward Operations 5548 NW 9th Avenue Fort Lauderdale, FL 33309 | |
| OWNER | RUSSELL ENGINEERING, INC. | TRIPLE R PAVING, INC. | SILVER LAKES COMMUNITY ASSOC., INC. | TRIPLE R PAVING, INC. | CITY OF SOUTH BAY | FDOT | |
| # 80ſ | 16091 | 16094 | 16099 | 16103 | 16104 | 16118 | |

BidSync

City of Pembroke Pines PROJECT REFERENCES/INFORMATION

| z | 1 | | | | | 1 | | | | 1 |
|---|--|---|---|--|--|--|---|---|---|--|
| COMPLETION | 5/31/2017 | | | | | 2/8/2018 | | | | |
| START DATE | 2/21/2017 | 12/20/2016 | 4/3/2017 | 3/8/2017 | s/22/2017 | 9/12/2017 | 5/20/2017 | 7/17/2017 | 8/14/2017 | 07/19/207 |
| WORK DESCRIPTION | WORK DESCRIPTION To provide services for milling and resurfacing of various roads and replacement of thermoplastic pavement markings and signage. The scope of work includes the furnishing of all labor, materials, equipment, tools, incidentals and services required for the School Zone Pedestrian Safety and Preservation Program within public right-of-ways for the Broward County Highway Construction and Engineering Stinson (HCED). | | The scope of the project includes but is not limited to construction of a new landscaped median, sidewalks, signalization, and new lighting as well as milling, resurfacing, and new pavement markings and signage to create a 4 lane divided roadway with bike lanes. | The scope of work includes the furnishing of all labor, materials, equipment, tools, incidentals and services required for intersection improvements at Two Lucations for the lowavard County Highway Construction and Engineering Division (HCED). The two locations are: Pine Island Road and Sunset Street in the City of Sunrise and at Sheridan Street and Paim Avene is in Cooper CitY and the City of Pamhynce Pines, both In Elivida | The roadway plans for Palm Beach County Project No. 2014519, consist of all work necessary to construct/widen SW 18th Street & Military Trail, Palm Beach County, Florida. The work includes mobilization, clearing and grubbing, ditch work, maintenance of traffic, maintenance of pedestrian traffic, asphalt pavement, earthwork, drainage, signalization, NPDES compliance, and other work, as directed by the Engineer. | Furnish and place four inch asphalt concrete pavement (2 lifts), Type SP, and 4 inch asphalt base. As contingency, furnish and place 12 th compacted limerock base and 20 th reinforced limerock base with 2 geogrid layers. | The improvements under this Contract consist of milling and resurfacing, base work, shoulder treatment, drainage improvements, curb and gutter, guardrail, sidewalks and signing and pavement marking on Avenue J and K from Sth Street to 1st Street and on State Road 35 from Old U.S. 27 easterly 1.291 miles to 5th Street in the City of Moore Haven, Glades County. | The widening includ removal Lago, | The Improvements under this Contract consists of milling and resurfacing guardants idewalks, driveways, drainage improvements, ITS, fiber optic, pedestrian signals, mast arm signalization including temporary systems, lighting, and signals and pavement markings along SFa08 (Glades Road) from 0.325 miles were of SR-7 (US-Aut) easterhy 7.615 miles to SR-8 (US- 1), noting that the majority of the Work is within Construction Limits ancillary to SR-808 (Glades Road), partially in the City of Boca Raton, entirely in Palm Baech | Resurfacing on St. Andrews Bivd and the construction of two right turn lanes on South Verde Trail. St. Andrews Bivd resurfacing includes the milling and resurfacing of a 1.3 mile section of St. Andrews Bivd between Palmetto Park Road and Glade Road, construction of metal modifications, drainage Improvements, a new eight-foot vide pathways repairs to existing pathways and minor ADA Improvements. |
| PROJECT CONTRACT & LOCATION | 20170123 - 2015-16 ROAD RESURFACING PLAN PHASE 1 | C2111208C1 - SCHOOL ZONE PEDESTRIAN SAFETY & PRESERVATION PROJECT CONSTRUCTION PROJECT | B-16-157 - DAVIE ROAD PHASE II, ROADWAY IMPROVEMENTS | 5424 & 5425 - INTERSECTION IMPROVEMENTS AT TWO LOCATIONS, PINE ISLAND RD & SUNSET STRIP AND SHERIDAN ST & PALM AVE | 2014519 - SW 18TH STREET & MILITARY TRAIL | R1407403C1 - SOUTHPORT PHASE 1X- B IMPROVEMENTS | T-1666 - AVE I, AVE IX, AND SR-25 (US- 27) FROM 5TH ST TO 1ST ST AND FROM OLD US-27 TO 5TH ST | T-4447 - LYONS RD FROM 0.095 MILES S OF NORTE LAGO 0.693 MILES NORTHERLY TO PINE SPRINGS DR | T 4464 - SR 808 (GLADES RD) FROM SR 7(US 441) TO SR-5 (US-1) | BID NO. 2017-034 - ST. ANDREWS BOULEVARD RESUFFACING AND SOUTH VERDE TRAIL RIGHT TURN LANES |
| CONTRACT AMOUNT | \$ 1,365,605.45 | \$ 2,110,710.44 | \$ 2,433,873.04 | \$ 1,063,342.69 | \$ 1,225,347.90 | \$ 1,742,498.80 | \$ 3,057,225.66 | \$3,554,036.49 | \$3,S20,178.33 | \$1,627,500.03 |
| CONTACT PERSON TITLE PHONE # FAX # E-MAIL | Atrian technedy Atrian technedy assol 5. Palm Dr Babo 5. Palm Dr Babo 5. Palm Dr Babo 5. Palm Dr Babo 1 Palmer Carolina Vargas, P.E. Litensed Engineer Highway Construction & Engineering Division Email: CVARGAS@broward.org Laura Borgesi Ph: 95,4797-1095 Email: CVARGAS@broward.org Dh: 95,4797-1095 Email: CVARGAS@broward.org Uctorsed Engineer Phile Works Department Highway Construction & Engineering Division Email: CVARGAS@broward.org | | John Kopelakis Chief Construction Coordinator Direct (561) 684 4173 Fax (561) 684 4155 Fax (561) 684 4155 Email: JKopelak@pbcgov.org | Ted Hojara Projech Manage Prone: 934-680-610 Prione: 934-680-610 Email: tholara@berareoninc.com | District 1 863-519-2623 Dîprcustodian@dot.state.fl.us | Alain Jimenez, E.I. Project Oversite I 370-1145 Cell: (551) 531-1037 | Brian Israelson Project Oversite 1 Office: 551.246-0334 Cell: 551.246-0334 | Elsa Tellez Chief Construction Inspector Phone: (561) 416-4244 Cell: (561) 239-0389 | | |
| ADDRESS | City of Pembroke Pines, City Clerk's Office, 5th Floor, 10100 Pines Boulevard, Pembroke Pines, FL 33026. | Broward County 115 South Andrews Ave Ft. Lauderdale, FL 33301 | Town of Davie 6591 Orange Drive Davie, Florida 33314 | Broward County 115 South Andrews Ave Ft. Lauderdale, Ft. 33301 | Board of County Commissioners, Beach County Engineering & Public Works Department 2300 North Jog Road West Palm Beach, Florida, 33411 | Bergeron Land Development, Inc. 19612 S.W. 69th Place Ft. Lauderdale, FL 33332 | Florida Department of Transportation District 1 – Office of General Counsel 801 M. Broadway Bartnw. E1 33830 | Florida Department of Transportation West Palm Beach Operations 7900 Forest Hill Bivd. West Palm Beach, Fl 334/13 | Florida Department of Transportation West Palm Beach Operations 7900 Forest Hill Bivd. West Palm Beach, Fl 33413 | City of Boca Raton Municipal Services Department 201 W Palmetto Park Road Boca Raton, FL 33432 |
| OWNER | CITY OF PEMBROKE PINES | BROWARD CO. | TOWN OF DAVIE | BROWARD CO. | PALM BEACH CO. | BERGERON LAND DEVELOPMENT, INC. | FDOT | FDOT | f bot | CITY OF BOCA RATON |
| JOB # | 16119 | 16121 | 16125 | 16136 | 16142 | 17034 | 17038 | 17058 | 17070 | 17071 |

City of Pembroke Pines PROJECT REFERENCES/INFORMATION

| COMPLETION DATE | | | | | | | | |
|---|---|--|--|--|---|---|--|--|
| START DATE CO | 8/17/2017 | 12/19/2017 | 12/21/2017 | 12/14/2017 | 10/31/2017 | 4/18/2018 | 3/26/2018 | 3/5/2018 |
| WORK DESCRIPTION | Furnish all labor, materials, equipment, supervision and incidentals required to perform roadway milling, resurbating, pavement marking, miscellaneous pavement ropair activities, and maintenance of traffic per specifications in a competent and professional manner and in compliance with all applicable building, safety, technical and related codes and laws. Construction activities shall conform to the latest related codes and laws. | The scope of work includes but is not limited to widening the existing multi-lane road configuration throughout the corridor to accommodate a combination of sharrow and designated bike lanes, intermittent landscape medians, right turn lanes, and the construction of a traffic round-a-bout 200' west of SW 71st Terrare together with the expansion to a four lane divided section with landscaped medians from Davie Road to College Avenue. Existing drainage facilities will be modified and new drainage facilities will be added. New sidewalks, curbing, curb ramps, roadway lighting, landscaping with irrigation, new signalization, as well as road construction, | The bid proposal is being requested for "SCFE SE Extension – US 27 Rail Crossing Project" which is located near 1598 US 27, South Bay, FL 33493. The objective and ultimate goal for this project consists of proposed traffic control, denoticion, grading project consists of proposed traffic control, striping, and other work for the raising of US 27 highway for a proposed railroad / highway grade crossing. The project is located just south of South Bay at MD 72.66 to MP 27.81 on US 2.73 as shown on the Plans. Crouch Railway Consulting, LUC, invites you to bid to furnish all materials, labers, rupervision, transportation, tools, equipment and items incidental to construction necessary to complete | This Project is located at the Fort Lauderdale Executive Airport. The work Includes, but is not limited to, pavement milling/demolition, grading, limerock, prime/tack, P-401 asphalt paving, pavement triping, aoding, watering period; installation of cabing, conducts, taxiway edge lights, guidance signs, and modifications to the Airfield Lighting Computer Controlled Monitoring system in the electrical vault and air traffic control tower. | The purpose of this project is to provide resurfacing and related work on the local modes as identified in the 257 (padway with search fang (harse U) plans for Silver Lakes, Florida. The areas to be resurfaced are defined on the drawings silver Lakes, Florida. The areas to be resurfaced are defined on the drawings prepared by BTE dated 3-15-17. The contractor shall mill and resurface the areas located within the boundaries indicated on the BTE drawings. The subsequent sections of this specification describe appropriate information for this work. | The Improvements under this Contract consist of intersection improvements along State Road No. 90 / SW Rbth Steet from West of SW 90th Avenue to East of SW 86th Court and along State Road No. 973 / SW 87th Avenue from SW 14th Street to North of SW 4th Street. | Scope includes, but is not limited to, the furnishing of all labor, materials, equipment, services and incidentals for Pembroke Road Construction (Dykes Road to Silver Shores Blvd). The improvements include reconstruction of Pembroke Road from two lames to fours lanes vidued readway with Complete Streets elements, including designated bicycle lanes, sideaway, dramage, lighting, signalization, landszeinig, and irrigation improvements. This project includes County Incentive Grant Program funding from Florida Department of Transportation (FDOT) for construction services | The improvements consists of sidewalk, driveways, curb and gutter construction, landscaping, lighting and preparation and implementation of Maintenance of Triffic, improvements are within an area bounded by Pembroke Road to the north County Line Road to the south, SW 22 Ave to the west and SR 7 to the east. |
| PROJECT CONTRACT & LOCATION | COOPERATIVE/PIGGYBACK AGREMENT OFF BROWARD CO. J138700283, JOB 15065 ROAD RESURFACING PROJECTS | ITB NO. B-17-151; NOVA DRIVE ROADWAY IMPROVEMENTS | SCFE (SOUTH CENTRAL FLORIDA SCFE (SOUTH CENTRAL FLORIDA EXPRESS) SE EXTENSION - US 27 RALL CROSSING PROJECT NEAR 1598 US 27, SOUTH BAY, FL 33493 | FXE AIRPORT TAXIWAY INTERSECTION IMPROVEMENTS, FORT LAUDERDALE EXECUTIVE AIRPORT | SILVER LAKES ROADWAY RESURFACING PROJECT PHASE 4 | T-6436, SR 90 (SW 8 ST) AND SR 973 (SW 87 AVE) | PEMBROKE ROAD CONSTRUCTION (DYKES TOAD TO SILVER SHORES BLVD) | HISTORIC MIRAMAR COMPLETE STREETS-PHASE II |
| CONTRACT AMOUNT | \$4,372,170.00 | \$6,278,108.06 | \$1,473,833.97 | \$1,388,944.00 | \$1,270,888.78 | \$1,387,410.35 | £6,599,707.17 | \$1,968,988.00 |
| CONTACT PERSON TITLE PHONE # FAX # E-MAIL | Laura A. Borgesi, PE, PSM, MPA Town Engineer 954.797.1196 Fax 954.797.1142 Iborgesi@davie-fl.gov | Laura A. Borgesi, PE, PSM, MPA Town Engineer 954.797.1096 Fax 954.797.1142 iborgesi@davie-fl.gov | Don Jeffery Construction Manager djeffery@crouchengineering.com | Fernando Blanco Airport Engineer/Project Manager Il fblanco@fortlauderdale.gov | Robert Moses, ICAM, CMCA, AM5 VP of Operations/General Manager Phone: 954- 438-6570 ext. 220 Fax: 954-438-3951 robert@pinespropertymanagement.com | Francisco Lledo Project Oversite I Phone: 305-640-7506 Cell: 305-619-7144 Cell: Francisco.Iledo@dot.state.fl.us | Angela Byers Administrative Officer Email: abyers@broward.org (954) 337-5948 Cell (954) 770-0935 | Salvador Zuniga, P.E. Development Englneer Email: sezuniga@miramarfl.gov Phone: (954) 602-3323 |
| ADDRESS | Town of Davie 6591 Orange Drive Davie, Fl 33314 Phone 954,797.1082 | Town of Davie 6591 Orange Drive Davie, FL 33314 Phone 954,797.1082 | Crouch Engineering, Inc 2005 W US 27 Clewiston, FL 33440 Office: (863) 902-1554 Cell: (863) 843-0605 | Fort Lauderdale Executive Airport (954) 828-6536 | Pines Property Management 6941 SW 196 Ave Suite 27 Pembroke Pines, FL 33332 | FDOT District VI 1000 NW 111 Avenue Miami, Florida 33172 | Highway and Bridge Maintenance Division 1600 Blount Read, Pompano Beach, FL 33069 | City of Miramar Construction & Facilities Management Department 2200 Givic Center Place Miramar, FL 33025 |
| OWNER | TOWN OF DAVIE | TOWN OF DAVIE | CROUCH RAILWAY CONSULTING, LLC | CITY OF FORT LAUDERDALE | SILVER LAKES COMMUNITY ASSOC, INC. | FDOT | BROWARD CO. | CITY OF MIRAMAR |
| JOB # | 17096 | 17098 | 17099 | 17101 | 17118 | 17122 | 17126 | 17129 |

City of Pembroke Pines PROJECT REFERENCES/INFORMATION

| | 1 | · | 1 | | 1 | l. | r |
|---|--|--|---|---|--|--|---|
| COMPLETION DATE | | | | | | | |
| START DATE | 6/2/2018 | 3/27/2018 | 2/3/2018 | | | | |
| WORK DESCRIPTION | The improvements consists of milling and resurfacing, driveways, curb and gutter construction, landscaping, lighting, signalization and preparation and implementation of Maintenance of Traffic. Improvements consist of intersection improvements along SR-953/Leleune Rd from SW 2nd Street to NW 11th Street in Miami-Dade County. | Furnish all labor, materials, equipment, supervision and incidentals required to perform earthwork, water and sewer install, drainage, asphalt surfacing, concrete curb and sidewalk, implementation of Maintenance of Traffic, pavement markings and signage for the construction of the Entry Control Complex located on Homestead Air Force Base. | Furnish all labor, materials, equipment, supervision and incidentals required to perform roadway milling, resurfacing, pavernent marking, miscellaneous pavement repair activities, and maintenance of traffic per specifications in a competent and professional manner and in compliance with all applicable building, safety, technical and related codes and laws. | The improvements consists of milling and resurfacing, pavement markings, guardrails, drainage improvements, curb and gutter construction, landscaping, lighting, signalization and imprementation of Maintenance of Traffic. Improvements consist along State Road 7/Northwest 7 Avenue from north of Northwest 79 Street to Little Rive. Divo. | Widening, milling and resurfacing, curb and gutter, drainage improvements, sidewalk and driveways, bus shelterpads, bus shelter relocations, signing and pavement markings, detectable warming surfaces, vehicle detection systems, ITS components for an intelligent Parking System, and lighting within the existing Park and Ride facility at the southeast quadrant of the intersection of State Road 84 (1-55S eastbound frontage road) and Davie. Road, with connections to Rese Road, in the City of Davie. | Widening, milling and resurfacing, gravity wall, Class IV culverts and retraining walls, drainage improvements (including pipe culverts, curb and barrier wall drainage inlets, and curb and gutter), driveways, sidewalks, guardrail, predestrian ralling, cip-rang, training and pavement markings, sign structures, signalization (including pedestrian detectors as ignals, and vehicle detection systems) along State Road 80 (US 98/Southern Boulevard) fro Pike Road easterly 0.379 miles to east of Truck and Trailer Way. | |
| PROJECT CONTRACT & LOCATION | T-6430, SR 953 (LE JEUNE RD) FROM SW 2ND STREET TO NW 11TH STREET | CONTRACT # W912QR-17-C-0029, CONSTRUCTION ENTRY CONTROL COMPLEX, HOMESTEAD AFB | J1387)00281 - BROWARD CO. PAVEMENT RESURFACE & REPAIR SERVICES | E-6L27, SR 7 / NW 7 AVE FROM N OF NW 79 ST TO LITTLE RIVER DRIVE | E-4T05, PARK AND RIDE DAVIE ROAD AT SR 862 / 1-59S | E-4T01, SR 80 / SOUTHERN BLVD FROM PKE ROAD E ASTERLY 0.379 MILES TO EAST OF TRUCK AND TRAILER WAY | |
| CONTRACT AMOUNT | \$1,525,970.08 | \$3,525,552.1S | \$ 4,372,170.00 | \$1,584,337.03 | \$ 1,095,456.32 | \$ 1,711,929.30 | |
| CONTACT PERSON TITLE PHONE # FAX # E-MAIL | | Anthony Gorman Phone: (786) 235-5876 agorman@secherokeeconstruction.com | Luis Velez, P.E. Highway & Bridge Maintenance Division 1600 Biourit Road Pompano Beach, F.I 33059 Ph: 954-357-046 Email: Velez@broward.org | | | | |
| ADDRESS | FBOT District VI 1000 NW 111 Avenue Miami, Florida 33172 | Southeast Cherokee Construction, Inc. 14140 SW 72nd Ave Palmetto Bay, FL 33158 | Broward County 115 South Andrews Ave, Ft. Lauderdale, FL 33301 | FDOT District VI 1000 NW 111 Avenue Miami, Florida 33172 | FDOT, District 4, Broward Operations 5548 NW 9th Avenue Fort Lauderdale, FL 33309 | FDOT, District 4, Broward Operations 5S48 NW 9th Avenue Fort Lauderdale, FL 33309 | |
| OWNER | FDOŢ | SOUTHEAST CHEROKEE CONSTRUCTION, INC. | BROWARD CO. | FDOT | FDOT | FDOT | |
| JOB # | 17132 | 18031 | 18038 | 18054 | 18056 | 18057 | |

CITY OF PEMBROKE PINES 601 CITY CENTER WAY, LBTR-4TH FLOOR PEMBROKE PINES, FL 33025

,

LOCAL BUSINESS TAX RECEIPT

| ACCOUNT-NO: 20040623/01 RECEIPT-NO: 171593 BUS-NAME : WEEKLEY ASPHALT PAVING, INC. BUS-ADDR : 20701 STIRLING RD SOUTHWEST RANCHES FL 33332-1513 BUS-DESCR : CONSTRUCTION/ ASPHALT PAVING | | NOTICE In the event receipt was : will become n | the business t issued changes null and void. ceipt must be m CTED LICENSE | which this hands, the p An application | receipt |
|---|----------------|--|---|--|---------|
| BUSINESS-CLASSIFICATION | INV/UNITS 0 | EFFECTIVE 10/01/2017 | PERMIT-NUMBER | | P/Pines |
| CUN CONTRACTOR - UNCLASSIFIED SIGN BUSINESS SIGN | 1 | 10/01/2017 | A CALL | | P/Pines |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| · · · · · · · · · · · · · · · · · · · | • | | | | |

BidSy

(''')

| Business P | DBA: ame: WEEKLEY ASPHI | ALT PAVING INC | Receipt Business Typ | #:189-4834 ALL OTHER T De: (ASPHALT CO | YPES CONTRACTO | R |
|---|--|--|--|--|---|----------|
| | ame: WAYNE D WEEKLE ation: 20701 STIRLIN PEMBROKE PINN | NG RD Sta | Business Opene ate/County/Cert/Re Exemption Coo | g:CC-78-581 | | |
| in the second | 10ne: 954-680-8005 | Employees | Machines | Profes | sionals | |
| Ko | oms Seats | Employees 30 | wachines | FIDIOS | sionais | |
| | Number of Machines: | For Vending Business | Only Vending Type | ə: | | |
| Tax Amount 81.00 | Transfer Fee | SF-Fee Penalty | Prior Years | Collection Cost | Total Paid 81.00 | |
| Charles and Area | S A TAX RECEIPT ATED SS: EKLEY LING RD | POSTED CONSPICUOU This tax is levied for the priv non-regulatory in nature. Yo and zoning requirements. T the business is sold, busi business location. This rece it is in compliance with State | vilege of doing busine ou must meet all Cou 'his Business Tax Re ness name has cha ipt does not indicate e or local laws and reg Receipt | ss within Broward inty and/or Municip eceipt must be tran inged or you hav that the business i | County and is ality planning sferred when e moved the e moved the s legal or that 959 | |
| | DEPARTMENT OF | STATE OF FLORIDA BUSINESS AND PROF UCTION INDUSTRY LICE | ESSIONAL REGU | LATION | | |
| ENSE NUMBER | | | | | | à |
| GENERAL CONTRA | IED | - | | | |) |
| ler the provisions of C iration date: AUG 31 | hapter 489 FS. 2018 | 1524 4 1 | | | COD WI TE | |
| | S. C. Carlo | Ser and | | | 10%2%2 10 | a 31 |
| WORKMAN, BAR | ALT PAVING INC | | S | | | |
| WEEKLEY ASPH | E, STE 172 FL 33326 | and setting | Surger ? | 1. 2.1 | | |
| WEEKLEY ASPH 304 INDIAN TRAC WESTON | | | 1. 113 | W. S. Co | | |
| WEEKLEY ASPH | | | and the second of the second s | Mr. Oakland | A 1154 - 10 X | ell. |
| WEEKLEY ASPH | | | 1.15 | 1.26 | | and the |
| WEEKLEY ASPH | /12/2016 D | ISPLAY AS REQUIRED E | BY LAW | SEQ # L1606120 | 001670 | |
| WEEKLEY ASPH, 304 INDIAN TRAC WESTON | BROW | ISPLAY AS REQUIRED E VARD COUNTY, FLORIDA FICATE OF COMPETENCY | | SEQ # L1606120 | 001670 | |

p. 58

5/8/2018

PSEN-18-01

City of Pembroke Pines

State of Florida **Department** of State

I certify from the records of this office that WEEKLEY ASPHALT PAVING, INC. is a corporation organized under the laws of the State of Florida, filed on July 15, 1955.

The document number of this corporation is 186570.

I further certify that said corporation has paid all fees due this office through December 31, 2018, that its most recent annual report/uniform business report was filed on February 1, 2018, and that its status is active.

I further certify that said corporation has not filed Articles of Dissolution.

Given under my hand and the Great Seal of the State of Florida at Tallahassee, the Capital, this the First day of February, 2018

Ken Definen Secretary of State

Tracking Number: CC9107725318

To authenticate this certificate, visit the following site, enter this number, and then follow the instructions displayed.

https://services.sunbiz.org/Filings/CertificateOfStatus/CertificateAuthentication



RICK SCOTT GOVERNOR Florida Department of Transportation 605 Suwannee Street Tallahassee, FL 32399-0450

MIKE DEW SECRETARY

October 19, 2017

WEEKLEY ASPHALT PAVING, INC. 20701 STIRLING RD SOUTHWEST RANCHES FL 33332

RE: CERTIFICATE OF QUALIFICATION

Dear Sir/Madam:

The Department of Transportation has qualified your company for the type of work indicated below. Unless your company is notified otherwise, this Certificate of Qualification will expire 12/30/2018. However, the new application is due <u>10/31/2018</u>.

In accordance with S.337.14 (1) F.S. your next application <u>must be</u> filed within (4) months of the ending date of the applicant's audited annual financial statements.

If your company's maximum capacity has been revised, you can access it by logging into the Contractor Prequalification Application System via the following link: <u>HTTPS://fdotwpl.dot.state.fl.us/ContractorPreQualification/</u>

Once logged in, select "View" for the most recently approved application, and then click the "Manage" and "Application Summary" tabs.

FDOT APPROVED WORK CLASSES:

DEBRIS REMOVAL (EMERGENCY), DRAINAGE, ELECTRICAL WORK, FENCING, FLEXIBLE PAVING, GRADING, GRASSING, SEEDING AND SODDING, GUARDRAIL, HOT PLANT-MIXED BITUM. COURSES, INTERMEDIATE BRIDGES, LANDSCAPING, MINOR BRIDGES, PAVEMENT MARKING, PORTLAND CEMENT CONCRETE ROADWAY PAVING, R&R INTERMEDIATE BRIDGES ("R&R" IS REPAIR AND REHABILITATE), R&R MINOR BRIDGES, ROADWAY SIGNING, SIDEWALK, TRAFFIC SIGNAL, CURB & GUTTER, RIP RAP, SANITARY SEWER, WATER LINE.

You may apply for a Revised Certificate of Qualification at any time prior to the expiration date of this certificate according to Section 14-22.0041(3), Florida Administrative Code (F.A.C.), by accessing your most recently approved application as shown above and choosing "Update" instead of "View." If certification in additional classes of work is desired, documentation is needed to show that your company has done such work with your own forces and equipment or that experience was gained with another contractor and that you have the necessary equipment for each additional class of work requested.

All prequalified contractors are required by Section 14-22.006(3), F.A.C., to certify their work underway monthly in order to adjust maximum bidding capacity to available bidding capacity. You can find the link to this report at the website shown above.

Sincerely,

ralan, you

Alan Autry, Manager Contracts Administration Office

City of Pembroke Pines

8

ġ

www.fdot.gov

PSEN-18-01



Vendor Number:F590753039002Name:WEEKLEY ASPHALT PAVING, INC.Application Status:PENDINGFiscal Year End Date:6/30/2017Application Due Date:SUBMITTAL10/31/2017

NOTE: The Capacity shown below will be reduced by your Work Underway to determine your Available Bidding Capacity.

| Adjusted Current Ratio: | 2 | | |
|----------------------------|------------------|-------------------------------------|-------------------|
| Ability Score: | 99 | Surety Multiplier: | 0 |
| Ability Factor: | 15 | Calculated Maximum Bid Capacity: | \$ 778,150,000.00 |
| Adjusted Net Worth: | \$ 25,938,156.00 | | |

| | Document | Mailed | Received | Attached |
|--------------------------------|---------------------------------|------------|------------|---|
| Audited or Statements | Reviewed Financial s | 10/11/2017 | 10/11/2017 | N/A |
| Affidavit | | 10/4/2017 | | AFFIDAVIT OCT. 4, 2017.PDF |
| Equipment | | | | FIXED ASSET SCHEDULE JUNE 30, 2017.PDF |
| Surety Lett | er | | | |
| Letters of F | Recommendation | | | |
| Audited or | O Reviewed Financial Statements | N/A | N/A | AUDITED FINANCIAL STATEMENTS - JUNE 2017.PDF |

https://fdotwp1.dot.state.fl.us/ContractorPreQualification/Pages/OnlineApplication/cpqO... 11/13/2017

BidSync



Contractor Pre-Qualification (CPQ)



11/13/2017 4:05:40 PM EST

Return to Inquiry Menu

Contractor with Vendor Number f590753039002 1-1 of 1 contractors

Printer Friendly Version

| VENDOR NAME | HOME OFFICE ADDR | ESS | BIDDING OFFICE ADDRESS | 1 | |
|--|--|--|---|---|--|
| WEEKLEY ASPHALT PAVING, INC. F590753039002 EXPIRES: 12/30/2018 | 20701 STIRLING ROA SOUTHWEST RANCH (954)680-8005 | | 20701 STIRLING ROAD SOUTHWEST RANCHES, FL 33332 (954)680-8005 | | |
| WORK CLASSES | | | | - | |
| DEBRIS REMOVAL (EMERG | ENCY) | DRAINAGE | | | |
| ELECTRICAL WORK | , | FENCING | | | |
| FLEXIBLE PAVING | | GRADING | | | |
| GRASSING, SEEDING AND S | SODDING | GUARDRAIL | | | |
| HOT PLANT-MIXED BITUM. (| COURSES | INTERMEDIATE BRIDGES | | | |
| LANDSCAPING | | MINOR BRIDO | GES | | |
| PAVEMENT MARKING | | PORTLAND CEMENT CONCRETE ROADWAY PAVING | | | |
| R&R INTERMEDIATE BRIDG AND REHABILITATE) | ES ("R&R" IS REPAIR | R&R MINOR E | BRIDGES | | |
| ROADWAY SIGNING | | SIDEWALK | | | |
| TRAFFIC SIGNAL | | | | | |
| * CURB & GUTTER, RIP RAP, | SANITARY SEWER, V | WATER LINE. | | | |



FLORIDA DEPARTMENT OF TRANSPORTATION Report Technical Problems to the Service Desk @ 1-866-955-4357 or email: <u>Service Desk</u> Send Prequalification Questions or Comments to <u>Contracts</u> <u>Administration Office</u> <u>Internet Privacy Policy, Disclaimers & Credits</u>



PSEN-18-01



Bid Bond

CONTRACTOR:

(Name, legal status and address) Weekley Asphalt Paving, Inc. 20701 Stirling Road Pembroke Pines, FL 33332

OWNER:

(Name, legal status and address) City of Pembroke Pines 601 City Center Way Pembroke Pines, FL 33025

BOND AMOUNT: Five percent of bid amount

PROJECT:

(Name, location or address, and Project number, if any) Bid # PSEN-18-01 - Asphalt Surface - Treatment w/High Density Mineral Bond for NW 178 Ave & 17 St.

The Contractor and Surety are bound to the Owner in the amount set forth above, for the payment of which the Contractor and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, as provided herein. The conditions of this Bond are such that if the Owner accepts the bid of the Contractor within the time specified in the bid documents, or within such time period as may be agreed to by the Owner and Contractor, and the Contractor either (1) enters into a contract with the Owner in accordance with the terms of such bid, and gives such bond or bonds as may be specified in the bidding or Contract Documents, with a surety admitted in the jurisdiction of the Project and otherwise acceptable to the Owner, for the faithful performance of such Contract and for the prompt payment of labor and material furnished in the prosecution thereof; or (2) pays to the Owner the difference, not to exceed the amount of this Bond, between the amount specified in said bid and such larger amount for which the Owner may in good faith contract with another party to perform the work covered by said bid, then this obligation shall be null and void, otherwise to remain in full force and effect. The Surety hereby waives any notice of an agreement between the Owner and Contractor to extend the time in which the Owner may accept the bid. Waiver of notice by the Surety shall not apply to any extension exceeding sixty (60) days in the aggregate beyond the time for acceptance of bids specified in the bid documents, and the Owner and Contractor shall obtain the Surety's consent for an extension beyond sixty (60) days.

If this Bond is issued in connection with a subcontractor's bid to a Contractor, the term Contractor in this Bond shall be deemed to be Subcontractor and the term Owner shall be deemed to be Contractor.

When this Bond has been furnished to comply with a statutory or other legal requirement in the location of the Project, any provision in this Bond conflicting with said statutory or legal requirement shall be deemed deleted herefrom and provisions conforming to such statutory or other legal requirement shall be deemed incorporated herein. When so furnished, the intent is that this Bond shall be construed as a statutory bond and not as a common law bond.

Signed and sealed this ______ day of ______ May _____, 2018___.

| | Weekley Asphalt Paving, Inc. | |
|---------------------------------------|--|--------|
| | (Principal) | (Seal) |
| (Witness) Wayne D. Weekley, Secretary | | |
| | (Title) DAniel D. Weekler Resident Western Surety Company | i |
| thromoup Jolon | (Surety) | (0, 1) |
| (Witness) Francys Tolon | | (Seal) |
| | (Title) Lisette Rodriguez Attorney-in-Fact | |
| | \mathcal{V} | |

Printed in cooperation with the American Institute of Architects (AIA).

The language in this document conforms to the language used in AIA Document A310 - Bid Bond - 2010 Edition.

Bond No.__

SURETY: Western Surety Company: South Dakota Corporation (*Name, legal status and principal place of business*)

333 S. Wabash Avenue 41st Floor Chicago, IL 60604

This document has important legal consequences. Consultation with an attorney is encouraged with respect to its completion or modification.

Any singular reference to Contractor, Surety, Owner or other party shall be considered plural where applicable.

City of Pembroke Pines

83

ġ

Bid Bond

GENERAL INFORMATION

Purpose. AIA Document A310—2010 establishes the maximum penal amount that may be due the Owner if the Bidder fails to execute the contract and to provide the required performance and payment bonds, if any. It provides assurance that, if a bidder is offered a contract based on its tendered proposal but fails to enter into the contract, the Owner will be paid the difference in cost to award the contract to the next qualified bidder, so long as the difference does not exceed the maximum penal amount of the bond.

Related Documents. A310 is not incorporated by reference into other AIA documents. For further reference on bonding procedures, see AIA Document A701TM—1997, Instructions to Bidders; and AIA Document G612TM—2001, Owner's Instructions to Architect.

Use of Non-AIA Forms. AIA Document A310 may be used with any appropriate AIA or non-AIA document. CAUTION SHOULD BE EXERCISED BEFORE ITS USE TO VERIFY ITS COMPLIANCE WITH CURRENT LAWS AND REGULATIONS BY CONSULTING WITH AN ATTORNEY OR A BOND SPECIALIST.

USING A310-2010

Modifications. Particularly with respect to professional or contractor licensing laws, building codes, taxes, monetary and interest charges, arbitration, indemnification, format and font size, AIA Contract Documents may require modification to comply with state or local laws. Users are encouraged to consult an attorney before completing or modifying a document.

In a purchased paper AIA Contract Document, necessary modifications may be accomplished by writing or typing the appropriate terms in the blank spaces provided on the document, or by attaching Supplementary Conditions, special conditions or referenced amendments.

Modifications directly to purchased paper AIA Contract Documents may also be achieved by striking out language. However, care must be taken in making these kinds of deletions. Under NO circumstances should standard language be struck out to render it illegible. For example, users should not apply blocking tape, correction fluid or Xs that would completely obscure text. Such practices may raise suspicion of fraudulent concealment, or suggest that the completed and signed document has been tampered with. Both parties should initial handwritten changes.

Using AIA software, modifications to insert information and revise the standard AIA text may be made as the software permits.

By reviewing properly made modifications to a standard AIA Contract Document, parties familiar with that document can quickly understand the essence of the proposed relationship. Commercial exchanges are greatly simplified and expedited, good faith dealing is encouraged, and otherwise latent clauses are exposed for scrutiny.

AIA Contract Documents may not be retyped or electronically scanned. Retyping can introduce typographic errors and cloud legal interpretation given to a standard clause. Furthermore, retyping and electronic scanning are not permitted under the user's limited license for use of the document, constitute the creation of a derivative work and violate the AIA's copyright.

Identification of the Parties. The Contractor, the Surety, and the Owner should be identified using their respective full names and addresses or legal titles under which the bond is to be executed. The state in which the Surety is incorporated also should be identified in the space provided.

Bond Amount. The dollar amount of the bond should be provided in both written and numerical form.

Project Description. The proposed project should be described in sufficient detail to identify (1) the official name or title of the facility; (2) the location of the site; (3) the proposed building type, size, scope or usage; and (4) the project number required by the owner, if any. A project number may be required by certain public owners to adequately identify the project to which the bond pertains.

Execution of the Bond. The bond must be signed by both the Contractor and the Surety. The parties executing (signing) the bond should print their title and impress their corporate seal, if any. Where appropriate, attach a copy of the resolution or bylaw authorizing the individual to act on behalf of the firm or entity. As to the Surety, this usually takes the form of a power of attorney issued by the Surety company to the bond producer (agent) who signs on its behalf.

BidSync

Instructions

DSEN-18-01

City of Pembroke Pines

Western Surety Company

POWER OF ATTORNEY APPOINTING INDIVIDUAL ATTORNEY-IN-FACT

Know All Men By These Presents, That WESTERN SURETY COMPANY, a South Dakota corporation, is a duly organized and existing corporation having its principal office in the City of Sioux Falls, and State of South Dakota, and that it does by virtue of the signature and seal herein affixed hereby make, constitute and appoint

Jeffrey Samas, Richard Arcadio Rodriguez, Lisette Rodriguez, Individually

of Coconut Grove, FL, its true and lawful Attorney(s)-in-Fact with full power and authority hereby conferred to sign, seal and execute for and on its behalf bonds, undertakings and other obligatory instruments of similar nature

- In Unlimited Amounts -

and to bind it thereby as fully and to the same extent as if such instruments were signed by a duly authorized officer of the corporation and all the acts of said Attorney, pursuant to the authority hereby given, are hereby ratified and confirmed.

This Power of Attorney is made and executed pursuant to and by authority of the By-Law printed on the reverse hereof, duly adopted, as indicated, by the shareholders of the corporation.

In Witness Whereof, WESTERN SURETY COMPANY has caused these presents to be signed by its Vice President and its corporate seal to be hereto affixed on this 17th day of February, 2017.

State of South Dakota County of Minnehaha

SS

On this 17th day of February, 2017, before me personally came Paul T. Bruflat, to me known, who, being by me duly sworn, did depose and say: that he resides in the City of Sioux Falls, State of South Dakota; that he is the Vice President of WESTERN SURETY COMPANY described in and which executed the above instrument; that he knows the seal of said corporation; that the seal affixed to the said instrument is such corporate seal; that it was so affixed pursuant to authority given by the Board of Directors of said corporation and that he signed his name thereto pursuant to like authority, and acknowledges same to be the act and deed of said corporation.

| My commission expires | J. MOHR | |
|-----------------------|--------------------|------------------------|
| June 23, 2021 | NOTARY PUBLIC SEAL | Amphr |
| | | J. Mohr, Notary Public |

CERTIFICATE

I, L. Nelson, Assistant Secretary of WESTERN SURETY COMPANY do hereby certify that the Power of Attorney hereinabove set forth is still in force, and further certify that the By-Law of the corporation printed on the reverse hereof is still in force. In testimony whereof I have hereunto subscribed Man day of 2018 my name and affixed the seal of the said corporation this



WESTERN SURETY COMPANY

WESTERN SURETY COMPANY

. Relson lelson. Assistant Secretary

aul T. Bruflat, Vice President

City of Pembroke Pines



PEMBROKE PINES CITY COMMISSION

Frank C. Ortis MAYOR 954-450-1020 fortis@ppines.com

Angelo Castillo VICE MAYOR -DISTRICT 4 954-450-1030 acastillo@ppines.com

Thomas Good DISTRICT 1 954-450-1030 tgood@ppines.com

Jay Schwartz DISTRICT 2 954-450-1030 jschwartz@ppines.com

Iris A. Siple DISTRICT 3 954-450-1030 isiple@ppines.com

Charles F. Dodge CITY MANAGER 954-450-1040 cdodge@ppines.com IFB # PSEN-18-01

Addendum # 1 City of Pembroke Pines IFB # PSEN-18-01 Asphalt Surface Treatment with High Density Mineral Bond for NW 178 Ave and NW 17 St including Repair Line Items

A) MANDATORY PRE-BID MEETING RE-SCHEDULED DATE

The Mandatory Pre-Bid Meeting has been re-scheduled to April 25, 2018 at 10:00 a.m. Meeting location will be at the City of Pembroke Pines Public Services Building, 8300 South Palm Drive, Pembroke Pines, FL, Pembroke Pines, FL 33025.

B) REVISIONS TO SECTION 1.5.9 AND 1.5.10 OF THE BID PACKAGE

1.5.9 Attachment K: References Form

- a. Milling & Resurfacing: Proposer must have completed 3 milling and resurfacing projects of the same type within the last two years.
- b. High Density Mineral Bond: The Contractor should have successfully completed at least five (5) projects using the same mix design as given in Table 4 Mix Properties of Attachment P "High Density Mineral Bond Requirements". The Contractor should provide a list of five (5) projects which used the mix design in Table 4 Mix Properties and <u>have demonstrated</u> a five year minimum proven performance on a bituminous surface.

An alternative to the Contractor required experience is an HDMB supplier representative providing support and inspection of the project. The HDMB supplier representative must have the same experience required of the Contractor with five projects using the mix design specified in Table 4 – Mix Properties of Attachment P "High Density Mineral Bond Requirements" that have a five year performance history.

c. Complete Attachment K: References Form, for at least three other municipalities or contracts where similar Milling & Resurfacing services have been satisfactorily performed within the past two years. In addition, complete Attachment K: References Form, for at five other municipalities or contracts where similar High Density Mineral Bond services have been satisfactorily performed within the past five years. For each contract listed, include the name and telephone number of a representative for whom the contract was undertaken who can verify satisfactory performance.

City of Pembroke Pines | Procurement Division | 8300 S. Palm Drive | Pembroke Pines, FL 33025 954-518-9020 | purchasing@ppines.com | www.ppines.com

5/8/2018

City of Pembroke Pines

- d. Please provide any additional information that the proposer feels will help explain their work experience and how it meets the minimum requirements.
- e. As part of the proposal evaluation process, the City may conduct an investigation of references, including a record check or consumer affairs complaints. Proposers' submission of a proposal constitutes acknowledgment of the process and consent to investigate. The City is the sole judge in determining Proposers qualifications.

Professional Licenses, Special Requirements and Business Tax 1.5.10 **Receipts**

- a. Please indicate the Proposer's selected Asphalt Plant that will be utilized and also submit a copy of the certification of qualification in Hot Plant mixed Bitum and flexible paving from the selected Asphalt Plant.
- b. Please indicate the Striping Subcontractor and submit a certificate of competency from Broward County for your Striping subcontractor in the area of striping, marking and signage of major roads to include pavements (3F or approved equal). Note the striper can be changed at any time provided a copy of the certificate of competency is submitted to the Environmental Services Division.
- c. Copies of any other necessary city, county, and state professional licenses and business tax receipts.

REVISION TO ATTACHMENT N "SPECIAL LICENSE C) **REQUIREMENTS**"

Please see the revised "Attachment N "Special License Requirements."

67

ġ

| 6 | | Ŷ | | | | 44364 | | | | | |
|-------------------|---|--|-------------------------------|-----------------------------------|--|----------------------------|---|---|--|-------------------------|------------|
| PSEN-18-01 | ACORD [®] CERTIFICATE OF LIABILITY INSURANCE | | | | | | | | | (MM/DD/YYYY) /1/2018 | |
| PS | C B | HIS CERTIFICATE IS ISSUED AS A I ERTIFICATE DOES NOT AFFIRMATI ELOW. THIS CERTIFICATE OF INS EPRESENTATIVE OR PRODUCER, AN | VEL | Y OR | NEGATIVELY AMEND, DOES NOT CONSTITU | EXTE | ND OR ALT | ER THE CO | VERAGE AFFORDED E | ЗҮ ТНЕ | E POLICIES |
| | lf | IPORTANT: If the certificate holder i SUBROGATION IS WAIVED, subject his certificate does not confer rights to | to ti | he ter | ms and conditions of th | ne polie | cy, certain p | olicies may | | | |
| | | DUCER (205) 112 1000 | | | | CONTA NAME: | Francys I | | ······································ | | |
| | | nmercial Lines - (305) 443-4886 I Insurance Services National, Inc. | | | | PHONE (A/C, N E-MAIL | o, Ext): 786.78 | | FAX (A/C, No): | 786264 | 49232 |
| | | 11 South Bayshore Drive, Suite 1600 | | | | ADDRE | ss: mancys | .tolon@usi.co | | | 1 |
| | | conut Grove, FL 33133 | | | | INSURE | 0110 | | RDING COVERAGE | | NAIC # |
| | INSU | INSURED | | | | INSURE | | • | e and Liability Insurance | Com | 26247 |
| | | ekley Asphalt Paving, Inc. | | | | INSURE | RC: AGCS | Marine Insur | ance Company | | 22837 |
| | 207 | 01 Stirling Road | | | | INSURE | RD: | | | | |
| | Bon | nbroke Pines FL 33332 | | | | INSURE | | | | | L |
| | | OVERAGES CERTIFICATE NUMBER: 12990031 | | | | | RF: | | REVISION NUMBER: S | See belo | |
| | TH IN CE E) | HIS IS TO CERTIFY THAT THE POLICIES IDICATED. NOTWITHSTANDING ANY RE ERTIFICATE MAY BE ISSUED OR MAY F XCLUSIONS AND CONDITIONS OF SUCH I | of i Quif Pert Polic | INSUR REMEN AIN, 1 CIES. | ANCE LISTED BELOW HANNE, TERM OR CONDITION | of an' Ed by | Y CONTRACT THE POLICIE REDUCED BY | o the insure or other i s describei paid claims. | ED NAMED ABOVE FOR T DOCUMENT WITH RESPE | HE POL CT TO | ICY PERIOD |
| | INSR LTR | TYPE OF INSURANCE | | SUBR WVD | POLICY NUMBER | | POLICY EFF (MM/DD/YYYY) | POLICY EXP (MM/DD/YYYY) | LIMIT | S | |
| | Α | | х | | MWZY 312426 | | 03/01/2018 | 8 03/01/2019 | EACH OCCURRENCE DAMAGE TO RENTED | s | 1,000,000 |
| | | CLAIMS-MADE X OCCUR | | | | | | | PREMISES (Ea occurrence) MED EXP (Any one person) | s s | 500,000 |
| | | | | | | | | | PERSONAL & ADV INJURY | s | 1,000,000 |
| les | | GEN'L AGGREGATE LIMIT APPLIES PER: | | | | | | | GENERAL AGGREGATE | s | 2,000,000 |
| of Pembroke Pines | | POLICY X PRO- JECT LOC | | | | | | | PRODUCTS - COMP/OP AGG | s | 2,000,000 |
| roke | | | | | | | | | COMBINED SINGLE LIMIT | s s | |
| emb | Α | AUTOMOBILE LIABILITY | | | MWTB 312425 | | 03/01/2018 | 03/01/2019 | COMBINED SINGLE LIMIT (Ea accident) BODILY INJURY (Per person) | s s | 1,000,000 |
| of P | | OWNED SCHEDULED AUTOS ONLY | | | | | | | BODILY INJURY (Per accident) | | |
| City | | AUTOS ONLY AUTOS ONLY | | | | | | | PROPERTY DAMAGE (Per accident) | \$ \$ | · · · |
| | в | X UMBRELLA LIAB X OCCUR | | | AUC593410904 | | 03/01/2018 | 03/01/2019 | EACH OCCURRENCE | s | 5,000,000 |
| | | EXCESS LIAB CLAIMS-MADE | | | | | | ł | AGGREGATE | ş | 5,000,000 |
| | | DED RETENTION \$ | | | · · · · · · · · · · · · · · · · · · · | - | | | V PER OTH- | s | |
| | Α | AND EMPLOYERS' LIABILITY Y / N | Y/N | | MWC 312427 00 | 03/01/2018 | 03/01/2019 | ^ STATUTE ER | | 1,000,000 | |
| | | ANYPROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBEREXCLUDED? | N/A | | | | | | E.L. EACH ACCIDENT E.L. DISEASE - EA EMPLOYEE | \$ | 1,000,000 |
| | | If yes, describe under DESCRIPTION OF OPERATIONS below | | | | | | | E.L. DISEASE - POLICY LIMIT | | 1,000,000 |
| | С | Leased & Rented Equipment | | | MXI93071287 | | 03/01/2018 | 03/01/2019 | L&R Equipment \$200,000 Deduc | tible \$5,0 | 00 |
| | | | | | | | | | | | |
| | DESC | CRIPTION OF OPERATIONS / LOCATIONS / VEHICL | ES (A | CORD | 101. Additional Remarks Schedul | e, may b | e attached if more | e space is require | ed) | | |
| | | : IFB # PSEN-18-01 | (, , | | | -,, <i>.</i> | | | | | |
| | City | y of Pembroke Pines is listed as an addit | liona | lineur | od with respects to the ge | noral lie | ability covorac | 10 | | | |
| | Oity | y of remotoker mes is listed as an addi | liona | 111301 | ed with respects to the ge | | ability coverag | j c. | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| L | CEF | RTIFICATE HOLDER | | | | CANC | ELLATION | | | | |
| [| | | | | | | | | | | |
| | | y of Pembroke Pines | | | | | | | ESCRIBED POLICIES BE C. REOF, NOTICE WILL E | | |
| | | 1 Cty Center Way | | | | | | | Y PROVISIONS. | | |
| | Pei | mbroke Pines, FL 33025 | | | | | RIZED REPRESE | | | | |
| | | | | | | | | | Brank | | |
| | | | | | | | | Yearn | Mangon | | |

The ACORD name and logo are registered marks of ACORD © 1988-2015 ACORD CORPORATION. All rights reserved.

BidSync

CONTACT INFORMATION FORM

IN ACCORDANCE WITH "IFB # PSEN-18-01" titled Asphalt Surface Treatment with High Density Mineral Bond for NW 178 Ave and NW 17 St including Repair Line Items" attached hereto as a part hereof, the undersigned submits the following:

A) Contact Information

The Contact information form shall be electronically signed by one duly authorized to do so, and in case signed by a deputy or subordinate, the principal's properly written authority to such deputy or subordinate must accompany the proposal. This form must be completed and submitted through www.bidsync.com as part of the bidder's submittal. The vendor must provide their pricing through the designated lines items listed on the BidSync website.

COMPANY INFORMATION:

COMPANY: Weekley Asphalt Paving, Inc. STREET ADDRESS: 20701 Stirling Road CITY, STATE & ZIP CODE: Pembroke Pines, FL 33332

PRIMARY CONTACT FOR THE PROJECT:

NAME: **Daniel D. Weekley** TITLE: **President** E-MAIL: **weekleyasp@aol.com** TELEPHONE: **954-680-8005** FAX: **954-680-8671**

AUTHORIZED APPROVER:

NAME: Daiel D. Weekley TITLE: President E-MAIL: weekleyasp@aol.com TELEPHONE: 954-680-8005 FAX: 954-680-8671 SIGNATURE:

B) Sample Proposal Form

The following sample price proposal is for information only. The vendor must provide their pricing through the designated lines items listed on the BidSync website.

BID PRICE FORM

High Density Mineral Bond/Asphalt Surface Treatment

The bidder, having carefully examined the specifications and Terms and Conditions herein, proposes to furnish all labor, materials, equipment and other items without exception for the proper execution and completion of the work, and if awarded the contract, to complete the said work within time limits as specified for the following bid prices.

| Item No. | Estimated Quantity | Unit | Description | Unit Price | Total |
|-------------|-----------------------|----------|--|-------------------------------|-------|
| 1 | 65,000 | Sq. Yds. | High Density Mineral Bond | Submit pricing via BidSync | |
| 2 | 9,050 | Sq. Ft. | Repair by Mill and Resurface | Submit pricing via BidSync | |
| 3 | 1 | LS | Pavement Markings | Submit pricing via BidSync | |
| 4 | 1 | LS | Maintenance of Traffic (MOT) | Submit pricing via BidSync | |
| 5 | 1 | LS | Additional Cost to provide a Payment & Performance Bond | Submit pricing via BidSync | |

| Alternative - Bid | | | | | |
|-------------------|-----------------------|----------|--|-------------------------------|-------|
| Item No. | Estimated Quantity | Unit | Description | Unit Price | Total |
| 1 | 65,000 | Sq. Yds. | Mill and Resurface(3/4 inch SP 9.5) | Submit pricing via BidSync | |
| 2 | 1 | LS | Pavement Markings | Submit pricing via BidSync | |
| 3 | 1 | LS | Maintenance of Traffic (MOT) | Submit pricing via BidSync | |
| 4 | 1 | LS | Additional Cost to provide a Payment & Performance Bond | Submit pricing via BidSync | |


| Pavement Maintenance/Preservation Bid Items | | | | | | | |
|---|--|------|-----|----------------------------------|-------|--|--|
| Pay Item | Description | Unit | QTY | Unit Price | Total | | |
| 101-1 | Mobilization (per location) Crack Fill Crew | EA | 10 | Submit pricing via BidSync | | | |
| 101-2 | Mobilization (per location) Pavement Patching Crew | EA | 10 | Submit pricing via BidSync | | | |
| 101-3 | Mobilization (per location) HDMB Application Crew | EA | 10 | Submit pricing via BidSync | | | |
| 101-4 | Mobilization (per location) Milling and Resurfacing Crew | EA | 10 | Submit pricing via BidSync | | | |
| 102-14 | Traffic Control Officer (minimum 4 hours each) | HR | 50 | Submit pricing via BidSync | | | |
| | FDOT CERTIFIED FLAG PERSON | HR | 100 | Submit pricing via BidSync | | | |
| 102-60 | Work Zone Signs | ED | 100 | Submit pricing via BidSync | | | |
| Pay Item | Description | Unit | QTY | Unit Price | Total | | |

| 102-74-1 | BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, | ED | 1,000 | Submit pricing via BidSync | |
|-----------|--|----|-------|----------------------------------|--|
| 102-74-2 | Barricade, Temporary, F&I, Type Iii, 6', F&I | ED | 50 | Submit pricing via BidSync | |
| 102-76 | Advance Warning Arrow Panels, F&I | ED | 15 | Submit pricing via BidSync | |
| 102-78 | Temporary Retroreflective Pavement Marker | ED | 100 | Submit pricing via BidSync | |
| 102-79 | Lights, Temporary, Type C, Steady Burn, F&I | ED | 50 | Submit pricing via BidSync | |
| 102-99 | Portable Changeable Message Sign Temporary, F&I | ED | 10 | Submit pricing via BidSync | |
| 102-911-1 | Pavement Marking Removable Tape, White-Black, White-Black, Skip | LF | 5,000 | Submit pricing via BidSync | |
| 102-911-2 | Pavement Marking Removable Tape, White-Black, Solid | LF | 500 | Submit pricing via BidSync | |
| 102-912-2 | Pavement Marking Removable Tape, Yellow, Solid | LF | 500 | Submit pricing via BidSync | |
| 104-10-3 | Sediment Barrier | LF | 100 | Submit pricing via BidSync | |
| 104-12 | Staked Turbidity Barrier - Nylon Reinforced Pvc | LF | 100 | Submit pricing via BidSync | |
| 104-18 | Inlet Protection System | EA | 50 | Submit pricing via BidSync | |
| 285-4 | Limerock Base Repair, 4" Thickness | SY | 200 | Submit pricing via BidSync | |
| 285-6 | Limerock Base Repair, 6" Thickness | SY | 200 | Submit pricing via BidSync | |
| 305 | Bituminous Crack And Joint Sealing For Asphalt Concrete Roadway | LF | 6 | Submit pricing via BidSync | |
| 324 | Pavement Patching-Remove/Replace HMA, 1 1/2" Depth (6 SY Min) | SY | 6 | Submit pricing via BidSync | |
| 327-70-1 | Milling Exist Asph Pavt, 1" Avg Depth | SY | 2,000 | Submit pricing via BidSync | |
| 327-70-6 | Milling Exist Asph Pavt, 1 1/2" Avg Depth | SY | 2,000 | Submit pricing via BidSync | |
| 327-70-16 | Milling Exist Asph Pavt, 1/2" Avg Depth | SY | 2,000 | Submit pricing via BidSync | |
| | Superpave Asphaltic Concrete, Traffic A, B, Or C | TN | 100 | Submit | |

| | | | | pricing via BidSync | |
|------------------------------|--|------|-------|---|------|
| 425-5 | Manhole, Adjust | EA | 20 | Submit pricing via BidSync | |
| 425-6 | Valve Adjust | EA | 20 | Submit pricing via | |
| 520-1 | Remove Concrete; Curb, Sidewalk, Driveways | SY | 20 | BidSync Submit pricing via BidSync | |
| 520-3 | Concrete Curb And Gutter, Type F | LF | 250 | Submit pricing via BidSync | |
| 520-4 | Concrete Curb, Type D | LF | 250 | Submit pricing via BidSync | |
| 520-6 | Concrete, Sidewalk, 4" Thick, Non-Reinforced | SY | 50 | Submit pricing via BidSync | |
| 520-7 | Concrete, Sidewalk, 6" Thick, Non-Reinforced | SY | 50 | Submit pricing via BidSync | |
| Pay Item | Description | Unit | QTY | Unit Price | Tota |
| 520-8 | Detectable Warning Surface | SF | 100 | Submit pricing via BidSync | |
| 706-3 | Marker Pavement Retro-Reflective | EA | 200 | Submit pricing via BidSync | |
| 710-11-111 OR 710- 11-211 | Painted Pavement Markings, Standard, White Or Yellow, Solid, 6" | LF | 200 | Submit pricing via BidSync | |
| 710-11-123 OR 710- 11-223 | Painted Pavement Markings, Standard, White Or Yellow, Solid, 12" | LF | 100 | Submit pricing via BidSync | |
| 710-11-125 OR 710- 11-225 | Painted Pavement Markings, Standard, White Or Yellow, Solid, 24 | LF | 100 | Submit pricing via BidSync | |
| 710-11-131 | Painted Pavement Markings, Standard, White, Skip, 6", 10-30 Or 3-9 Skip | LF | 300 | Submit pricing via BidSync | |
| 710-11-170 | Painted Pavement Markings, Standard, White, Arrows | EA | 10 | Submit pricing via BidSync | |
| 711-11-121 OR 711- 11-221 | Thermoplastic, Standard, White Or Yellow, Solid, 6" | LF | 1,000 | Submit pricing via BidSync | |
| 711-11-123 OR 711- 11-223 | Thermoplastic, Standard, White Or Yellow, Solid, 12" | LF | 100 | Submit pricing via BidSync | |
| 711-11-125 OR 711- 11-225 | Thermoplastic, Standard, White Or Yellow, Solid, 24" | LF | 10 | Submit pricing via BidSync | |
| 711-16-131 | Thermoplastic, Other Surfaces, White, Skip, 6", 10 - 30 Skip Or 3 - 9 Lane Drop | LF | 100 | Submit pricing via BidSync | |
| 711-11-170 | Thermoplastic, Standard, White, Arrow | EA | 20 | Submit pricing via BidSync | |

.

| | pricing via | |
|--|-------------|--|
| | BidSync | |



Attachment C

NON-COLLUSIVE AFFIDAVIT

BIDDER is the **President**,

(Owner, Partner, Officer, Representative or Agent)

BIDDER is fully informed respecting the preparation and contents of the attached Bid and of all pertinent circumstances respecting such Bid;

Such Bid is genuine and is not a collusive or sham Bid;

- Neither the said BIDDER nor any of its officers, partners, owners, agents, representative, employees or parties in interest, including this affidavit, have in any way colluded, conspired, connived or agreed, directly or indirectly, with any other BIDDER, firm or person to submit a collusive or sham Bid in connection with the Contract for which the attached Bid has been submitted; or to refrain from bidding in connection with such Contract; or have in any manner, directly or indirectly, sought by agreement or collusion, or communications, or conference with any BIDDER, firm, or person to fix the price or prices in the attached Bid or any other BIDDER, or to fix any overhead, profit, or cost element of the Bid Price or the Bid Price of any other BIDDER, or to secure through any collusion conspiracy, connivance, or unlawful agreement any advantage against (Recipient), or any person interested in the proposed Contract;
- The price of items quoted in the attached Bid are fair and proper and are not tainted by collusion, conspiracy, connivance, or unlawful agreement on the part of the BIDDER or any other of its agents, representatives, owners, employees or parties in interest, including this affidavit.

Printed Name/Signature **Daniel D. Weekley**

Title **President**

Name of Company WEEKLEY ASPHALT PAVING, INC.



City of Pembroke Pines

Attachment D

SWORN STATEMENT ON PUBLIC ENTITY CRIMES UNDER FLORIDA STATUTES CHAPTER 287.133(3)(a).

- This sworn statement is submitted WEEKLEY ASPHALT PAVING, INC. (name of entity submitting sworn statement) whose business address is 20701 Stirling Rd, Pembroke Pines, FL 33332 and (if applicable) its Federal Employer Identification Number (FEIN) is 59-0753039. (If the entity has no FEIN, include the Social Security Number of the individual signing this sworn statement: .)
- 2. My name is **Daniel D. Weekley** and my (Please print name of individual signing)

relationship to the entity named above is **President**.

- 3. I understand that a "public entity crime" as defined in Paragraph 287.133(1)(g), <u>Florida Statutes</u>, means a violation of any state or federal law by a person with respect to and directly related to the transaction of business with any public entity or with an agency or political subdivision of any other state or with the United States, including, but not limited to, any bid, proposal, reply, or contract for goods or services, any lease for real property, or any contract for the construction or repair of a public building or public work, involving antitrust, fraud, theft, bribery, collusion, racketeering, conspiracy, or material misrepresentation.
- 4. I understand that a "convicted" or "conviction" as defined in Paragraph 287.133(1)(b), <u>Florida</u> <u>Statutes</u>, means a finding of guilt or a conviction of a public entity crime, with or without an adjudication of guilt, in any federal or state trial court of record relating to charges brought by indictment or information after July 1, 1989, as a result of a jury verdict, nonjury trial, or entry of a plea of guilty or nolo contendere.
- 5. I understand that an "affiliate" as defined in Paragraph 287.133(1)(a), <u>Florida Statutes</u>, means:
 - 1. A predecessor or successor of a person convicted of a public entity crime: or
 - 2. An entity under the control of any natural person who is active in the management of the entity and who has been convicted of a public entity crime. The term "affiliate" includes those officers, directors, executives, partners, shareholders, employees, members, and agents who are active in the management of an affiliate. The Cityship by one person of shares constituting a controlling interest in another person, or a pooling of equipment or income among persons when not for fair market value under an arm's length agreement, shall be a prima facie case that one person controls another person. A person who knowingly enters into a joint venture with a person who has been convicted of a public entity crime in Florida during the preceding 36 months shall be considered an affiliate.

BidSync

- 6. I understand that a "person" as defined in Paragraph 287.133(1)(e), <u>Florida Statutes</u>, means any natural person or any entity organized under the laws of any state or of the United States with the legal power to enter into a binding contract and which bids or applies to bid on contracts let by a public entity, or which otherwise transacts or applies to transact business with a public entity, or which otherwise transacts or applies to transact business with a public entity. The term "person" includes those officers, directors, executives, partners, shareholders, employees, members, and agents who are active in management of an entity.
- 7. Based on information and belief, the statement which I have marked below is true in relation to the entity submitting this sworn statement. (Please indicate which statement applies.)

☑ A) Neither the entity submitting this sworn statement, nor any officers, directors, executives, partners, shareholders, employees, members, or agents who are active in management of the entity, nor any affiliate of the entity have been charged with and convicted of a public entity crime subsequent to July 1, 1989.


 \square B) The entity submitting this sworn statement, or one or more of the officers, directors, executives, partners, shareholders, employees, members, or agents who are active in management of the entity, or an affiliate of the entity has been charged with and convicted of a public entity crime subsequent to July 1, 1989, <u>AND</u> (Please indicate which additional statement applies.)

 \square B1) There has been a proceeding concerning the conviction before a hearing officer of the State of Florida, Division of Administrative Hearings. The final order entered by the hearing officer did not place the person or affiliate on the convicted vendor list. (Please attach a copy of the final order.)

□ B2) The person or affiliate was placed on the convicted vendor list. There has been a subsequent proceeding before a hearing officer of the State of Florida, Division of Administrative Hearings. The final order entered by the hearing officer determined that it was in the public interest to remove the person or affiliate from the convicted vendor list. (Please attach a copy of the final order.)

B3) The person or affiliate has not been placed on the convicted vendor list. (Please describe any action taken by or pending with the Department of General Services.)

| Daniel D. Weekley, President | WEEKLEY ASPHALT PAVING, INC. | 4/30/18 |
|------------------------------|---------------------------------|---------|
| Bidder's Name/Signature | Company | Date |



Attachment E

LOCAL VENDOR PREFERENCE CERTIFICATION

SECTION 1 GENERAL TERM

LOCAL PREFERENCE

The evaluation of competitive bids is subject to section 35.36 of the City's Procurement Procedures which, except where contrary to federal and state law, or any other funding source requirements, provides that preference be given to local businesses. To satisfy this requirement, the vendor shall affirm in writing its compliance with either of the following objective criteria as of the bid or proposal submission date stated in the solicitation. A local business shall be defined as:

 "Local Pembroke Pines Vendor" shall mean a business entity which has maintained a permanent place of business with full-time employees within the City limits for a minimum of one (1) year prior to the date of issuance of a bid or proposal solicitation. The permanent place of business may not be a post office box. The business location must actually distribute goods or services from that location. In addition, the business must have a current business tax receipt from the City of Pembroke Pines.

OR;

2. "Local Broward County Vendor" shall mean or business entity which has maintained a permanent place of business with full-time employees within the Broward County limits for a minimum of one (1) year prior to the date of issuance of a bid or proposal solicitation. The permanent place of business may not be a post office box. The business location must actually distribute goods or services from that location. In addition, the business must have a current business tax receipt from the Broward County or the city within Broward County where the business resides.

A preference of five percent (5%) of the total evaluation point, or five percent (5%) of the total price, shall be given to the **Local Pembroke Pines Vendor(s)**; A preference of two and a half percent (2.5%) of the total evaluation point for local, or two and a half percent (2.5%) of the total price, shall be given to the **Local Broward County Vendor(s)**.

COMPARISON OF QUALIFICATIONS

The preferences established in no way prohibit the right of the City to compare quality of supplies or services for purchase and to compare qualifications, character, responsibility and fitness of all persons, firms or corporations submitting bids or proposals. Further, the preference established in no way prohibit the right of the city from giving any other preference permitted by law instead of the preferences granted, nor prohibit the city to select the bid or proposal which is the most responsible and in the best interests of the city.

SECTION 2 AFFIRMATION

LOCAL PREFERENCE CERTIFICATION:

 Place a check mark here only if affirming bidder meets requirements above as a Local Pembroke Pines Vendor. In addition, the business must attach a current business tax receipt from the City of Pembroke Pines along with any previous business tax receipts to indicate that the business entity has maintained a permanent place of business for a minimum of one (1) year.

Place a check mark here only if affirming bidder meets requirements above as a Local Broward County Vendor. In addition, the business must attach a current business tax receipt from the Broward County or the city within Broward County where the business resides along with any previous business tax receipts to indicate that the business entity has maintained a permanent place of business for a minimum of one (1) year.


Place a check mark here only if affirming bidder does not meet the requirements above as a Local Vendor.

Failure to complete this certification at this time (by checking either of the boxes above) shall render the vendor ineligible for Local Preference. This form must be completed by/for the proposer; the proposer <u>WILL NOT</u> qualify for Local Vendor Preference based on their sub-contractors' qualifications.

COMPANY NAME: WEEKLEY ASPHALT PAVING, INC.

BidSync

PRINTED NAME / AUTHORIZED SIGNATURE: Daniel D. Weekley, President



Attachment F

VETERAN OWNED SMALL BUSINESS (VOSB) PREFERENCE CERTIFICATION

SECTION 1 GENERAL TERM

VETERAN OWNED SMALL BUSINESS (VOSB) PREFEREENCE

The evaluation of competitive bids is subject to section 35.37 of the City's Procurement Procedures which, except where contrary to federal and state law, or any other funding source requirements, provides that preference be given to veteran owned small businesses. To satisfy this requirement, the vendor shall affirm in writing its compliance with the following objective criteria as of the bid or proposal submission date stated in the solicitation. A veteran owned small business shall be defined as:

1. "Veteran Owned Small Business" shall mean a business entity which has received a "Determination Letter" from the United States Department of Veteran Affairs Center for Verification and Evaluation notifying the business that they have been approved as a Veteran Owned Small Business (VOSB).

A preference of two and a half percent (2.5%) of the total evaluation point, or two and a half percent (2.5%) of the total price, shall be given to the **Veteran Owned Small Business (VOSB)**. This shall mean that if a **VOSB** submits a bid/quote that is within 2.5% of the lowest price submitted by any vendor, the **VOSB** shall have an option to submit another bid which is at least 1% lower than the lowest responsive bid/quote. If the **VOSB** submits a bid which is at least 1% lower than that lowest responsive bid/quote. If the **VOSB** submits a bid which is at least 1% lower than that lowest responsive bid/quote. If the lowest responsive bid/quote. If the lowest responsive and responsible bidder IS a **"Local Pembroke Pines Vendor" (LPPV)** or a **"Local Broward County Vendor" (LBCV)** as established in Section 35.36 of the City's Code of Ordinances, entitled "Local Vendor Preference", then the award will be made to that vendor and no other bidders will be given an opportunity to submit additional bids as described herein.

If there is a LPPV, a LBCV, and a VOSB participating in the same bid solicitation and all three vendors qualify to submit a second bid, the LPPV will be given first option. If the LPPV cannot beat the lowest bid received by at least 1%, an opportunity will be given to the LBCV. If the LBCV cannot beat the lowest bid by at least 1%, an opportunity will be given to the VOSB. If the VOSB cannot beat the lowest bid by at least 1%, then the bid will be awarded to the lowest bidder.

If multiple VOSBs submit bids/quotes which are within 2.5% of the lowest bid/quote and there are no LPPV or LBCV as described in Section 35.36 of the City's Code of Ordinance, entitled "Local Vendor Preference", then all VOSBs will be asked to submit a **Best and Final Offer (BAFO)**. The award will be made to the VOSB submitting the lowest **BAFO** providing that that **BAFO** is at least 1% lower than the lowest bid/quote received in the original solicitation. If no VOSB can beat the lowest bid/quote by at least 1%, then the award will be made to the lowest responsive bidder.

COMPARISON OF QUALIFICATIONS

The preferences established in no way prohibit the right of the City to compare quality of supplies or services for purchase and to compare qualifications, character, responsibility and fitness of all persons, firms or corporations submitting bids or proposals. Further, the preference established in no way prohibit the right of the city from giving any other preference permitted by law instead of the preferences granted, nor prohibit the city to select the bid or proposal which is the most responsible and in the best interests of the city.

SECTION 2 AFFIRMATION

VETERAN OWNED SMALL BUSINESS (VOSB) PREFEREENCE CERTIFICATION:


Place a check mark here only if affirming bidder meets requirements above as a Veteran Owned Small Business. In addition, the bidder must attach the "Determination Letter" from the U.S. Dept. of Veteran Affairs Center.

Place a check mark here only if affirming bidder does not meet the requirements above as a VOSB.

Failure to complete this certification at this time (by checking either of the boxes above) shall render the vendor ineligible for VOSB Preference. This form must be completed by/for the proposer; the proposer <u>WILL NOT</u> qualify for VOSB Preference based on their sub-contractors' qualifications.

COMPANY NAME: WEEKLEY ASPHALT PAVING, INC.

PRINTED NAME / AUTHORIZED SIGNATURE: Daniel D. Weekley, President



Attachment G

EQUAL BENEFITS CERTIFICATION FORM FOR DOMESTIC PARTNERS AND ALL MARRIED COUPLES

Except where federal or state law mandates to the contrary, a Contractor awarded a Contract pursuant to a competitive solicitation shall provide benefits to Domestic Partners and spouses of its employees, irrespective of gender, on the same basis as it provides benefits to employees' spouses in traditional marriages.

The Contractor shall provide the City and/or the City Manager or his/her designee, access to its records for the purpose of audits and/or investigations to ascertain compliance with the provisions of this section, and upon request shall provide evidence that the Contractor is in compliance with the provisions of this section upon each new bid, contract renewal, or when the City Manager has received a complaint or has reason to believe the Contractor may not be in compliance with the provisions of this section. Records shall include but not be limited to providing the City and/or the City Manager or his/her designee with certified copies of the Contractor's records pertaining to its benefits policies and its employment policies and practices.

The Contractor must conspicuously make available to all employees and applicants for employment the following statement:

"During the performance of a contract with the City of Pembroke Pines, Florida, the Contractor will provide Equal Benefits to its employees with spouses, as defined by Section 35.39 of the City's Code of Ordinances, and its employees with Domestic Partners and all Married Couples".

The posted statement must also include a City contact telephone number and email address which will be provided to each contractor when a covered contract is executed.

SECTION 1 DEFINITIONS

- 1. Benefits means the following plan, program or policy provided or offered by a contractor to its employees as part of the employer's total compensation package which may include but is not limited to sick leave, bereavement leave, family medical leave, and health benefits.
- 2. Cash Equivalent mean the amount of money paid to an employee with a domestic partner or spouse in lieu of providing benefits to the employee's domestic partner or spouse. The cash equivalent is equal to the employer's direct expense of providing benefits to an employee for his or her spouse from a traditional marriage.
- 3. Covered Contract means a contract between the City and a contractor awarded subsequent to the date when this section becomes effective valued at over \$25,000 or the threshold amount required for competitive bids as required in section 35.18(A) of the Procurement Code.
- 4. Domestic Partner shall mean any two (2) adults of the same or different sex who have registered as domestic partners with a governmental body pursuant to state or local law authorizing such registration, or with an internal registry maintained by the employer of at least one of the domestic partners. A contractor may institute an internal registry to allow for the provision of equal benefits to employees with domestic partners who do not register their partnerships pursuant to a governmental body authorizing such registration, or who are

located in a jurisdiction where no such governmental domestic partnership registry exists. A contractor that institutes such registry shall not impose criteria for registration that are more stringent than those required for domestic partnership registration by the City of Pembroke Pines.

- 5. Equal benefits means the equality of benefits between employees with spouses and/or dependents of spouses and employees with domestic partners and/or dependents of domestic partners, and/or between spouses of employees and/or dependents of spouses and domestic partners of employees and/or dependents of domestic partners.
- 6. **Spouse** means one member of a married pair legally married under the laws of any state within the United States of America or any other jurisdiction under which such marriage is legally recognized, irrespective of gender.
- 7. Traditional marriage means a marriage between one man and one woman.

SECTION 2 CERTIFICATION OF CONTRACTOR

The firm providing a response, by virtue of the signature below, certifies that it is aware of the requirements of Section 35.39 "City Contractors providing Equal Benefits for Domestic Partners and all Married Couples" of the City's Code of Ordinances, and certifies the following (**Check only one box below**):

A. Contractor currently complies with the requirements of this section; or

B. Contractor will comply with the conditions of this section at the time of contract award; or

- **C.** Contractor will not comply with the conditions of this section at the time of contract award: or
- D. Contractor does not comply with the conditions of this section because of the following allowable exemption (Check only one box below):

☐ 1. The Contractor does not provide benefits to employees' spouses in traditional marriages;

□ 2. The Contractor provides an employee the cash equivalent of benefits because the Contractor is unable to provide benefits to employees' Domestic Partners or spouses despite making reasonable efforts to provide them. To meet this exception, the Contractor shall provide a notarized affidavit that it has made reasonable efforts to provide such benefits. The affidavit shall state the efforts taken to provide such benefits and the amount of the cash equivalent. Cash equivalent means the amount of money paid to an employee with a Domestic Partner or spouse rather than providing benefits to the employee's Domestic Partner or spouse. The cash equivalent is equal to the employer's direct expense of providing benefits to an employee's spouse;

□ 3. The Contractor is a religious organization, association, society, or any non-profit charitable or educational institution or organization operated supervised or controlled by or in conjunction with a religious organization, association, or society;

4. The Contractor is a governmental agency;

The certification shall be signed by an authorized officer of the Contractor. Failure to provide such certification (by checking the appropriate boxes above along with completing the information below) shall result in a Contractor being deemed non-responsive.

COMPANY NAME: WEEKLEY ASPHALT PAVING, INC.

AUTHORIZED OFFICER NAME / SIGNATURE: Daniel D. Weekley, President

PSEN-18-01

Attachment H

Supplier: WEEKLEY ASPHALT PAVING, INC.



City of Pembroke Pines

PROPOSER'S QUALIFICATIONS STATEMENT

PROPOSER shall furnish the following information. Failure to comply with this requirement will render Bid non-responsive and shall cause its rejection. Additional sheets shall be attached as required.

PROPOSER'S Name and Principal Address:

WEEKLEY ASPHALT PAVING, INC. 20701 STIRLING RD PEMBROKE PINES, FL 33332

Contact Person's Name and Title: Daniel D. Weekley, President

Contact Person's E-mail Address: weekleyasp@aol.com

PROPOSER'S Telephone and Fax Number: 954-680-8005 (phone), 954-680-8671 (fax)

PROPOSER'S License Number: 78-581 (Please attach certificate of status, competency, and/or state registration.)

PROPOSER'S Federal Identification Number: 59-0753039

Number of years your organization has been in business 62 Years

State the number of years your firm has been in business under your present business name 62 Years

State the number of years your firm has been in business in the work specific to this solicitation: 62 Years

Names and titles of all officers, partners or individuals doing business under trade name: Daniel D. Weekley, President Troy L. Weekley, Vice President Wayne D. Weekley, Secretary/Treasurer

The business is a: Sole Proprietorship \square Partnership \square Corporation \checkmark

IF USING A FICTITIOUS NAME, SUBMIT EVIDENCE OF COMPLIANCE WITH FLORIDA FICTITIOUS NAME STATUTE. (ATTACH IN PROPOSER EXHIBIT SECTION)

Under what former name has your business operated? Include a description of the business. Failure to include such information shall be deemed to be intentional misrepresentation by the City and shall render the proposer RFP submittals non-responsive.

None

At what address was that business located? N/A

Name, address, and telephone number of surety company and agent who will provide the required bonds on this contract: Western Surety Co. 333 S. Wabash Ave, 41st Floor Chicago, IL 60604 Bruce Bozelka 407-919-3942

Wells Fargo Insurance Services Richad Rodriguez 305-443-4886

Have you ever failed to complete work awarded to you. If so, when, where and why? **No**

Have you personally inspected the proposed WORK and do you have a complete plan for its performance? **Yes**

Will you subcontract any part of this WORK? If so, give details including a list of each sub-contractor(s) that will perform work in excess of ten percent (10%) of the contract amount and the work that will be performed by each subcontractor (s).

Lines Unlimited Inc. will be performing Striping.

ISG Strategic Partners will be performing High Density Mineral Bond.

The foregoing list of subcontractor(s) may not be amended after award of the contract without the prior written approval of the Contract Administrator, whose approval shall not be reasonably withheld.

List and describe all bankruptcy petitions (voluntary or involuntary) which have been filed by or against the Proposer, its parent or subsidiaries or predecessor organizations during the past five (5) years. Include in the description the disposition of each such petition.

None

List and describe all successful Bond claims made to your surety (ies) during the last five (5) years. The list and descriptions should include claims against the bond of the Proposer and its predecessor organization(s). **None**

List all claims, arbitrations, administrative hearings and lawsuits brought by or against the Proposer or its predecessor organizations(s) during the last (10) years. The list shall include all case names; case, arbitration or hearing identification numbers; the name of the project over which the dispute arose; and a description of the subject matter of the dispute. **None**

List and describe all criminal proceedings or hearings concerning business related offenses in which the Proposer, its principals or officers or predecessor organization(s) were defendants. **None**

Has the Proposer, its principals, officers or predecessor organization(s) been CONVICTED OF A Public Entity Crime, debarred or suspended from bidding by any government entity? If so, provide details. **No**

Are you an \square Original provider \square sales representative \square distributor, \square broker, \square manufacturer \square other, of the commodities/services proposed upon? If other than the original provider, explain below. N/A

Have you ever been debarred or suspended from doing business with any governmental agency? If yes, please explain: No

Describe the firm's local experience/nature of service with contracts of similar size and complexity, it the previous three (3) years:

See Attachment #1

The PROPOSER acknowledges and understands that the information contained in response to this Qualification Statement shall be relied upon by CITY in awarding the contract and such information is warranted by PROPOSER to be true. The discovery of any omission or misstatement that materially affects the PROPOSER'S qualifications to perform under the contract shall cause the CITY to reject the Bid, and if after the award, to cancel and terminate the award and/or contract.

WEEKLEY ASPHALT PAVING, INC.

(Company Name) Daniel D. Weekley, President (Printed Name/Signature)

REFERENCES FORM

Provide specific examples of similar contracts. References should be should be capable of explaining and confirming your firm's capacity to successfully complete the scope of work outlined herein. <u>This form</u> should be duplicated for each reference and any additional information that would be helpful can be attached.

Reference Contact Information:

Name of Firm, City, County or Agency: FLORIDA DEPARTMENT OF TRANSPORTATION

Address: 1773 NE 205 St

City/State/Zip: North Miami Beach, FL 33179

Contact Name: ROLAND RODRIGUEZ Title: MIAMI-DADE CEI RESIDENCY CONSULTANT

E-Mail Address: rrodriguez@pinnaclecei.com

Telephone: **305-640-7185** Fax: **305-655-2737**

Project Information:

Name and location of the project: SR-A1A (COLLINS AVE) & SR-922 FROM 9700 BLOCK TO BAKERS HAULOVER BRIDGE

Nature of the firm's responsibility on the project: MILLING, RESURFACING, SIGNALIZATION & DRAINAGE IMPROVEMENTS

Project duration: 7 MONTHS Completion (Anticipated) Date: MARCH, 2014

Size of project: 3,220 LFCost of project: \$1,574,706.00

Work for which staff was responsible: CLEARING & GRUBBING, PAVING, MOT, DRAINAGE & SOD

Contract Type: FDOT CONSTRUCTION

The results/deliverables of the project: **PROJECT ACCEPTED & ON TIME**

REFERENCES FORM

Provide specific examples of similar contracts. References should be should be capable of explaining and confirming your firm's capacity to successfully complete the scope of work outlined herein. <u>This form</u> should be duplicated for each reference and any additional information that would be helpful can be attached.

Reference Contact Information:

Name of Firm, City, County or Agency: FLORIDA DEPARTMENT OF TRANSPORTATION

Address: 5548 NW 9TH AVE

City/State/Zip: FORT LAUDERDALE, FL 33309

Contact Name: TIMOTHY BUTLER Title: PROJECT ADMINISTRATOR

E-Mail Address: timothy.butler@dot.state.fl.us

Telephone: 954-958-7646Fax: 954-868-7232

Project Information:

Name and location of the project: **BROWARD BLVD & NW 9TH AVE INTERSECTION & COMMERCIAL BLVD & NE 15TH AVE INTERSECTION**

Nature of the firm's responsibility on the project: **ROADWAY WIDENING AND SIDEWALKS**

Project duration: 5 Months Completion (Anticipated) Date: FEBRUARY 2016

Size of project: 500'Cost of project: \$322,451.67

Work for which staff was responsible: WIDENING & SIDEWALK

Contract Type: FDOT CONSTRUCTION

The results/deliverables of the project: **PROJECT ACCEPTED & ON TIME**

REFERENCES FORM

Provide specific examples of similar contracts. References should be should be capable of explaining and confirming your firm's capacity to successfully complete the scope of work outlined herein. <u>This form</u> should be duplicated for each reference and any additional information that would be helpful can be attached.

Reference Contact Information:

Name of Firm, City, County or Agency: CITY OF PLANTATION

Address: 400 NW 73 AVE

City/State/Zip: PLANTATION, FL 33317

Contact Name: JUAN JOSE FGUEROA Title: P.E., ENGINEER II

E-Mail Address: jfigueroa@plantation.org

Telephone: 954-797-2283 Fax: 954-797-2761

Project Information:

Name and location of the project: 84th AVENUE GREENWAY IMPROVEMENTS

Nature of the firm's responsibility on the project: ASPHALT, CONCRETE, LIMEROCK, STABILIZATION, EARTHWORK, CURBING, PAVERS & DRAINAGE

Project duration: 19 MONTHS Completion (Anticipated) Date: OCTOBER 2013

Size of project: .69 MILE Cost of project: \$3,735,589.00

Work for which staff was responsible: ALL PHASES OF CONSTRUCTION

Contract Type: CONSTRUCTION

The results/deliverables of the project: **PROJECT ACCEPTED & ON TIME**

REFERENCES FORM

Provide specific examples of similar contracts. References should be should be capable of explaining and confirming your firm's capacity to successfully complete the scope of work outlined herein. <u>This form</u> should be duplicated for each reference and any additional information that would be helpful can be attached.

Reference Contact Information:

Name of Firm, City, County or Agency: CITY OF PEMBROKE PINES

Address: 8300 S PALM DR

City/State/Zip: PEMBROKE PINES, FL 33025

Contact Name: KARL KENNEDY Title: CITY ENGINEER

E-Mail Address: kkennedy@ppines.com

Telephone: 954-518-9060Fax: 954-435-6755

Project Information:

Name and location of the project: TAFT ST FROM DOUGLAS TO UNIVERSITY DESIGN BUILD

Nature of the firm's responsibility on the project: **CONCRETE, PAVERS, GUARDRAIL, IRRIGATION, LANDSCAPING, SIGNALIZATION, PAVING, STRIPING & SIGNAGE**

Project duration: 11 MONTHS Completion (Anticipated) Date: FEBURARY 2016

Size of project: 4,985 LFCost of project: \$1,290,369.62

Work for which staff was responsible: MOT, CLEARING & GRUBBING, EROSION CONTROL, PAVING

Contract Type: CONSTRUCTION

The results/deliverables of the project: **PROJECT ACCEPTED & ON TIME**

REFERENCES FORM

Provide specific examples of similar contracts. References should be should be capable of explaining and confirming your firm's capacity to successfully complete the scope of work outlined herein. <u>This form</u> should be duplicated for each reference and any additional information that would be helpful can be attached.

Reference Contact Information:

Name of Firm, City, County or Agency: CITY OF HOLLYWOOD

- Address: 2600 HOLLYWOOD BLVD, SUITE 308
- City/State/Zip: HOLLYWOOD, FL 33022

Contact Name: CLARISSA IP Title: ENGINEERING SUPPORT SERVICES MANAGER

E-Mail Address: cip@hollywoodfl.org

Telephone: 954-921-3915Fax: 954-921-3481

Project Information:

Name and location of the project: SR-A1A FROM OAKLAND PARK BLVD TO FLAMINGO AVE, E-4M52

Nature of the firm's responsibility on the project: CITY-WIDE STREET RESURFACING 2015

Project duration: 5 MONTHS Completion (Anticipated) Date: OCTOBER 2015

Size of project: 12.5 Miles Cost of project: \$1,776,222.00

Work for which staff was responsible: **Paving**

Contract Type: CONSTRUCTION

The results/deliverables of the project: **PROJECT ACCEPTED & ON TIME**

PSEN-18-01 - Asphalt Surface Treatment w/ High Density Mineral Bond for NW 178 Ave. & 17 St. Pricing Comparison

| | | Weekley As | Neekley Asphalt Paving | ISG Stratec | ISG Strategic Partners | PaveCo Inc | to Inc | Whitaker C | Whitaker Contracting |
|---|-------------------|--------------|---|--------------|--|--------------|-------------------|--------------|----------------------|
| # High Density Mineral Bond/Asphalt Surface Treatment | Qty Unit | Price | Total | Price | Total | Price | Total | Price | Total |
| 1 High Density Mineral | 65000 square yard | \$ 3.78 | 3.78 \$ 245,700.00 | \$ 3.40 | 3.40 \$ 221,000.00 | \$ 1.35 | 1.35 \$ 87,750.00 | \$ 5.85 | 5.85 \$ 380,250.00 |
| 2 Repair by Mill and Resurface | 7050 square foot | Ş | 5.05 \$ 35,602.50 | \$ 5.05 | 5.05 \$ 35,602.50 | \$ 4.00 | 4.00 \$ 28,200.00 | \$ 10.00 | \$ 70,500.00 |
| 3 Hot Patch | 2000 square foot | Ş | 7.50 \$ 15,000.00 \$ | | 7.50 \$ 15,000.00 | \$ 3.75 | \$ 7,500.00 \$ | \$ 15.00 | \$ 30,000.00 |
| 4 Pavement Markings | 1 lump sum | \$ 95,000.00 | 95,000.00 \$ 95,000.00 \$ 65,000.00 \$ 65,000.00 | \$ 65,000.00 | \$ 65,000.00 | | - \$ | \$ 65,000.00 | \$ 65,000.00 |
| 5 Maintenance of Traffic (MOT) | 1 lump sum | \$ 45,000.00 | \$ 45,000.00 | \$ 47,500.00 | 45,000.00 \$ 45,000.00 \$ 47,500.00 \$ 47,500.00 \$ 15,000.00 \$ 15,000.00 \$ 15,000.00 \$ | \$ 15,000.00 | \$ 15,000.00 | \$ 15,000.00 | \$ 15,000.00 |
| 6 Additional Cost to provide a Payment & Performance Bond | 1 lump sum | \$ 10,000.00 | \$ 10,000.00 \$ 10,000.00 \$ 10,850.00 \$ 10,850.00 | \$ 10,850.00 | \$ 10,850.00 | | - \$ | \$ 2,500.00 | 2,500.00 \$ 2,500.00 |
| | | | \$ 446,302.50 | | \$ 394,952.50 | | \$ 138,450.00 | | \$ 563,250.00 |

| | | Weekley Asphalt Paving | | ISG Strategic Partners | | PaveCo Inc | Whitaker C | Whitaker Contracting |
|---|-------------------|---|---|------------------------------------|---------------------------------|----------------------|------------|----------------------|
| # Alternative - Bid | Qty Unit | Price | Total Pri | Price Total | Price | Total | Price | Total |
| 1 Mill and Resurface(3/4 inch SP 9.5) | 65000 square yard | \$ 6.85 \$4 | 6.85 \$ 445,250.00 \$ | 9.74 \$ 633,100.00 | Ş | 1.38 \$ 89,700.00 | | ج |
| 2 Pavement Markings | 1 lump sum | \$ 00 [.] 000 [.] 09 \$ | 60,000.00 \$ 60,000.00 \$ 62,568.00 \$ 62,568.00 \$ | 68.00 \$ 62,568. | 10 | 5,200.00 \$ 5,200.00 | | ج |
| 3 Maintenance of Traffic (MOT) | 1 lump sum | \$ 40,000.00 \$ | \$ 40,000.00 \$ 35,0 | \$ 35,000.00 \$ 35,000.00 § | 30 \$ 7,500.00 \$ | \$ 7,500.00 | | ج |
| 4 Additional Cost to provide a Payment & Performance Bond | 1 lump sum | \$ 9,000.00 \$ | 9,000.00 \$ 25,5 | 9,000.00 \$ 25,500.00 \$ 25,500.00 | 00 | - \$ | | \$ - |
| | | \$ 2 | \$ 554,250.00 | \$ 756,168.00 | 00 | \$ 102,400.00 | | \$ - |

| | | Weekley As | Weekley Asphalt Paving | ISG Strate | ISG Strategic Partners | Pave(| PaveCo Inc | Whitaker (| Whitaker Contracting |
|--|-------------------|-------------|------------------------|-------------|------------------------|-----------|--------------|------------|----------------------|
| # Pavement Maintenance/Preservation Bid Items | Qty Unit | Price | Total | Price | Total | Price | Total | Price | Total |
| 1 Mobilization (per location) Crack Fill Crew | 10 each | \$ 4,285.00 | \$ 42,850.00 | \$ 4,030.00 |) \$ 40,300.00 | | - \$ | | - \$ |
| 2 Mobilization (per location) Pavement Patching Crew | 10 each | \$ 1,800.00 | \$ 18,000.00 | \$ 4,030.00 | 0.300.00 | | - \$ | | - \$ |
| 3 Mobilization (per location) HDMB Application Crew | 10 each | \$ 4,284.00 | \$ 42,840.00 | \$ 4,030.00 | 00.00.00 | | - \$ | | - \$ |
| 4 Mobilization (per location) Milling and Resurfacing Crew | 10 each | \$ 1,800.00 | \$ 18,000.00 | \$ 2,875.00 |) \$ 28,750.00 | \$ 150.00 | \$ 1,500.00 | | - \$ |
| 5 Traffic Control Officer (minimum 4 hours each) | 50 hour | \$ 68.00 | \$ 3,400.00 | \$ 75.00 |) \$ 3,750.00 | | - \$ | | - \$ |
| 6 FDOT CERTIFIED FLAG PERSON | 100 day | \$ 380.00 | \$ 38,000.00 | \$ 437.00 |) \$ 43,700.00 | | \$ - | | \$ - |
| 7 Work Zone Signs | 100 day | \$ 1.00 | \$ 100.00 | \$ 0.40 |) \$ 40.00 | \$ 13.16 | \$ 1,316.00 | | \$ - |
| 8 BARRICADE TEMPORARY TYPES I II DI VP & DRUM F&I | 1000 day | \$ 0.75 | \$ 750.00 | \$ 0.40 |) \$ 400.00 | \$ 9.24 | \$ 9,240.00 | | - \$ |
| 9 Barricade Temporary F&I Type lii 6' F&I | 50 day | \$ 1.50 | \$ 75.00 | \$ 1.15 | 5 \$ 57.50 | | - \$ | | \$ - |
| 10 Advance Warning Arrow Panels F&I | 15 day | \$ 25.00 | \$ 375.00 | \$ 17.25 | 5 \$ 258.75 | | - \$ | | - \$ |
| 11 Temporary Retroreflective Pavement Marker | 100 day | \$ 4.00 | \$ 400.00 | \$ 3.45 | 5 \$ 345.00 | | - \$ | | \$ - |
| 12 Lights Temporary Type C Steady Burn F&I | 50 day | \$ 1.00 | \$ 50.00 | \$ 1.15 | 5 \$ 57.50 | | - \$ | | - \$ |
| 13 Portable Changeable Message Sign Temporary F&I | 10 day | \$ 35.00 | \$ 350.00 | \$ 35.00 |) \$ 350.00 | | - \$ | | - \$ |
| 14 Pavement Marking Removable Tape White-Black White-Black Skip | 5000 linear foot | \$ 2.80 | \$ 14,000.00 | \$ 2.30 | \$ 1 | | - \$ | | - \$ |
| 15 Pavement Marking Removable Tape White-Black Solid | 500 linear foot | \$ 2.00 | \$ 1,000.00 | \$ 2.30 |) \$ 1,150.00 | | - \$ | | - \$ |
| 16 Pavement Marking Removable Tape Yellow Solid | 500 linear foot | \$ 2.00 | \$ 1,000.00 | \$ 2.30 |) \$ 1,150.00 | | - \$ | | - \$ |
| 17 Sediment Barrier | 100 linear foot | \$ 3.00 | \$ 300.00 | \$ 2.30 |) \$ 230.00 | | - \$ | | - \$ |
| 18 Staked Turbidity Barrier - Nylon Reinforced Pvc | 100 linear foot | \$ 2.50 | \$ 250.00 | \$ 5.75 | \$ 575.00 | | - \$ | | \$ - |
| 19 Inlet Protection System | 50 each | \$ 150.00 | \$ 7,500.00 | \$ 105.00 |) \$ 5,250.00 | | - \$ | | \$ - |
| 20 Limerock Base Repair 4" Thickness | 200 square yard | \$ 40.00 | \$ 8,000.00 | \$ 40.00 |) \$ 8,000.00 | \$ 18.00 | \$ 3,600.00 | | ÷ \$ |
| 21 Limerock Base Repair 6" Thickness | 200 square yard | \$ 49.00 | \$ 9,800.00 | \$ 49.00 | 00.008,6 \$ (| \$ 27.00 | \$ 5,400.00 | | \$ ' |
| 22 Bituminous Crack And Joint Sealing For Asphalt Concrete Roadway | 6 linear foot | \$ 18.00 | \$ 108.00 | \$ 2.88 | 3 \$ 17.28 | \$ 1.00 | \$ 6.00 | | \$ ' |
| 23 Pavement Patching-Remove/Replace HMA 1 1/2" Depth (6 SY Min) | 6 square yard | \$ 225.00 | \$ 1,350.00 | \$ 230.00 | 0 \$ 1,380.00 | \$ 33.75 | \$ 202.50 | | \$ - |
| 24 Milling Exist Asph Pavt 1" Avg Depth | 2000 square yard | \$ 3.50 | \$ 7,000.00 | \$ 4.60 | 0,200.00 | \$ 4.50 | \$ 9,000.00 | | \$ - |
| 25 Milling Exist Asph Pavt 1 1/2" Avg Depth | 2000 square yard | \$ 4.00 | \$ 8,000.00 | \$ 5.18 | 3 \$ 10,360.00 | \$ 6.30 | \$ 12,600.00 | | \$ - |
| 26 Milling Exist Asph Pavt 1/2" Avg Depth | 2000 square yard | \$ 3.25 | \$ 6,500.00 | \$ 4.31 | l \$ 8,620.00 | \$ 4.50 | 00'000'6 \$ | | - \$ |
| 27 Superpave Asphaltic Concrete Traffic A B Or C | 100 ton | \$ 185.00 | \$ 18,500.00 | \$ 230.00 |) \$ 23,000.00 | \$ 1.35 | \$ 135.00 | | \$ - |
| 28 High Density Mineral Bond Asphalt Surface Treatment | 30000 square yard | \$ 3.78 | \$ 113,400.00 | \$ 3.40 | \$ 102,000.00 | \$ 1.35 | \$ 40,500.00 | | - \$ |
| 29 Manhole Adjust | 20 each | \$ 575.00 | \$ 11,500.00 | \$ 690.00 |) \$ 13,800.00 | \$ 650.00 | \$ 13,000.00 | | - \$ |
| 30 Valve Adjust | 20 each | \$ 395.00 | \$ 7,900.00 | \$ 345.00 | 00.006,9 \$ (| \$ 400.00 | \$ 8,000.00 | | - \$ |
| 31 Remove Concrete; Curb Sidewalk Driveways | 20 square yard | \$ 50.00 | \$ 1,000.00 | \$ 40.25 | 5 \$ 805.00 | | - \$ | | \$ - |
| 32 Concrete Curb Type D | 250 linear foot | \$ 48.00 | \$ 12,000.00 | \$ 40.25 | 5 \$ 10,062.50 | \$ 14.50 | \$ 3,625.00 | | \$ - |
| 33 Concrete Sidewalk 4" Thick Non-Reinforced | 50 square yard | \$ 54.00 | Ş | \$ 52.00 | Ş | \$ 49.50 | \$ 2,475.00 | | \$ - |
| 34 Concrete Sidewalk 6" Thick Non-Reinforced | 50 square yard | \$ 73.00 | Ş | \$ 75.00 | Ş | \$ 74.25 | \$ 3,712.50 | | \$ - |
| 35 Detectable Warning Surface | 100 square foot | \$ 49.00 | \$ 4,900.00 | \$ 40.00 |) \$ 4,000.00 | | - \$ | | \$ - |
| 36 Marker Pavement Retro-Reflective | 200 each | \$ 3.75 | \$ 750.00 | \$ 4.00 | \$ \$ | | - \$ | | \$ - |
| 37 Painted Pavement Markings Standard White Or Yellow Solid 6" | 200 linear foot | \$ 1.00 | \$ 200.00 | \$ 0.25 | Ş | | \$ - | | \$ - |
| 38 Painted Pavement Markings Standard White Or Yellow Solid 12" | 100 linear foot | \$ 1.00 | Ş | \$ 0.50 |) \$ 50.00 | | \$ - | | \$ - |
| 39 Painted Pavement Markings Standard White Or Yellow Solid 24 | 100 linear foot | \$ 2.00 | \$ 200.00 | \$ 1.00 |) \$ 100.00 | | \$ - | | \$ - |
| 40 Painted Pavement Markings Standard White Skip 6" 10-30 Or 3-9 Skip | 300 linear foot | \$ 1.00 | \$ 300.00 | \$ 0.30 |) \$ 90.00 | | \$ - | | \$ - |
| 41 Painted Pavement Markings Standard White Arrows | 10 each | \$ 30.00 | \$ 300.00 | \$ 46.00 |) \$ 460.00 | | - \$ | | \$ - |
| 42 Thermoplastic Standard White Or Yellow Solid 6" | 1000 linear foot | \$ 1.50 | \$ 1,500.00 | \$ 1.30 |) \$ 1,300.00 | \$ 2.50 | \$ 2,500.00 | | \$ - |
| 43 Thermoplastic Standard White Or Yellow Solid 12" | 100 linear foot | \$ 2.00 | \$ 200.00 | \$ 2.40 |) \$ 240.00 | \$ 4.00 | \$ 400.00 | | \$ - |
| 44 Thermoplastic Standard White Or Yellow Solid 24" | 10 linear foot | \$ 4.50 | \$ 45.00 | \$ 5.20 | Ş | \$ 5.00 | \$ 50.00 | | \$ - |
| 45 Thermoplastic, Other Surfaces, White, Skip, 6", 10-30 Skip Or 3-9 Lane Drop | 100 linear foot | \$ 2.00 | Ş | \$ 1.30 | Ş | \$ 2.50 | \$ 250.00 | | \$ - |
| 46 Thermoplastic Standard White Arrow | 20 each | \$ 85.00 | Ş | \$ 65.00 | Ş | \$ 100.00 | | | \$ - |
| 47 Thermoplastic Remove - Water Blast | 500 square foot | \$ 11.00 | \$ 5,500.00 | \$ 10.50 |) \$ 5,250.00 | \$ 6.80 | \$ 3,400.00 | | \$ - |

City of Pembroke Pines Bid Tabulation - Procurement IFB #PSEN-18-01 Asphalt Surface Treatment with High Density Mineral Bond for NW 78th Ave and NW 17th Street

| Vendor | Weeklev Asnhalt Paving Inc | ISG Stratenic Partners 11 C | Whitaker Contracting Cornoration | PaveCo Inc |
|---|---|--|---|---|
| Contact Information (From Attachment A) | Company Information: 20701 Stirling Road Pembroke Pines, FL 33332 Perimary Contact: Daniel D. Weekley - President Phone: (954) 680-8005 Fax: (954) 680-8071 weekleyasp @aol.com Authorized Approver: Same As Above | Company Information: 1215 Bonita Boulevard The Village, FL 32162 Primary Contact: Phone: (478) 998-4711 Fax: (352) 259-9920 ted.graham@isgsp.us Authorized Approver: Ken Yerk - Director of Operations Phone: (352) 430-4881 ken.yerk@isgsp.us | Company Information: 692 Convict Camp Road Guntersville, AL 35976 Primary Contact: Heath Thomas - Estimator Phone: (256) 673-5768 Fax: N/A heaththomas @whitaker-contracting.com Authorized Approver: Charlie Barrist - Vice President Phone: (256) 582-2636 charliebarrett@whitaker-contracting.com | Company Information: 2000 Sherman Street Hollywood, FL 33020 Primary Contact: Darin Whelan - President Phone: (954) 655-6907 Fax: N/A darin @paveco.com Authorized Approver: Same As Above |
| Attachment A - Proposal Form | Yes. | Yes. | Yes. | Yes. |
| Attachment B - Vendor Information Form and W-9 | Yes. | Yes. | Did not provide. | Did not provide. |
| Attachment C - Non-Collusive Affidavit | Yes. | Yes. | Yes. | Yes. |
| Attachment D - Sworn Statement on Public Entity Crimes Form | A. Neither the entity nor any officers who are acitve in management nor any affiliate who are acitve in management nor any have been charged with a public entity affiliate have been crime. | | A. Neither the entity nor any officers who are active in management nor any affiliate have been charged with a public entity crime | No items selected. |
| Attachment E - Local Vendor Preference Certification | Claiming Local Vendor Preference Certification as a City of Pembroke Pines Vendor (Submitted City of Pembroke Pines Local Business Tax Receipt) | Does not qualify for Local Vendor Preference Certification. | Does not qualify for Local Vendor Preference Certification. | Claiming Local Vendor Preference Certification as a Broward County Vendor (Did not submit Broward County Local Business Tax Receipt) |
| Attachment F - Veteran Owned Small Business Preference Certification | Does not qualify for VOSB Preference Certification . | Does not qualify for VOSB Preference Certification. | Does not qualify for VOSB Preference Certification. | Does not qualify for VOSB Preference Certification. |
| Attachment G - Equal Benefits Certification Form | Currently complies. | Currently complies. | Exempt. | Currently complies. |
| Attachment H - Proposer's Completed Qualification Statement | Yes. | Yes. | Yes. | Yes. |
| Attachment K - References Form | Yes. | Yes. | Yes. | Yes. |
| Attachment Q - Mandatory Pre-Bid - Site Visit Confirmation Form | Yes. | Yes. | Did not submit but vendor attended meeting. | Vendor did not attend Mandatory Pre- Bid Meeting. |
| Professional Licenses, Special Requirements and Business Tax Receipts | Certificate of Competency Stripping Marking and Signage of Roadways, City of Pembroke Pines Local Business Tax Receipt, Broward County Local Business Tax Receipt, Certificate of Competence Major Roads, Florida Corporate Charter, FDOT Certificate of Qualification Letter, and Certificate of Liability Insurance. | State of Florida General Contractor License, FDOT Certificate of Qualification Letter, and City of Hollywood Local Business Tax Receipt. | None provided. | None provided. |
| Bid Security - If Exceeds \$200,000 - (NA, Bid Bond, Cashier's Check, Not Submitted) | Bid Bond - (5%) | Bid Bond - (5%) | Bid Bond - (5%) *** Submitted only hard copy. *** | Bid Bond - (5%) |
| Additional Information | None provided. | None provided. | None provided. | None provided. |
| Method of Submittal | BidSync | BidSync | BidSync | BidSync |
| Supplier Notes for Offer | None provided. | None provided. | None provided. | None provided. |
| Comments | | | PARTIAL BID | PARTIAL BID |

Page 1 of 1

SEALED BID FOR: PSEN-18-01 - Asphalt Surface Treatment W/ High Density Mineral Bond For NW 178 Ave. & 17 St

COMPANY NAME

AMOUNT

| Good Hope | Contracting | Corp. |
|-----------|-------------|-------|
| | | |

ISG Strategic Partners

| Weekley | Asphalt | Paving | |
|---------|---------|--------|--|
| | | | |

| re | ceived | |
|----|--------|--|
| | | |

received received

PRESENT:

CHARLES F. DODGE, CITY MANAGER Debra Rogers MARLENE GRAHAM, CITY CLERK Shari Schaver DEBRA E. ROGERS, DEPUTY CITY CLERK

MARK GOMEZ, PURCHASING MANAGER

DANNY BENEDIT, PURCHASING DEPARTMENT

OTHERS:

ORIGINAL BIDS RELEASED TO:

1

Darmy Benedit

ON 5/8/18

Pricing by Supplier Welcome tmercado@ppines.com | Logout Need assistance? Contact us Home Search Source Contracts Tools Email Tabulation | Generate PDF | View Printable View by Line Item | View by Supplier Bid #PSEN-18-01 - Asphalt Surface Treatment w/ High Density Mineral Bond for NW 178 Ave. & 17 St. End Date May 8, 2018 2:00:00 PM EDT Creation Date Apr 11, 2018 Start Date Apr 13, 2018 8:01:43 AM EDT Awarded Date Not Yet Awarded \$1,417,095.50 (59/59 items) WEEKLEY ASPHALT PAVING, INC. Address 20701 STIRLING RD Bid Contact June Stone june@weekleyasp.com PEMBROKE PINES, FL 33332 Ph 954-680-8005 Fax 954-680-8671 Supplier Code 239444 Agency Notes: Supplier Notes: Line Item Unit Price Qty/Unit Total Price Item # PSEN-18-01--01-01 65000 / square yard \$245,700.00 High Density Mineral Bond/Asphalt Surface Treatment: High Density Mineral - First Offer \$3.78 Product Code: Supplier Product Code: Supplier Notes: Agency Notes: PSEN-18-01--01-02 \$5.05 7050 / square foot \$35,602.50 High Density Mineral Bond/Asphalt Surface Treatment: Repair by Mill and Resurface - First Offer Supplier Product Code: Product Code: Agency Notes: Supplier Notes: PSEN-18-01--01-03 \$7.50 2000 / square foot \$15,000.00 High Density Mineral Bond/Asphalt Surface Treatment: Hot Patch - First Offer Product Code: Supplier Product Code: Supplier Notes: Agency Notes: PSEN-18-01--01-04 High Density Mineral Bond/Asphalt Surface Treatment: Pavement Markings - First Offer \$95,000.00 1 / lump sum \$95,000.00 Product Code: Supplier Product Code: Agency Notes: Supplier Notes: PSEN-18-01--01-05 \$45.000.00 1 / lump sum High Density Mineral Bond/Asphalt Surface Treatment: Maintenance of Traffic (MOT) - First Offer \$45.000.00 Product Code: Supplier Product Code: Supplier Notes: Agency Notes: PSEN-18-01--01-06 High Density Mineral Bond/Asphalt Surface Treatment: Additional Cost to provide a Payment & Performance Bond - First Offer \$10,000.00 1 / lump sum \$10,000,00 Product Code: Supplier Product Code: Agency Notes: Supplier Notes: Lot Total: \$446,302.50 ltem # Line Item Unit Price Qty/Unit Total Price PSEN-18-01--02-01 Alternative - Bid: Mill and Resurface(3/4 inch SP 9.5) - First Offer \$6.85 65000 / square yard \$445,250.00 Product Code: Supplier Product Code: Agency Notes: Supplier Notes: PSEN-18-01--02-02 Alternative - Bid: Pavement Markings - First Offer \$60,000.00 1 / lump sum \$60,000.00 Product Code: Supplier Product Code: Agency Notes: Supplier Notes: PSEN-18-01--02-03 Alternative - Bid: Maintenance of Traffic (MOT) - First Offer \$40,000.00 1 / lump sum \$40.000.00 Product Code: Supplier Product Code: Agency Notes: Supplier Notes: PSEN-18-01--02-04 \$9,000.00 1 / lump sum \$9,000.00 Alternative - Bid: Additional Cost to provide a Payment & Performance Bond - First Offer Supplier Product Code: Product Code: Agency Notes: Supplier Notes: Lot Total: \$554,250.00 Line Item Unit Price Qty/Unit Total Price Item # \$4,285.00 PSEN-18-01--03-01 \$42 850 00 Pavement Maintenance/Preservation Bid Items: Mobilization (per location) Crack Fill Crew - First Offer 10/each Product Code: Supplier Product Code: Agency Notes: Supplier Notes:

Pavement Maintenance/Preservation Bid Items: Mobilization (per location) Pavement Patching Crew - First Offer

Pavement Maintenance/Preservation Bid Items: Mobilization (per location) HDMB Application Crew - First Offer

\$1,800.00

\$4,284.00

Supplier Notes:

Supplier Product Code:

10/each

10 / each

\$18,000.00

\$42.840.00

PSEN-18-01--03-02

PSEN-18-01--03-03

Product Code:

Agency Notes:

| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
|----------------------------------|--|----------------------------|----------------------|-------------|
| PSEN-18-0103-04 | Pavement Maintenance/Preservation Bid Items: Mobilization (per location) Milling and Resurfacing Crew - First Offer | \$1,800.00 | 10 / each | \$18,000.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: | |
| PSEN-18-0103-05 | Pavement Maintenance/Preservation Bid Items: Traffic Control Officer (minimum 4 hours each) - First Offer | \$68.00 | 50 / hour | \$3,400.00 |
| Product Code: | | | oduct Code: | |
| Agency Notes: PSEN-18-0103-06 | Pavement Maintenance/Preservation Bid Items: FDOT CERTIFIED FLAG PERSON - First Offer | Supplier No \$380.00 | 100 / day | \$38,000.00 |
| Product Code: | | Supplier Pr | oduct Code: | 1 |
| Agency Notes: PSEN-18-0103-07 | Pavement Maintenance/Preservation Bid Items: Work Zone Signs - First Offer | Supplier No \$1.00 | otes: | \$100.00 |
| Product Code: | Pavement Maintenance/Preservation Bio items, work zone signs - First Oner | | oduct Code: | \$100.00 |
| Agency Notes: | | Supplier No | otes: | 1 |
| PSEN-18-0103-08 Product Code: | Pavement Maintenance/Preservation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer | \$0.75 Supplier Pr | 1000 / day | \$750.00 |
| Agency Notes: | | Supplier No | | |
| PSEN-18-0103-09 | Pavement Maintenance/Preservation Bid Items: Barricade, Temporary, F&I, Type lii, 6', F&I - First Offer | \$1.50 | 50 / day | \$75.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-10 | Pavement Maintenance/Preservation Bid Items: Advance Warning Arrow Panels, F&I - First Offer | \$25.00 | 15 / day | \$375.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-11 | Pavement Maintenance/Preservation Bid Items: Temporary Retroreflective Pavement Marker - First Offer | \$4.00 | 100 / day | \$400.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: | |
| PSEN-18-0103-12 | Pavement Maintenance/Preservation Bid Items: Lights, Temporary, Type C, Steady Burn, F&I - First Offer | \$1.00 | 50 / day | \$50.00 |
| Product Code: | | Supplier Pr | oduct Code: | 1 |
| Agency Notes: PSEN-18-0103-13 | Pavement Maintenance/Preservation Bid Items: Portable Changeable Message Sign Temporary, F&I - First Offer | Supplier No \$35.00 | otes: | \$350.00 |
| Product Code: | | | oduct Code: | 4550.00 |
| Agency Notes: | | Supplier No | 1 | |
| PSEN-18-0103-14 Product Code: | Pavement Maintenance/Preservation Bid Items: Pavement Marking Removable Tape, White-Black, White-Black, Skip - First Offer | \$2.80 Supplier Pr | 5000 / linear foot | \$14,000.00 |
| Agency Notes: | | Supplier No | | |
| PSEN-18-0103-15 | Pavement Maintenance/Preservation Bid Items: Pavement Marking Removable Tape, White-Black, Solid - First Offer | \$2.00 | 500 / linear foot | \$1,000.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-16 | Pavement Maintenance/Preservation Bid Items: Pavement Marking Removable Tape, Yellow, Solid - First Offer | \$2.00 | 500 / linear foot | \$1,000.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-17 | Pavement Maintenance/Preservation Bid Items: Sediment Barrier - First Offer | \$3.00 | 100 / linear foot | \$300.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: | |
| PSEN-18-0103-18 | Pavement Maintenance/Preservation Bid Items: Staked Turbidity Barrier - Nylon Reinforced Pvc - First Offer | \$2.50 | 100 / linear foot | \$250.00 |
| Product Code: | | | oduct Code: | |
| Agency Notes: PSEN-18-0103-19 | Pavement Maintenance/Preservation Bid Items: Inlet Protection System - First Offer | Supplier No \$150.00 | 50 / each | \$7,500.00 |
| Product Code: | | | oduct Code: | 47,500,000 |
| Agency Notes: PSEN-18-0103-20 | Pavement Maintenance/Preservation Bid Items: Limerock Base Repair, 4" Thickness - First Offer | Supplier No \$40.00 | 200 / square yard | \$8,000.00 |
| Product Code: | | | oduct Code: | \$8,000.00 |
| Agency Notes: | | Supplier No | 1 | |
| PSEN-18-0103-21 Product Code: | Pavement Maintenance/Preservation Bid Items: Limerock Base Repair, 6" Thickness - First Offer | \$49.00 Supplier Pr | 200 / square yard | \$9,800.00 |
| Agency Notes: | | Supplier No | | |
| PSEN-18-0103-22 | Pavement Maintenance/Preservation Bid Items: Bituminous Crack And Joint Sealing For Asphalt Concrete Roadway - First Offer | \$18.00 | 6 / linear foot | \$108.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-23 | Pavement Maintenance/Preservation Bid Items: Pavement Patching-Remove/Replace HMA, 1 1/2" Depth (6 SY Min) - First Offer | \$225.00 | 6 / square yard | \$1,350.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-24 | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1" Avg Depth - First Offer | \$3.50 | 2000 / square yard | \$7,000.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: | |
| PSEN-18-0103-25 | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1 1/2" Avg Depth - First Offer | \$4.00 | 2000 / square yard | \$8,000.00 |
| Product Code: | | | oduct Code: | |
| Agency Notes: PSEN-18-0103-26 | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1/2" Avg Depth - First Offer | Supplier No \$3.25 | 2000 / square yard | \$6,500.00 |
| Product Code: | י מערותית אומווערומווערי ויבאריאמעטר שט וערוזא. אוווווואן באגע אארי דעיע, דע אעץ שפעעד דוואנ טוופן | | oduct Code: | +0,000.00 |
| Agency Notes: | | Supplier No | otes: | |

| Product Code: | Pavement Maintenance/Preservation Bid Items: Superpave Asphaltic Concrete, Traffic A, B, Or C - First Offer | | | |
|------------------------------------|---|----------------------------|---------------------------------|----------------|
| | | Supplier Pr | oduct Code: | |
| Agency Notes: | | Supplier No | | |
| PSEN-18-0103-28 | Pavement Maintenance/Preservation Bid Items: High Density Mineral Bond, Asphalt Surface Treatment - First Offer | \$3.78 | 30000 / square yard | d \$113,400.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-29 | Pavement Maintenance/Preservation Bid Items: Manhole, Adjust - First Offer | \$575.00 | 20 / each | \$11,500.00 |
| Product Code: | | | oduct Code: | |
| Agency Notes: PSEN-18-0103-30 | Pavement Maintenance/Preservation Bid Items: Valve Adjust - First Offer | Supplier No \$395.00 | otes: 20 / each | \$7.900.00 |
| Product Code: | | | oduct Code: | \$7,900.00 |
| Agency Notes: | | Supplier No | | |
| PSEN-18-0103-31 | Pavement Maintenance/Preservation Bid Items: Remove Concrete; Curb, Sidewalk, Driveways - First Offer | \$50.00 | 20 / square yard | \$1,000.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-32 | Pavement Maintenance/Preservation Bid Items: Concrete Curb, Type D - First Offer | \$48.00 | 250 / linear foot | \$12,000.00 |
| Product Code: | | Supplier Pr Supplier No | oduct Code: | |
| Agency Notes: PSEN-18-0103-33 | Pavement Maintenance/Preservation Bid Items: Concrete, Sidewalk, 4" Thick, Non-Reinforced - First Offer | \$54.00 | 50 / square yard | \$2,700.00 |
| Product Code: | | Supplier Pr | oduct Code: | |
| Agency Notes: | | Supplier No | | 40 650 05 |
| PSEN-18-0103-34 Product Code: | Pavement Maintenance/Preservation Bid Items: Concrete, Sidewalk, 6" Thick, Non-Reinforced - First Offer | \$73.00 Supplier Pr | 50 / square yard oduct Code: | \$3,650.00 |
| Agency Notes: | | Supplier No | | |
| PSEN-18-0103-35 | Pavement Maintenance/Preservation Bid Items: Detectable Warning Surface - First Offer | \$49.00 | 100 / square foot | \$4,900.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-36 | Pavement Maintenance/Preservation Bid Items: Marker Pavement Retro-Reflective - First Offer | \$3.75 | 200 / each | \$750.00 |
| Product Code: | | | oduct Code: | |
| Agency Notes: PSEN-18-0103-37 | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 6" - First Offer | Supplier No \$1.00 | 200 / linear foot | \$200.00 |
| Product Code: | | | oduct Code: | \$200.00 |
| Agency Notes: | | Supplier No | | 1 |
| PSEN-18-0103-38 Product Code: | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12" - First Offer | \$1.00 | 100 / linear foot oduct Code: | \$100.00 |
| Agency Notes: | | Supplier No | | |
| PSEN-18-0103-39 | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 24 - First Offer | \$2.00 | 100 / linear foot | \$200.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: | |
| PSEN-18-0103-40 | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Skip, 6", 10-30 Or 3-9 Skip - First Offer | \$1.00 | 300 / linear foot | \$300.00 |
| Product Code: | | | oduct Code: | |
| Agency Notes: PSEN-18-0103-41 | Davement Maintenance/Dresonution Rid Items: Dainted Davement Markings, Standard White Arrows, First Offer | Supplier No \$30.00 | | \$300.00 |
| Product Code: | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Arrows - First Offer | | oduct Code: | \$300.00 |
| Agency Notes: | | Supplier No | | |
| PSEN-18-0103-42 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 6" - First Offer | \$1.50 | 1000 / linear foot | \$1,500.00 |
| Product Code: Agency Notes: | | Supplier Pr | oduct Code: otes: | |
| PSEN-18-0103-43 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 12" - First Offer | \$2.00 | 100 / linear foot | \$200.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: | |
| PSEN-18-0103-44 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 24" - First Offer | \$4.50 | 10 / linear foot | \$45.00 |
| Product Code: | | | oduct Code: | |
| Agency Notes: PSEN-18-0103-45 P | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Other Surfaces, White, Skip, 6", 10â30 Skip Or 3â9 Lane Drop - First Offer | Supplier No \$2.00 | otes: 100 / linear foot | \$200.00 |
| Product Code: | משפחופות אמותפוזמות פרופצפו אמנטרו שוט נפוווז. דופודוטטומגנת, טנוופי סטרומניפז, איוונפ, סגוף, ס , וטמסט סגוף טו סמי במופ טוטף - רווגר טרופי | | oduct Code: | \$200.00 |
| Agency Notes: | | Supplier No | | |
| PSEN-18-0103-46 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White, Arrow - First Offer | \$85.00 | 20 / each | \$1,700.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-47 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Remove - Water Blast - First Offer | \$11.00 | 500 / square foot | \$5,500.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| | | | | \$416,543.00 |
| Item # L | Line Item Special License Requirements: Hot Plant Mixed Bitum & Flexible Paving Certificate of Qualification from FDOT - First Offer | Unit Price | Qty/Unit 1 / each | Total Price |
| PSEN-18-0104-01 | שרכומו בוכרושה תפקטורבורובונש, רוסר רומות שוגפט סוגטורו א דופאוטופ רמשווא כפרטונכמנים טו קטמוווגמנוטרו דטרו ד- Hrst Offer | Supplier Pr | oduct Code: | |
| Agency Notes: | | Supplier No | otes: | |
| PSEN-18-0104-02 | Special License Requirements: Striping Subcontractor Certificate of Competency from Broward County - First Offer | C | 1 / each | |
| Product Code: | | Supplier Pr | oduct Code: | |

| ISG Strategic Part Bid Contact Jessic | a Squire Address THE VILLAGES, FL 32162 | | \$1,593,701.03 (59 | bi 59 items |
|--|--|----------------------------|----------------------|--------------|
| - | a.squire@isgsp.us 2-205-8804 | | | |
| Agency Notes: | | Supplier No | otes: | |
| Item # | Line Item | Unit Price | Qty/Unit | Total Pric |
| PSEN-18-0101-01 | High Density Mineral Bond/Asphalt Surface Treatment: High Density Mineral - First Offer | \$3.40 | 65000 / square yard | \$221,000.0 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: | 1 |
| PSEN-18-0101-02 | High Density Mineral Bond/Asphalt Surface Treatment: Repair by Mill and Resurface - First Offer | \$5.05 | 7050 / square foot | \$35,602.50 |
| Product Code: Agency Notes: | | | oduct Code: | |
| PSEN-18-0101-03 | High Density Mineral Bond/Asphalt Surface Treatment: Hot Patch - First Offer | | 2000 / square foot | \$15,000.0 |
| Product Code: | | Supplier Pr | oduct Code: | 1, |
| Agency Notes: | | Supplier No | otes: | |
| PSEN-18-0101-04 | High Density Mineral Bond/Asphalt Surface Treatment: Pavement Markings - First Offer | \$65,000.00 | 1 / lump sum | \$65,000.00 |
| Product Code: | | | oduct Code: | |
| Agency Notes: PSEN-18-0101-05 | High Density Mineral Bond/Asphalt Surface Treatment: Maintenance of Traffic (MOT) - First Offer | Supplier No \$47 500 00 | 1 / lump sum | \$47,500.00 |
| | | | | \$47,500.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0101-06 | High Density Mineral Bond/Asphalt Surface Treatment: Additional Cost to provide a Payment & Performance Bond - First Offer | \$10,850.00 | 1 / lump sum | \$10,850.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| | | | Lot Total: | \$394,952.50 |
| ltem # | Line Item | Unit Price | Qty/Unit | Total Pric |
| PSEN-18-0102-01 | Alternative - Bid: Mill and Resurface(3/4 inch SP 9.5) - First Offer | \$9.74 | 65000 / square yard | \$633,100.0 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: | 1 |
| PSEN-18-0102-02 | Alternative - Bid: Pavement Markings - First Offer | \$62,568.00 | | \$62,568.00 |
| | | | P == | |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0102-03 | Alternative - Bid: Maintenance of Traffic (MOT) - First Offer | | 1 / lump sum | \$35,000.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | <u> </u> |
| PSEN-18-0102-04 | Alternative - Bid: Additional Cost to provide a Payment & Performance Bond - First Offer | | | \$25,500.0 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: | 1 |
| igency rotes. | | Supplierite | | \$756,168.0 |
| ltem # | Line Item | Unit Price | Qty/Unit | Total Pric |
| PSEN-18-0103-01 | Pavement Maintenance/Preservation Bid Items: Mobilization (per location) Crack Fill Crew - First Offer | \$4,030.00 | 10 / each | \$40,300.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: | |
| PSEN-18-0103-02 | Pavement Maintenance/Preservation Bid Items: Mobilization (per location) Pavement Patching Crew - First Offer | \$4.030.00 | 10 / each | \$40,300.00 |
| Product Code: Agency Notes: | | | oduct Code: | 1410,500.00 |
| PSEN-18-0103-03 | Pavement Maintenance/Preservation Bid Items: Mobilization (per location) HDMB Application Crew - First Offer | \$4,030.00 | 10 / each | \$40,300.0 |
| Product Code: Agency Notes: | | | oduct Code: | |
| PSEN-18-0103-04 | Pavement Maintenance/Preservation Bid Items: Mobilization (per location) Milling and Resurfacing Crew - First Offer | \$2,875.00 | 10 / each | \$28,750.0 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: | |
| PSEN-18-0103-05 | Pavement Maintenance/Preservation Bid Items: Traffic Control Officer (minimum 4 hours each) - First Offer | | | \$3,750.0 |
| Product Code: Agency Notes: | | | oduct Code: | |
| PSEN-18-0103-06 | Pavement Maintenance/Preservation Bid Items: FDOT CERTIFIED FLAG PERSON - First Offer | | 100 / day | \$43,700.0 |
| Product Code: | | | oduct Code: | 13,, 00.0 |
| Agency Notes: | | Supplier No | | |
| | | #0.40 | 100 / day | \$40.0 |
| PSEN-18-0103-07 | Pavement Maintenance/Preservation Bid Items: Work Zone Signs - First Offer | \$0.40 | 1007 day | |

| | Pavement Maintenance/Preservation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer | \$0.40 | 1000 / day | \$400.00 |
|--|---|--|---|--|
| PSEN-18-0103-08 Product Code: | | | oduct Code: | \$400.00 |
| Agency Notes: | | Supplier No | 1 | 457.50 |
| PSEN-18-0103-09 Product Code: | Pavement Maintenance/Preservation Bid Items: Barricade, Temporary, F&I, Type lii, 6', F&I - First Offer | \$1.15 Supplier Pr | 50 / day | \$57.50 |
| Agency Notes: | | Supplier No | otes: | |
| PSEN-18-0103-10 | Pavement Maintenance/Preservation Bid Items: Advance Warning Arrow Panels, F&I - First Offer | \$17.25 | 15 / day | \$258.75 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-11 | Pavement Maintenance/Preservation Bid Items: Temporary Retroreflective Pavement Marker - First Offer | \$3.45 | 100 / day | \$345.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-12 | Pavement Maintenance/Preservation Bid Items: Lights, Temporary, Type C, Steady Burn, F&I - First Offer | \$1.15 | 50 / day | \$57.50 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-13 | Pavement Maintenance/Preservation Bid Items: Portable Changeable Message Sign Temporary, F&I - First Offer | \$35.00 | 10 / day | \$350.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-14 | Pavement Maintenance/Preservation Bid Items: Pavement Marking Removable Tape, White-Black, White-Black, Skip - First Offer | \$2.30 | 5000 / linear foot | \$11,500.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: | |
| PSEN-18-0103-15 | Pavement Maintenance/Preservation Bid Items: Pavement Marking Removable Tape, White-Black, Solid - First Offer | \$2.30 | 500 / linear foot | \$1,150.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-16 | Pavement Maintenance/Preservation Bid Items: Pavement Marking Removable Tape, Yellow, Solid - First Offer | \$2.30 | 500 / linear foot | \$1,150.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: | |
| PSEN-18-0103-17 | Pavement Maintenance/Preservation Bid Items: Sediment Barrier - First Offer | \$2.30 | 100 / linear foot | \$230.00 |
| Product Code: | | Supplier Pr | oduct Code: | |
| Agency Notes: | | Supplier No | 1 | |
| PSEN-18-0103-18 Product Code: | Pavement Maintenance/Preservation Bid Items: Staked Turbidity Barrier - Nylon Reinforced Pvc - First Offer | \$5.75 Supplier Pr | 100 / linear foot | \$575.00 |
| Agency Notes: | | Supplier Pr | | |
| PSEN-18-0103-19 | Pavement Maintenance/Preservation Bid Items: Inlet Protection System - First Offer | \$105.00 | 50 / each | \$5,250.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-20 | Pavement Maintenance/Preservation Bid Items: Limerock Base Repair, 4" Thickness - First Offer | \$40.00 | 200 / square yard | \$8,000.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-21 | Pavement Maintenance/Preservation Bid Items: Limerock Base Repair, 6" Thickness - First Offer | \$49.00 | 200 / square yard | \$9,800.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-22 | Pavement Maintenance/Preservation Bid Items: Bituminous Crack And Joint Sealing For Asphalt Concrete Roadway - First Offer | \$2.88 | 6 / linear foot | \$17.28 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-23 | Pavement Maintenance/Preservation Bid Items: Pavement Patching-Remove/Replace HMA, 1 1/2" Depth (6 SY Min) - First Offer | \$230.00 | 6 / square yard | \$1,380.00 |
| Product Code: | | Supplier Pr Supplier No | oduct Code: | |
| Agency Notes: PSEN-18-0103-24 | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1" Avg Depth - First Offer | \$4.60 | 2000 / square yard | \$9,200.00 |
| Product Code: | | Supplier Pr | oduct Code: | |
| Agency Notes: | | Supplier No | 1 | ¢10.200.00 |
| DCEN 40.04 00.05 | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1 1/2" Avg Depth - First Offer | \$5.18 | 2000 / square yard | \$10,360.00 |
| | | Supplier Pr | oduct Code: | |
| Product Code: | | Supplier Pr Supplier No | oduct Code: otes: | |
| Product Code: Agency Notes: PSEN-18-01–03-26 | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1/2" Avg Depth - First Offer | Supplier No \$4.31 | otes: 2000 / square yard | \$8,620.00 |
| Product Code: Agency Notes: PSEN-18-01-03-26 Product Code: | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1/2" Avg Depth - First Offer | Supplier No \$4.31 Supplier Pr | otes: 2000 / square yard oduct Code: | \$8,620.00 |
| Product Code: Agency Notes: PSEN-18-01-03-26 Product Code: Agency Notes: | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1/2" Avg Depth - First Offer | Supplier No \$4.31 | otes: 2000 / square yard oduct Code: | \$8,620.00 |
| Product Code: Agency Notes: PSEN-18-01-03-26 Product Code: PSEN-18-01-03-27 PSEN-18-01-03-27 Product Code: | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1/2" Avg Depth - First Offer Pavement Maintenance/Preservation Bid Items: Superpave Asphaltic Concrete, Traffic A, B, Or C - First Offer | Supplier No \$4.31 Supplier Pr Supplier No \$230.00 Supplier Pr | 2000 / square yard oduct Code: otes: 100 / ton oduct Code: | |
| Product Code: Agency Notes: PSEN-18-01-03-26 Product Code: Agency Notes: PSEN-18-01-03-27 Product Code: Agency Notes: | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1/2" Avg Depth - First Offer Pavement Maintenance/Preservation Bid Items: Superpave Asphaltic Concrete, Traffic A, B, Or C - First Offer | Supplier No \$4.31 Supplier Pr Supplier No \$230.00 | 2000 / square yard oduct Code: otes: 100 / ton oduct Code: | \$23,000.00 |
| Product Code: Agency Notes: PSEN-18-0103-26 Product Code: Agency Notes: PSEN-18-0103-27 Product Code: Agency Notes: PSEN-18-0103-28 | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1/2" Avg Depth - First Offer Pavement Maintenance/Preservation Bid Items: Superpave Asphaltic Concrete, Traffic A, B, Or C - First Offer Pavement Maintenance/Preservation Bid Items: High Density Mineral Bond, Asphalt Surface Treatment - First Offer | Supplier No \$4.31 Supplier Pr Supplier No \$230.00 Supplier Pr Supplier No \$3.40 | 2000 / square yard oduct Code: otes: 100 / ton oduct Code: otes: 30000 / square yarc | \$23,000.00 |
| Product Code: Agency Notes: PSEN-18-01-03-26 Product Code: Agency Notes: PSEN-18-01-03-27 Product Code: Agency Notes: PSEN-18-01-03-28 Product Code: | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1/2" Avg Depth - First Offer Pavement Maintenance/Preservation Bid Items: Superpave Asphaltic Concrete, Traffic A, B, Or C - First Offer Pavement Maintenance/Preservation Bid Items: High Density Mineral Bond, Asphalt Surface Treatment - First Offer | Supplier No \$4.31 Supplier Pr Supplier No \$230.00 Supplier Pr Supplier No \$3.40 | otes: 2000 / square yard oduct Code: otes: 100 / ton oduct Code: otes: 30000 / square yard oduct Code: | \$23,000.00 |
| Product Code: Agency Notes: PSEN-18-01-03-26 Product Code: Agency Notes: PSEN-18-01-03-27 Product Code: Agency Notes: PSEN-18-01-03-28 Product Code: Agency Notes: PSEN-18-01-03-29 | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1/2" Avg Depth - First Offer Pavement Maintenance/Preservation Bid Items: Superpave Asphaltic Concrete, Traffic A, B, Or C - First Offer Pavement Maintenance/Preservation Bid Items: High Density Mineral Bond, Asphalt Surface Treatment - First Offer Pavement Maintenance/Preservation Bid Items: High Density Mineral Bond, Asphalt Surface Treatment - First Offer Pavement Maintenance/Preservation Bid Items: High Density Mineral Bond, Asphalt Surface Treatment - First Offer Pavement Maintenance/Preservation Bid Items: High Density Mineral Bond, Asphalt Surface Treatment - First Offer | Supplier No \$4.31 Supplier Pr Supplier No \$230.00 Supplier Pr Supplier No Supplier No \$690.00 | 2000 / square yard oduct Code: otes: 100 / ton oduct Code: otes: 30000 / square yard oduct Code: otes: 20 / each | \$23,000.00 |
| Agency Notes: PSEN-18-01-03-26 Product Code: Agency Notes: PSEN-18-01-03-27 Product Code: Agency Notes: PSEN-18-01-03-28 Product Code: Agency Notes: PSEN-18-01-03-29 Product Code: PSEN-18-01-03-29 Product Code: | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1/2" Avg Depth - First Offer Pavement Maintenance/Preservation Bid Items: Superpave Asphaltic Concrete, Traffic A, B, Or C - First Offer Pavement Maintenance/Preservation Bid Items: High Density Mineral Bond, Asphalt Surface Treatment - First Offer Pavement Maintenance/Preservation Bid Items: High Density Mineral Bond, Asphalt Surface Treatment - First Offer Pavement Maintenance/Preservation Bid Items: High Density Mineral Bond, Asphalt Surface Treatment - First Offer Pavement Maintenance/Preservation Bid Items: High Density Mineral Bond, Asphalt Surface Treatment - First Offer | Supplier No \$4.31 Supplier Pr Supplier No \$230.00 Supplier Pr Supplier No \$3.40 Supplier Pr Supplier No \$690.00 Supplier Pr | 2000 / square yard oduct Code: otes: 100 / ton oduct Code: otes: 30000 / square yard oduct Code: otes: 20 / each oduct Code: | \$23,000.00 |
| Product Code: Agency Notes: PSEN-18-01-03-26 Product Code: Agency Notes: PSEN-18-01-03-27 Product Code: Agency Notes: PSEN-18-01-03-28 Product Code: Agency Notes: PSEN-18-01-03-29 Product Code: Agency Notes: PSEN-18-01-03-29 | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1/2" Avg Depth - First Offer Pavement Maintenance/Preservation Bid Items: Superpave Asphaltic Concrete, Traffic A, B, Or C - First Offer Pavement Maintenance/Preservation Bid Items: High Density Mineral Bond, Asphalt Surface Treatment - First Offer Pavement Maintenance/Preservation Bid Items: High Density Mineral Bond, Asphalt Surface Treatment - First Offer Pavement Maintenance/Preservation Bid Items: High Density Mineral Bond, Asphalt Surface Treatment - First Offer Pavement Maintenance/Preservation Bid Items: High Density Mineral Bond, Asphalt Surface Treatment - First Offer | Supplier No \$4.31 Supplier Pr Supplier No \$230.00 Supplier Pr Supplier No Supplier No \$690.00 | 2000 / square yard oduct Code: otes: 100 / ton oduct Code: otes: 30000 / square yard oduct Code: otes: 20 / each oduct Code: | \$23,000.00 |
| Product Code: Agency Notes: PSEN-18-01-03-26 Product Code: Agency Notes: PSEN-18-01-03-27 Product Code: Agency Notes: PSEN-18-01-03-28 Product Code: Agency Notes: | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1/2" Avg Depth - First Offer Pavement Maintenance/Preservation Bid Items: Superpave Asphaltic Concrete, Traffic A, B, Or C - First Offer Pavement Maintenance/Preservation Bid Items: High Density Mineral Bond, Asphalt Surface Treatment - First Offer Pavement Maintenance/Preservation Bid Items: High Density Mineral Bond, Asphalt Surface Treatment - First Offer Pavement Maintenance/Preservation Bid Items: High Density Mineral Bond, Asphalt Surface Treatment - First Offer Pavement Maintenance/Preservation Bid Items: Maintenance/Preservation Bid Items: Manhole, Adjust - First Offer Pavement Maintenance/Preservation Bid Items: Valve Adjust - First Offer | Supplier No \$4.31 Supplier Pr Supplier No \$230.00 Supplier Pr Supplier No \$690.00 Supplier Pr Supplier No \$345.00 | 2000 / square yard oduct Code: otes: 100 / ton oduct Code: otes: 30000 / square yard oduct Code: otes: 20 / each oduct Code: otes: 20 / each oduct Code: otes: 20 / each | \$23,000.00 4 \$102,000.00 \$13,800.00 |

| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
|--------------------------------|--|----------------------------|----------------------|------------------------|
| PSEN-18-0103-32 | Pavement Maintenance/Preservation Bid Items: Concrete Curb, Type D - First Offer | \$40.25 | 250 / linear foot | \$10,062.50 |
| Product Code: | | | oduct Code: | 1 |
| Agency Notes: | | Supplier No | | |
| PSEN-18-0103-33 | Pavement Maintenance/Preservation Bid Items: Concrete, Sidewalk, 4" Thick, Non-Reinforced - First Offer | \$52.00 | 50 / square yard | \$2,600.00 |
| Product Code: | | | oduct Code: | |
| Agency Notes: | | Supplier No | | 1 |
| PSEN-18-0103-34 | Pavement Maintenance/Preservation Bid Items: Concrete, Sidewalk, 6" Thick, Non-Reinforced - First Offer | \$75.00 | 50 / square yard | \$3,750.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-35 | Pavement Maintenance/Preservation Bid Items: Detectable Warning Surface - First Offer | \$40.00 | 100 / square foot | \$4,000.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-36 | Pavement Maintenance/Preservation Bid Items: Marker Pavement Retro-Reflective - First Offer | \$4.00 | 200 / each | \$800.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-37 | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 6" - First Offer | \$0.25 | 200 / linear foot | \$50.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-38 | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12" - First Offer | \$0.50 | 100 / linear foot | \$50.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | 1 |
| PSEN-18-0103-39 | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 24 - First Offer | \$1.00 | 100 / linear foot | \$100.00 |
| Product Code: Agency Notes: | | | oduct Code: | |
| PSEN-18-0103-40 | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Skip, 6", 10-30 Or 3-9 Skip - First Offer | \$0.30 | 300 / linear foot | \$90.00 |
| Product Code: Agency Notes: | | | oduct Code: | |
| PSEN-18-0103-41 | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Arrows - First Offer | \$46.00 | 10 / each | \$460.00 |
| Product Code: Agency Notes: | | | oduct Code: | \$100.00 |
| PSEN-18-0103-42 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 6" - First Offer | \$1.30 | 1000 / linear foot | \$1,300.00 |
| Product Code: | | | oduct Code: | \$1,500.00 |
| Agency Notes: | | Supplier No | | |
| PSEN-18-0103-43 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 12" - First Offer | \$2.40 | 100 / linear foot | \$240.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-44 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 24" - First Offer | \$5.20 | 10 / linear foot | \$52.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-45 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Other Surfaces, White, Skip, 6", 10â30 Skip Or 3â9 Lane Drop - First Offer | \$1.30 | 100 / linear foot | \$130.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-46 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White, Arrow - First Offer | \$65.00 | 20 / each | \$1,300.00 |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0103-47 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Remove - Water Blast - First Offer | \$10.50 | 500 / square foot | \$5,250.00 |
| Product Code: | | Supplier Pr | oduct Code: | |
| Agency Notes: | | Supplier No | otes: | |
| | | | Lot Total | \$442,580.53 |
| ltem # | Line Item | Unit Price | Qty/Unit | Total Price |
| PSEN-18-0104-01 | Special License Requirements: Hot Plant Mixed Bitum & Flexible Paving Certificate of Qualification from FDOT - First Offer | | 1 / each | |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| PSEN-18-0104-02 | Special License Requirements: Striping Subcontractor Certificate of Competency from Broward County - First Offer | | 1 / each | |
| Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
| | | | Lot | t Total: \$0.00 |

| Whitaker Contra | cting Corporation | | \$563,250.00 | (6/59 items) |
|--------------------------------|---|--------------------------------|---------------------|--------------|
| | Thomas Address P.O. Box 306; 692 Con thomas@whitaker-contracting.com GUNTERSVILLE, AL 35 5-673-5768 GUNTERSVILLE, AL 35 | • | ad | |
| Agency Notes: | | Supplier Note | s: | |
| Item # | Line Item | Unit Price | Qty/Unit | Total Price |
| PSEN-18-0101-01 | High Density Mineral Bond/Asphalt Surface Treatment: High Density Mineral - First Offer | \$5.85 | 65000 / square yard | \$380,250.00 |
| Product Code: Agency Notes: | | Supplier Prod Supplier Note | | |
| PSEN-18-0101-02 | High Density Mineral Bond/Asphalt Surface Treatment: Repair by Mill and Resurface - First Offer | \$10.00 | 7050 / square foot | \$70,500.00 |
| | | | | |

| gency Notes: I rSEN-18-0103-04 I gency Notes: I rSEN-18-0103-05 I gency Notes: I rSEN-18-0103-06 I gency Notes: I rSEN-18-0103-06 I gency Notes: I rSEN-18-0103-07 I gency Notes: I rSEN-18-0103-08 I gency Notes: I rSEN-18-0103-09 I gency Notes: I rSEN-18-0103-09 I gency Notes: I rSEN-18-0103-09 I gency Notes: I rSEN-18-0103-10 I gency Notes: I rSEN-18-0103-11 I gency Notes: I rSEN-18-0103-12 I gency Notes: I rSEN-18-0103-13 I gency Notes: I rSEN-18-0103-13 I gency Notes: I </th <th>Pavement Maintenance/Preservation Bid Items: Portable Changeable Message Sign Temporary, F&l Pavement Maintenance/Preservation Bid Items: Pavement Marking Removable Tape, White-Black, White-Black, Skip</th> <th>Supplier Prod Supplier Note Supplier Note Supplier Note Supplier Prod Supplier Prod Supplier Prod Supplier Note Supplier Note Supplier Note Supplier Prod Supplier Prod Supplier Prod</th> <th>s: uct Code: s: uct Code: s: uct Code: s: uct Code: s: uct Code: s: uct Code: s:</th> <th>No Bids No Bids No Bids No Bids No Bids No Bids No Bids</th> | Pavement Maintenance/Preservation Bid Items: Portable Changeable Message Sign Temporary, F&l Pavement Maintenance/Preservation Bid Items: Pavement Marking Removable Tape, White-Black, White-Black, Skip | Supplier Prod Supplier Note Supplier Note Supplier Note Supplier Prod Supplier Prod Supplier Prod Supplier Note Supplier Note Supplier Note Supplier Prod Supplier Prod Supplier Prod | s: uct Code: s: uct Code: s: uct Code: s: uct Code: s: uct Code: s: uct Code: s: | No Bids |
|--|---|--|---|---|
| Agency Notes: I PSEN-18-0103-04 I Agency Notes: I PSEN-18-0103-05 I Agency Notes: I PSEN-18-0103-06 I Agency Notes: I PSEN-18-0103-06 I Agency Notes: I PSEN-18-0103-07 I Agency Notes: I PSEN-18-0103-08 I Agency Notes: I PSEN-18-0103-09 I Agency Notes: I PSEN-18-0103-09 I Agency Notes: I PSEN-18-0103-10 I Agency Notes: I PSEN-18-0103-11 I Agency Notes: I PSEN-18-0103-12 I Agenc | Pavement Maintenance/Preservation Bid Items: Barricade, Temporary, F&I, Type Iii, 6', F&I Pavement Maintenance/Preservation Bid Items: Advance Warning Arrow Panels, F&I Pavement Maintenance/Preservation Bid Items: Temporary Retroreflective Pavement Marker Pavement Maintenance/Preservation Bid Items: Lights, Temporary, Type C, Steady Burn, F&I Pavement Maintenance/Preservation Bid Items: Portable Changeable Message Sign Temporary, F&I | Supplier Note Supplier Prod Supplier Note Supplier Prod | s: uct Code: s: uct Code: s: uct Code: s: uct Code: s: uct Code: uct Code: uct Code: | No Bids No Bids No Bids |
| Agency Notes: I PSEN-18-0103-04 I Agency Notes: I PSEN-18-0103-05 I Agency Notes: I PSEN-18-0103-06 I Agency Notes: I PSEN-18-0103-06 I Agency Notes: I PSEN-18-0103-07 I Agency Notes: I PSEN-18-0103-08 I Agency Notes: I PSEN-18-0103-09 I Agency Notes: I PSEN-18-0103-09 I Agency Notes: I PSEN-18-0103-10 I Agency Notes: I PSEN-18-0103-11 I Agency Notes: I PSEN-18-0103-12 I Agency Notes: I PSEN-18-0103-12 I Agency Notes: I PSEN-18-0103-12 I Agency Notes: I PSEN-18-0103-13 I | Pavement Maintenance/Preservation Bid Items: Barricade, Temporary, F&I, Type Iii, 6', F&I Pavement Maintenance/Preservation Bid Items: Advance Warning Arrow Panels, F&I Pavement Maintenance/Preservation Bid Items: Temporary Retroreflective Pavement Marker Pavement Maintenance/Preservation Bid Items: Lights, Temporary, Type C, Steady Burn, F&I | Supplier Note Supplier Prod Supplier Prod Supplier Prod Supplier Prod Supplier Prod Supplier Prod Supplier Note Su | s: uct Code: s: uct Code: s: uct Code: s: uct Code: s: uct Code: s: | No Bids No Bids No Bids |
| Agency Notes: I PSEN-18-0103-04 I Agency Notes: I PSEN-18-0103-05 I PSEN-18-0103-05 I Agency Notes: I PSEN-18-0103-06 I Agency Notes: I PSEN-18-0103-07 I Agency Notes: I PSEN-18-0103-08 I Agency Notes: I PSEN-18-0103-09 I Agency Notes: I PSEN-18-0103-09 I Agency Notes: I PSEN-18-0103-09 I Agency Notes: I PSEN-18-0103-10 I Agency Notes: I PSEN-18-0103-11 I Agency Notes: I PSEN-18-0103-12 I | Pavement Maintenance/Preservation Bid Items: Barricade, Temporary, F&I, Type Iii, 6', F&I Pavement Maintenance/Preservation Bid Items: Advance Warning Arrow Panels, F&I Pavement Maintenance/Preservation Bid Items: Temporary Retroreflective Pavement Marker Pavement Maintenance/Preservation Bid Items: Lights, Temporary, Type C, Steady Burn, F&I | Supplier Note Supplier Prod Supplier Note Supplier Prod | s: uct Code: s: uct Code: s: uct Code: s: uct Code: uct Code: | No Bids No Bids |
| wgency Notes: I PSEN-18-0103-04 I wgency Notes: I PSEN-18-0103-05 I PSEN-18-0103-05 I wgency Notes: I PSEN-18-0103-06 I wgency Notes: I PSEN-18-0103-07 I wgency Notes: I PSEN-18-0103-08 I wgency Notes: I PSEN-18-0103-09 I wgency Notes: I PSEN-18-0103-09 I wgency Notes: I PSEN-18-0103-09 I wgency Notes: I PSEN-18-0103-10 I wgency Notes: I PSEN-18-0103-11 I Wgency Notes: I PSEN-18-0103-12 I | Pavement Maintenance/Preservation Bid Items: Barricade, Temporary, F&I, Type Iii, 6', F&I Pavement Maintenance/Preservation Bid Items: Advance Warning Arrow Panels, F&I Pavement Maintenance/Preservation Bid Items: Temporary Retroreflective Pavement Marker Pavement Maintenance/Preservation Bid Items: Lights, Temporary, Type C, Steady Burn, F&I | Supplier Note Supplier Prod Supplier Note Supplier Prod Supplier Note Supplier Prod Supplier Note | s: uct Code: s: uct Code: s: uct Code: s: | No Bids No Bids |
| Agency Notes: I PSEN-18-0103-04 I Agency Notes: I PSEN-18-0103-05 I Agency Notes: I PSEN-18-0103-06 I Agency Notes: I PSEN-18-0103-06 I Agency Notes: I PSEN-18-0103-07 I Agency Notes: I PSEN-18-0103-08 I Agency Notes: I PSEN-18-0103-09 I Agency Notes: I PSEN-18-0103-09 I Agency Notes: I PSEN-18-0103-09 I Agency Notes: I PSEN-18-0103-10 I Agency Notes: I PSEN-18-0103-10 I Agency Notes: I PSEN-18-0103-10 I Agency Notes: I | Pavement Maintenance/Preservation Bid Items: Barricade, Temporary, F&I, Type Iii, 6', F&I Pavement Maintenance/Preservation Bid Items: Advance Warning Arrow Panels, F&I | Supplier Note Supplier Prod Supplier Note Supplier Prod Supplier Note Supplier Note Supplier Prod | s: uct Code: s: uct Code: s: uct Code: | No Bids |
| Agency Notes: I PSEN-18-0103-04 I Agency Notes: I PSEN-18-0103-05 I Agency Notes: I PSEN-18-0103-06 I Agency Notes: I PSEN-18-0103-06 I Agency Notes: I PSEN-18-0103-07 I Agency Notes: I PSEN-18-0103-08 I Agency Notes: I PSEN-18-0103-09 I Agency Notes: I PSEN-18-0103-09 I Agency Notes: I PSEN-18-0103-09 I Agency Notes: I PSEN-18-0103-10 I Agency Notes: I PSEN-18-0103-10 I Agency Notes: I PSEN-18-0103-10 I Agency Notes: I | Pavement Maintenance/Preservation Bid Items: Barricade, Temporary, F&I, Type Iii, 6', F&I Pavement Maintenance/Preservation Bid Items: Advance Warning Arrow Panels, F&I | Supplier Note Supplier Prod Supplier Note Supplier Prod Supplier Note | s: uct Code: s: uct Code: s: | No Bids |
| Agency Notes: I PSEN-18-01-03-04 I Agency Notes: I PSEN-18-01-03-05 I Agency Notes: I PSEN-18-01-03-06 I Agency Notes: I PSEN-18-01-03-06 I Agency Notes: I PSEN-18-01-03-07 I Agency Notes: I PSEN-18-01-03-08 I Agency Notes: I PSEN-18-01-03-09 I Agency Notes: I PSEN-18-01-03-09 I Agency Notes: I PSEN-18-01-03-09 I Agency Notes: I | Pavement Maintenance/Preservation Bid Items: Barricade, Temporary, F&I, Type lii, 6', F&I | Supplier Note Supplier Prod Supplier Note Supplier Prod | s: uct Code: s: uct Code: | |
| Agency Notes: I PSEN-18-0103-04 I Agency Notes: I PSEN-18-0103-05 I Agency Notes: I PSEN-18-0103-06 I Agency Notes: I PSEN-18-0103-06 I Agency Notes: I PSEN-18-0103-07 I Agency Notes: I PSEN-18-0103-08 I Agency Notes: I PSEN-18-0103-09 I Agency Notes: I PSEN-18-0103-09 I | Pavement Maintenance/Preservation Bid Items: Barricade, Temporary, F&I, Type lii, 6', F&I | Supplier Note Supplier Prod Supplier Note | s: uct Code: s: | |
| Agency Notes: I PSEN-18-0103-04 I Agency Notes: I PSEN-18-0103-05 I Agency Notes: I PSEN-18-0103-06 I Agency Notes: I PSEN-18-0103-06 I Agency Notes: I PSEN-18-0103-07 I Agency Notes: I PSEN-18-0103-07 I Agency Notes: I PSEN-18-0103-08 I Agency Notes: I PSEN-18-0103-08 I Agency Notes: I | | Supplier Note Supplier Prod | s: uct Code: | No Bids |
| Agency Notes: Agency Notes: PSEN-18-0103-04 I Agency Notes: PSEN-18-0103-05 I PSEN-18-0103-06 I Agency Notes: PSEN-18-0103-06 I PSEN-18-0103-07 I Agency Notes: PSEN-18-0103-07 I PSEN-18-0103-08 I Agency Notes: PSEN-18-0103-08 I PSEN-18-0103-08 I PSEN-18-0103-09 I | | Supplier Note | s: | No Bids |
| Agency Notes: I PSEN-18-0103-04 I Agency Notes: I PSEN-18-0103-05 I Agency Notes: I PSEN-18-0103-06 I Agency Notes: I PSEN-18-0103-06 I Agency Notes: I PSEN-18-0103-07 I Agency Notes: I PSEN-18-0103-07 I Agency Notes: I PSEN-18-0103-08 I Agency Notes: I PSEN-18-0103-08 I Agency Notes: I | | | | |
| Agency Notes: Image: Agency Notes: PSEN-18-01-03-04 Image: Agency Notes: PSEN-18-01-03-05 Image: Agency Notes: PSEN-18-01-03-06 Image: Agency Notes: PSEN-18-01-03-07 Image: Agency Notes: PSEN-18-01-03-07 Image: Agency Notes: PSEN-18-01-03-07 Image: Agency Notes: PSEN-18-01-03-07 Image: Agency Notes: PSEN-18-01-03-08 Image: Agency Notes: | Pavement Maintenance/Preservation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, | Supplier Prod | uct Code: | |
| Agency Notes: Image: Agency Notes: PSEN-18-0103-04 Image: Agency Notes: Image: Agency Notes: PSEN-18-0103-06 Image: Agency Notes: Image: Agency Notes: PSEN-18-0103-07 Image: Agency Notes: Image: Agency Notes: PSEN-18-0103-07 Image: Agency Notes: Image: Agency Notes: PSEN-18-0103-07 Image: Agency Notes: Image: Agency Notes: | | ··· | | No Bids |
| Agency Notes: Image: Agency Notes: PSEN-18-0103-04 Image: Agency Notes: Image: Agency Notes: PSEN-18-0103-05 Image: Agency Notes: Image: Agency Notes: PSEN-18-0103-06 Image: Agency Notes: Image: Agency Notes: PSEN-18-0103-07 Image: Agency Notes: Image: Agency Notes: | | Supplier Note | | |
| Agency Notes: PSEN-18-0103-04 I Agency Notes: I PSEN-18-0103-05 I Agency Notes: I PSEN-18-0103-06 I Agency Notes: I PSEN-18-0103-06 I Agency Notes: I | Pavement Maintenance/Preservation Bid Items: Work Zone Signs | Supplier Prod | uct Code: | No Bids |
| Agency Notes: Image: PSEN-18-0103-04 Image: PSEN-18-0103-05 Image: PSEN-18-0103-05 Image: PSEN-18-0103-06 Image: PSEN-18-01- | | Supplier Note | | |
| Agency Notes: PSEN-18-01-03-04 Agency Notes: PSEN-18-01-03-05 Agency Notes: | Pavement Maintenance/Preservation Bid Items: FDOT CERTIFIED FLAG PERSON | Supplier Prod | uct Code: | No Bids |
| Agency Notes: Image: PSEN-18-0103-04 Image: PSEN-18-0103-05 Image: PSEN-18-01- | | Supplier Note | s: | No Diala |
| Agency Notes: PSEN-18-01-03-04 | Pavement Maintenance/Preservation Bid Items: Traffic Control Officer (minimum 4 hours each) | Supplier Prod | | |
| Agency Notes: | Davament Maintananco/Proconcation Bid Itoms: Traffic Control Officer (minimum 4 hours and) | Supplier Note | s: | No Bids |
| Agency Notes: | מרכז הביות המשתכו אות איר הביר אמומיד אומי הביוה. אומסווג מעמיד עריי המשמטיד עריי המשמטיד איזוווות מדמ הכינור מ מיני הייני המשתכו המשמטיד איני הייני איזו איזוווות מדמ הכינור עריי הייני איזוווות מדמ הכינור מכוור מכוור בייני ה | Supplier Prod | uct Code: | NO DIUS |
| I | Pavement Maintenance/Preservation Bid Items: Mobilization (per location) Milling and Resurfacing Crew | Supplier Note | s: | No Bids |
| PSEN-18-0103-03 | | Supplier Prod | | |
| | Pavement Maintenance/Preservation Bid Items: Mobilization (per location) HDMB Application Crew | Supplier Note | 5: | No Bids |
| Agency Notes: | | Supplier Prod | | |
| PSEN-18-0103-02 | Pavement Maintenance/Preservation Bid Items: Mobilization (per location) Pavement Patching Crew | | J. | No Bids |
| Agency Notes: | | Supplier Prod Supplier Note | | |
| | Pavement Maintenance/Preservation Bid Items: Mobilization (per location) Crack Fill Crew | | | No Bids |
| ltem # | ine Item | Unit Price | Qty/Unit | Lot Total: \$0.00 Total Price |
| | | Supplier Note | | |
| PSEN-18-0102-04 | Alternative - Bid: Additional Cost to provide a Payment & Performance Bond | Supplier Prod | uct Code: | NO BIOS |
| DCEN 18 01 02 04 | Alternative Dide Additional Cost to provide a Devenant 9 Development a Deve | Supplier Note | s: | No Bids |
| Agency Notes: | | Supplier Prod | uct Code: | |
| PSEN-18-0102-03 | Alternative - Bid: Maintenance of Traffic (MOT) | Supplier Note | s: | No Bids |
| Agency Notes: | | Supplier Prod | | |
| PSEN-18-0102-02 | Alternative - Bid: Pavement Markings | aupplier Note | э. | No Bids |
| Agency Notes: | | Supplier Prod Supplier Note | | |
| | Alternative - Bid: Mill and Resurface(3/4 inch SP 9.5) | | 4.y, 01111 | No Bids |
| Item # | ine Item | Unit Price | Lot Qty/Unit | Total: \$563,250.00 |
| Agency Notes: | | Supplier Note | s: | |
| PSEN-18-0101-06 H Product Code: | igh Density Mineral Bond/Asphalt Surface Treatment: Additional Cost to provide a Payment & Performance Bond - First Offer | \$2,500.00 Supplier Prod | 1 / lump sum | \$2,500.00 |
| Agency Notes: | | Supplier Note | s: | |
| PSEN-18-0101-05 | High Density Mineral Bond/Asphalt Surface Treatment: Maintenance of Traffic (MOT) - First Offer | \$15,000.00 Supplier Prod | 1 / lump sum | \$15,000.00 |
| Agency Notes: | | Supplier Note | | ¢15 000 00 |
| PSEN-18-0101-04 | High Density Mineral Bond/Asphalt Surface Treatment: Pavement Markings - First Offer | \$65,000.00 Supplier Prod | | 403,000.00 |
| Agency Notes: | | Supplier Note \$65,000.00 | s: 1 / lump sum | \$65,000.00 |
| Product Code: | | Supplier Prod | uct Code: | +30,000.00 |
| Agency Notes: PSEN-18-0101-03 | High Density Mineral Bond/Asphalt Surface Treatment: Hot Patch - First Offer | \$15.00 | s: 2000 / square for | ot \$30,000.00 |
| Product Code: | | Supplier Prod Supplier Note | | |

| | Supplier Notes: |
|---|---|
| SEN-18-0103-15 Pavement Maintenance/Preservation Bid Items: Pavement Marking Removable Tape, White-Black, Solid | No Bids |
| gency Notes: | Supplier Product Code: Supplier Notes: |
| SEN-18-01–03-16 Pavement Maintenance/Preservation Bid Items: Pavement Marking Removable Tape, Yellow, Solid | No Bids |
| zency Notes: | Supplier Product Code: Supplier Notes: |
| SEN-18-01–03-17 Pavement Maintenance/Preservation Bid Items: Sediment Barrier | No Bids |
| gency Notes: | Supplier Product Code: Supplier Notes: |
| PSEN-18-01–03-18 Pavement Maintenance/Preservation Bid Items: Staked Turbidity Barrier - Nylon Reinforced Pvc | No Bids |
| gency Notes: | Supplier Product Code: Supplier Notes: |
| PSEN-18-0103-19 Pavement Maintenance/Preservation Bid Items: Inlet Protection System | No Bids |
| gency Notes: | Supplier Product Code: Supplier Notes: |
| PSEN-18-0103-20 Pavement Maintenance/Preservation Bid Items: Limerock Base Repair, 4" Thickness | No Bids |
| gency Notes: | Supplier Product Code: Supplier Notes: |
| PSEN-18-0103-21 Pavement Maintenance/Preservation Bid Items: Limerock Base Repair, 6" Thickness | No Bids |
| gency Notes: | Supplier Product Code: Supplier Notes: |
| 2SEN-18-01–03-22 Pavement Maintenance/Preservation Bid Items: Bituminous Crack And Joint Sealing For Asphalt Concrete Roadway | No Bids |
| gency Notes: | Supplier Product Code: Supplier Notes: |
| SEN-18-01–03-23 Pavement Maintenance/Preservation Bid Items: Pavement Patching-Remove/Replace HMA, 1 1/2" Depth (6 SY Min) | No Bids |
| gency Notes: | Supplier Product Code: Supplier Notes: |
| SEN-18-0103-24 Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1" Avg Depth | No Bids |
| gency Notes: | Supplier Product Code: Supplier Notes: |
| SEN-18-01–03-25 Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1 1/2" Avg Depth | No Bids |
| gency Notes: | Supplier Product Code: Supplier Notes: |
| PSEN-18-01–-03-26 Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1/2" Avg Depth | No Bids |
| gency Notes: | Supplier Product Code: Supplier Notes: |
| 25EN-18-0103-27 Pavement Maintenance/Preservation Bid Items: Superpave Asphaltic Concrete, Traffic A, B, Or C | No Bids |
| gency Notes: | Supplier Product Code: Supplier Notes: |
| PSEN-18-01–-03-28 Pavement Maintenance/Preservation Bid Items: High Density Mineral Bond, Asphalt Surface Treatment | No Bids |
| gency Notes: | Supplier Product Code: Supplier Notes: |
| PSEN-18-01–-03-29 Pavement Maintenance/Preservation Bid Items: Manhole, Adjust | No Bids |
| gency Notes: | Supplier Product Code: Supplier Notes: |
| PSEN-18-0103-30 Pavement Maintenance/Preservation Bid Items: Valve Adjust | No Bids |
| Agency Notes: | Supplier Product Code: Supplier Notes: |
| PSEN-18-0103-31 Pavement Maintenance/Preservation Bid Items: Remove Concrete; Curb, Sidewalk, Driveways | No Bids |
| Agency Notes: | Supplier Product Code: Supplier Notes: |
| PSEN-18-0103-32 Pavement Maintenance/Preservation Bid Items: Concrete Curb, Type D | No Bids |
| Agency Notes: | Supplier Product Code: Supplier Notes: |
| PSEN-18-0103-33 Pavement Maintenance/Preservation Bid Items: Concrete, Sidewalk, 4" Thick, Non-Reinforced | No Bids |
| Agency Notes: | Supplier Product Code: Supplier Notes: |
| PSEN-18-0103-34 Pavement Maintenance/Preservation Bid Items: Concrete, Sidewalk, 6" Thick, Non-Reinforced | No Bids |
| gency Notes: | Supplier Product Code: Supplier Notes: |
| PSEN-18-0103-35 Pavement Maintenance/Preservation Bid Items: Detectable Warning Surface | No Bids |
| gency Notes: | Supplier Product Code: Supplier Notes: |
| PSEN-18-0103-36 Pavement Maintenance/Preservation Bid Items: Marker Pavement Retro-Reflective | No Bids |
| Agency Notes: | Supplier Product Code: Supplier Notes: |
| PSEN-18-0103-37 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 6" | No Bids |
| Agency Notes: | Supplier Product Code: Supplier Notes: |
| | Supplier Notes. |

| Agency Notes: | | Supplier Prod | | | |
|-----------------|--|---|----------|-------------------|--|
| PSEN-18-0103-39 | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 24 | ouppile: root | | No Bids | |
| Agency Notes: | | Supplier Product Code: Supplier Notes: | | | |
| PSEN-18-0103-40 | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Skip, 6", 10-30 Or 3-9 Skip | | | No Bids | |
| Agency Notes: | | Supplier Prod Supplier Note | | | |
| PSEN-18-0103-41 | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Arrows | | | No Bids | |
| Agency Notes: | | Supplier Prod Supplier Note | | | |
| PSEN-18-0103-42 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 6" | | | No Bids | |
| Agency Notes: | | Supplier Prod Supplier Note | | | |
| PSEN-18-0103-43 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 12" | | | No Bids | |
| Agency Notes: | | Supplier Prod Supplier Note | | | |
| PSEN-18-0103-44 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 24" | | | No Bids | |
| Agency Notes: | | Supplier Prod Supplier Note | | | |
| PSEN-18-0103-45 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Other Surfaces, White, Skip, 6", 10â30 Skip Or 3â9 Lane Drop | | | No Bids | |
| Agency Notes: | | Supplier Prod Supplier Note | | | |
| PSEN-18-0103-46 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White, Arrow | | | No Bids | |
| Agency Notes: | | Supplier Prod Supplier Note | | | |
| PSEN-18-0103-47 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Remove - Water Blast | | | No Bids | |
| Agency Notes: | | Supplier Prod Supplier Note | | | |
| | | | | Lot Total: \$0.00 | |
| ltem # | Line Item | Unit Price | Qty/Unit | Total Price | |
| PSEN-18-0104-01 | Special License Requirements: Hot Plant Mixed Bitum & Flexible Paving Certificate of Qualification from FDOT | | | No Bids | |
| Agency Notes: | | Supplier Prod Supplier Note | | | |
| PSEN-18-0104-02 | Special License Requirements: Striping Subcontractor Certificate of Competency from Broward County | | | No Bids | |
| Agency Notes: | | Supplier Prod Supplier Note | | | |
| | | | | Lot Total: \$0.00 | |

| PaveCo, Inc | | | \$372,762.00 (32 | 2/59 items) |
|--------------------------------|---|-----------------------------|---------------------|--------------|
| | Whelan Address 2000 Sherman St. paveco.com HOLLYWOOD, FL 33020 4-256-9300 HOLLYWOOD, FL 33020 | | | |
| Agency Notes: | | Supplier No | tes: | |
| ltem # | Line Item | Unit Price | Qty/Unit | Total Price |
| PSEN-18-0101-01 | High Density Mineral Bond/Asphalt Surface Treatment: High Density Mineral - First Offer | \$1.35 | 65000 / square yard | \$87,750.00 |
| Product Code: Agency Notes: | | Supplier Pro Supplier No | | |
| PSEN-18-0101-02 | High Density Mineral Bond/Asphalt Surface Treatment: Repair by Mill and Resurface - First Offer | \$4.00 | 7050 / square foot | \$28,200.00 |
| Product Code: Agency Notes: | | Supplier Pro Supplier No | | |
| PSEN-18-0101-03 | High Density Mineral Bond/Asphalt Surface Treatment: Hot Patch - First Offer | \$3.75 | 2000 / square foot | \$7,500.00 |
| Product Code: Agency Notes: | | Supplier Pro Supplier No | | |
| PSEN-18-0101-04 | High Density Mineral Bond/Asphalt Surface Treatment: Pavement Markings | | | No Bids |
| Agency Notes: | | Supplier Pro Supplier No | | |
| PSEN-18-0101-05 | High Density Mineral Bond/Asphalt Surface Treatment: Maintenance of Traffic (MOT) - First Offer | \$15,000.00 | 1 / lump sum | \$15,000.00 |
| Product Code: Agency Notes: | | Supplier Pro Supplier No | | ! |
| PSEN-18-0101-06 | High Density Mineral Bond/Asphalt Surface Treatment: Additional Cost to provide a Payment & Performance Bond | | | No Bids |
| Agency Notes: | | Supplier Pro Supplier No | | |
| | | | Lot Total: | \$138,450.00 |
| ltem # | Line Item | Unit Price | Qty/Unit | Total Price |
| PSEN-18-0102-01 | Alternative - Bid: Mill and Resurface(3/4 inch SP 9.5) - First Offer | \$1.38 | 65000 / square yard | \$89,700.00 |
| Product Code: Agency Notes: | | Supplier Pro Supplier No | | |
| PSEN-18-0102-02 | Alternative - Bid: Pavement Markings - First Offer | \$5,200.00 | 1 / lump sum | \$5,200.00 |

| Pavement Maintenance/Preservation Bid Items: Work Zone Signs - First Offer ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type III, 6', F&I dvance Warning Arrow Panels, F&I emporary Retroreflective Pavement Marker ghts, Temporary, Type C, Steady Burn, F&I ortable Changeable Message Sign Temporary, F&I avement Marking Removable Tape, White-Black, White-Black, Skip avement Marking Removable Tape, White-Black, Solid avement Marking Removable Tape, Yellow, Solid atemporary Retrief and the strift of the strift | Supplier N \$13.16 Supplier P Supplier N Supplier P Supplier N Supplier P Supplier N Supplier P Supplier N Supplier N | Iotes: 100 / day roduct Code: Iotes: roduct Code: Iotes | \$1,316.00 \$9,240.00 No Bids |
|---|---|--|--|
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DJ, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type III, 6', F&I dvance Warning Arrow Panels, F&I emporary Retroreflective Pavement Marker ghts, Temporary, Type C, Steady Burn, F&I prtable Changeable Message Sign Temporary, F&I avement Marking Removable Tape, White-Black, White-Black, Skip avement Marking Removable Tape, White-Black, Solid avement Marking Removable Tape, Yellow, Solid ediment Barrier aked Turbidity Barrier - Nylon Reinforced Pvc let Protection System | Supplier N \$13.16 Supplier P Supplier N Supplier N | Iotes: 100 / day roduct Code: Iotes: roduct Code: Iotes | \$9,240.00 No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type III, 6', F&I dvance Warning Arrow Panels, F&I emporary Retroreflective Pavement Marker ghts, Temporary, Type C, Steady Burn, F&I prtable Changeable Message Sign Temporary, F&I avement Marking Removable Tape, White-Black, White-Black, Skip avement Marking Removable Tape, White-Black, Solid avement Marking Removable Tape, Yellow, Solid avement Marking Removable Tape, Yellow, Solid addiment Barrier aked Turbidity Barrier - Nylon Reinforced Pvc | Supplier N \$13.16 Supplier P Supplier N Supplier N Supplier N Supplier N Supplier N Supplier P Supplier N Supplier P Supplier N Supplier P Supplier N Supplier N | Iotes: | \$9,240.00 No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type III, 6', F&I dvance Warning Arrow Panels, F&I emporary Retroreflective Pavement Marker ghts, Temporary, Type C, Steady Burn, F&I prtable Changeable Message Sign Temporary, F&I avement Marking Removable Tape, White-Black, White-Black, Skip avement Marking Removable Tape, White-Black, Solid avement Marking Removable Tape, Yellow, Solid avement Marking Removable Tape, Yellow, Solid addiment Barrier aked Turbidity Barrier - Nylon Reinforced Pvc | Supplier N \$13.16 Supplier P Supplier N Supplier P Supplier N Supplier P Supplier N Supplier P Supplier N Supplier N | Iotes: | \$9,240.00 No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type III, 6', F&I dvance Warning Arrow Panels, F&I emporary Retroreflective Pavement Marker ghts, Temporary, Type C, Steady Burn, F&I ortable Changeable Message Sign Temporary, F&I avement Marking Removable Tape, White-Black, White-Black, Skip avement Marking Removable Tape, White-Black, Solid avement Marking Removable Tape, Yellow, Solid avement Marking Removable Tape, Yellow, Solid | Supplier N \$13.16 Supplier P Supplier N Supplier N | Iotes: | \$9,240.00 \$9,240.00 No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type III, 6', F&I dvance Warning Arrow Panels, F&I emporary Retroreflective Pavement Marker ghts, Temporary, Type C, Steady Burn, F&I ortable Changeable Message Sign Temporary, F&I avement Marking Removable Tape, White-Black, White-Black, Skip avement Marking Removable Tape, White-Black, Solid avement Marking Removable Tape, Yellow, Solid avement Marking Removable Tape, Yellow, Solid | Supplier N \$13.16 Supplier P Supplier N Supplier P Supplier N Supplier P Supplier N Supplier N | Iotes: 100 / day roduct Code: Iotes: 1000 / day roduct Code: Iotes: | \$9,240.00 \$9,240.00 No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type III, 6', F&I dvance Warning Arrow Panels, F&I emporary Retroreflective Pavement Marker ghts, Temporary, Type C, Steady Burn, F&I ortable Changeable Message Sign Temporary, F&I avement Marking Removable Tape, White-Black, White-Black, Skip avement Marking Removable Tape, White-Black, Solid avement Marking Removable Tape, Yellow, Solid avement Marking Removable Tape, Yellow, Solid | Supplier N \$13.16 Supplier P Supplier N Supplier N | Iotes: 100 / day roduct Code: Iotes: roduct Code: Iotes: Iotes: Iotes: roduct Code: Iotes: | \$9,240.00 No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type III, 6', F&I dvance Warning Arrow Panels, F&I emporary Retroreflective Pavement Marker ghts, Temporary, Type C, Steady Burn, F&I ortable Changeable Message Sign Temporary, F&I avement Marking Removable Tape, White-Black, White-Black, Skip avement Marking Removable Tape, White-Black, Solid | Supplier N \$13.16 Supplier P Supplier N Supplier N | Iotes: 100 / day roduct Code: Iotes: roduct Code: Iotes: Iotes: Iotes: roduct Code: Iotes: | \$9,240.00 No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type III, 6', F&I dvance Warning Arrow Panels, F&I emporary Retroreflective Pavement Marker ghts, Temporary, Type C, Steady Burn, F&I ortable Changeable Message Sign Temporary, F&I avement Marking Removable Tape, White-Black, White-Black, Skip avement Marking Removable Tape, White-Black, Solid | Supplier N \$13.16 Supplier P Supplier N Supplier N | lotes: 100 / day roduct Code: lotes: roduct Code: roduct Code: lotes: roduct Code: roduct Code: lotes: roduct Code: roduct Code: lotes: roduct Code: roduct Code: rod | \$9,240.00 No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type III, 6', F&I dvance Warning Arrow Panels, F&I emporary Retroreflective Pavement Marker ghts, Temporary, Type C, Steady Burn, F&I ortable Changeable Message Sign Temporary, F&I avement Marking Removable Tape, White-Black, White-Black, Skip | Supplier N \$13.16 Supplier P Supplier N Supplier N | lotes: 100 / day roduct Code: lotes: roduct Code: roduct Code: lotes: roduct Code: roduct Code: lotes: roduct Code: roduct Code: lotes: roduct Code: roduct Code: rod | \$9,240.00 No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type III, 6', F&I dvance Warning Arrow Panels, F&I emporary Retroreflective Pavement Marker ghts, Temporary, Type C, Steady Burn, F&I ortable Changeable Message Sign Temporary, F&I avement Marking Removable Tape, White-Black, White-Black, Skip | Supplier N \$13.16 Supplier P Supplier N Supplier P Supplier N Supplier P Supplier N Supplier N | Iotes: 100 / day roduct Code: Iotes: roduct Code: Iotes: I | \$9,240.00 No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type III, 6', F&I dvance Warning Arrow Panels, F&I emporary Retroreflective Pavement Marker ghts, Temporary, Type C, Steady Burn, F&I ortable Changeable Message Sign Temporary, F&I avement Marking Removable Tape, White-Black, White-Black, Skip | Supplier N \$13.16 Supplier P Supplier N Supplier N | lotes: 100 / day roduct Code: lotes: roduct Code: roduct Code: | \$9,240.00 No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type III, 6', F&I dvance Warning Arrow Panels, F&I emporary Retroreflective Pavement Marker ghts, Temporary, Type C, Steady Burn, F&I ortable Changeable Message Sign Temporary, F&I | Supplier N \$13.16 Supplier P Supplier N Supplier N | lotes: 100 / day roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: lotes: roduct Code: lotes: l | No Bids No Bids No Bids No Bids No Bids No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type III, 6', F&I dvance Warning Arrow Panels, F&I emporary Retroreflective Pavement Marker ghts, Temporary, Type C, Steady Burn, F&I ortable Changeable Message Sign Temporary, F&I | Supplier N \$13.16 Supplier P Supplier N \$9.24 Supplier P Supplier N Supplier P Supplier N Supplier P | lotes: 100 / day roduct Code: lotes: roduct Code: roduct Code: lotes: roduct Code: roduct Code: rod | \$9,240.00 No Bids No Bids No Bids No Bids No Bids No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type III, 6', F&I dvance Warning Arrow Panels, F&I emporary Retroreflective Pavement Marker ghts, Temporary, Type C, Steady Burn, F&I | Supplier N \$13.16 Supplier P Supplier N \$9.24 Supplier P Supplier N Supplier P Supplier N Supplier P | lotes: 100 / day roduct Code: lotes: roduct Code: roduct Code: lotes: roduct Code: roduct Code: rod | No Bids No Bids No Bids No Bids No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type III, 6', F&I dvance Warning Arrow Panels, F&I emporary Retroreflective Pavement Marker ghts, Temporary, Type C, Steady Burn, F&I | Supplier N \$13.16 Supplier P Supplier N \$9.24 Supplier P Supplier N Supplier N | lotes: 100 / day roduct Code: lotes: roduct Code: lotes: lotes: roduct Code: lotes: lotes: roduct Code: lotes: lotes: roduct Code: lotes: roduct Code: lotes: lotes: roduct Code: lotes: lotes: lotes: roduct Code: lotes: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: roduct Code: lotes: roduct Code: roduct Code: rod | No Bids No Bids No Bids No Bids No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type III, 6', F&I dvance Warning Arrow Panels, F&I emporary Retroreflective Pavement Marker | Supplier N \$13.16 Supplier P Supplier N \$9.24 Supplier P Supplier N Supplier N | lotes: 100 / day roduct Code: lotes: roduct Code: lotes: lotes: roduct Code: lotes: lotes: roduct Code: lotes: lotes: roduct Code: lotes: roduct Code: lotes: lotes: roduct Code: lotes: lotes: lotes: roduct Code: lotes: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: roduct Code: lotes: roduct Code: roduct Code: rod | No Bids No Bids No Bids No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type III, 6', F&I dvance Warning Arrow Panels, F&I emporary Retroreflective Pavement Marker | Supplier N \$13.16 Supplier P Supplier N \$9.24 Supplier P Supplier N Supplier N Supplier N Supplier N Supplier N Supplier N Supplier N Supplier N | lotes: 100 / day roduct Code: lotes: 1000 / day roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: lot | No Bids No Bids No Bids No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type III, 6', F&I dvance Warning Arrow Panels, F&I emporary Retroreflective Pavement Marker | Supplier N \$13.16 Supplier P Supplier N \$9.24 Supplier P Supplier N Supplier N Supplier N Supplier N Supplier N Supplier N Supplier N Supplier N | lotes: 100 / day roduct Code: lotes: roduct Code: lotes: lotes: roduct Code: lotes: lotes: roduct Code: lotes: roduct Code: lotes: lotes: roduct Code: lotes: roduct Code: lotes: lotes: roduct Code: lotes: roduct Code: lotes: | No Bids No Bids No Bids No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type Iii, 6', F&I dvance Warning Arrow Panels, F&I | Supplier N \$13.16 Supplier P Supplier N Supplier P Supplier N Supplier N Supplier N Supplier P Supplier N Supplier N Supplier N | lotes: 100 / day roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes | No Bids No Bids No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type Iii, 6', F&I dvance Warning Arrow Panels, F&I | Supplier N \$13.16 Supplier P Supplier N \$9.24 Supplier P Supplier N Supplier N Supplier N Supplier N Supplier N Supplier N | lotes: 100 / day roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: | No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type Iii, 6', F&I dvance Warning Arrow Panels, F&I | Supplier N \$13.16 Supplier P Supplier N \$9.24 Supplier P Supplier N Supplier N Supplier N Supplier N Supplier N Supplier N | lotes: 100 / day roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: | \$9,240.00 No Bids No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type Iii, 6', F&I dvance Warning Arrow Panels, F&I | Supplier N \$13.16 Supplier P Supplier N \$9.24 Supplier P Supplier N Supplier N Supplier N Supplier P | lotes: 100 / day roduct Code: lotes: 1000 / day roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: | \$9,240.00 No Bids No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type lii, 6', F&I | Supplier N \$13.16 Supplier P Supplier N \$9.24 Supplier P Supplier N Supplier N Supplier N Supplier P | lotes: 100 / day roduct Code: lotes: 1000 / day roduct Code: lotes: roduct Code: lotes: roduct Code: lotes: roduct Code: | \$9,240.00 No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type lii, 6', F&I | Supplier N \$13.16 Supplier P Supplier N \$9.24 Supplier N Supplier N Supplier N | lotes: 100 / day roduct Code: lotes: 1000 / day roduct Code: lotes: roduct Code: lotes: | \$9,240.00 No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer arricade, Temporary, F&I, Type lii, 6', F&I | Supplier N \$13.16 Supplier P Supplier N \$9.24 Supplier N Supplier N Supplier P | lotes: 100 / day roduct Code: lotes: 1000 / day roduct Code: lotes: roduct Code: | \$9,240.00 No Bids |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer | Supplier N \$13.16 Supplier P Supplier N \$9.24 Supplier N Supplier N Supplier P | lotes: 100 / day roduct Code: lotes: 1000 / day roduct Code: lotes: roduct Code: | \$9,240.00 |
| ation Bid Items: BARRICADE, TEMPORARY, TYPES I, II, DI, VP & DRUM, F&I, - First Offer | Supplier N \$13.16 Supplier P Supplier N \$9.24 Supplier P | lotes: 100 / day roduct Code: lotes: 1000 / day roduct Code: | \$9,240.00 |
| | Supplier N \$13.16 Supplier P Supplier N \$9.24 Supplier P | lotes: 100 / day roduct Code: lotes: 1000 / day roduct Code: | |
| | Supplier N \$13.16 Supplier P Supplier N \$9.24 | lotes: 100 / day roduct Code: lotes: 1000 / day | |
| | Supplier N \$13.16 Supplier P Supplier N | lotes: 100 / day roduct Code: lotes: | |
| Pavement Maintenance/Preservation Bid Items: Work Zone Signs - First Offer | Supplier N \$13.16 Supplier P | lotes: 100 / day roduct Code: | \$1,316.00 |
| Pavement Maintenance/Preservation Bid Items: Work Zone Signs - First Offer | Supplier N | lotes: | \$1,316.00 |
| | 1 | | |
| | | | |
| DOT CERTIFIED FLAG PERSON | Supplier P | | No Bids |
| | Supplier N | lotes: | No Did |
| | | roduct Code: | |
| affic Control Officer (minimum 4 hours each) | | | No Bids |
| | Supplier P Supplier N | roduct Code: lotes: | |
| vation Bid Items: Mobilization (per location) Milling and Resurfacing Crew - First Offer | | | \$1,500.00 |
| | Supplier N | | |
| | Supplier P | roduct Code: | |
| obilization (per location) HDMB Application Crew | Supplier N | | No Bids |
| | Supplier P Supplier N | roduct Code: | |
| obilization (per location) Pavement Patching Crew | | | No Bids |
| | Supplier N | | |
| obilization (per location) Crack Fill Crew | Supplier P | roduct Code: | No Bids |
| | Unit Price | Qty/Unit | Total Price |
| | | | I: \$102,400.00 |
| | Supplier N | | |
| ווואווע דפווטווואווע סטוע | Supplier P | roduct Code: | INO BIOS |
| ent & Parformance Rond | Supplier N | lotes: | No Bids |
| | 1 | | |
| Alternative - Bid: Maintenance of Traffic (MOT) - First Offer | | | \$7,500.00 |
| 1 | Alternative - Bid: Maintenance of Traffic (MOT) - First Offer ent & Performance Bond | Supplier N Alternative - Bid: Maintenance of Traffic (MOT) - First Offer \$7,500.00 Supplier P Supplier N | Supplier Product Code: Supplier Notes: |

| Pip11 191 292 Perment Mathemator/Hearward/He | Product Code: Agency Notes: | | Supplier Pr Supplier No | oduct Code: otes: | |
|--|--------------------------------|--|----------------------------|----------------------|-------------|
| Agency ActionApproachAp | | Pavement Maintenance/Preservation Bid Items: Bituminous Crack And Joint Sealing For Asphalt Concrete Roadway - First Offer | | 1 | \$6.00 |
| Parts 10.11.212 Parenerit Materianos/Honoration Biditers Exemute fighting bids (1.127 bpg/bil) 57.411, 197 bpg/bil) | | | | | |
| Append formsEnclosed by a set of the set | PSEN-18-0103-23 | Pavement Maintenance/Preservation Bid Items: Pavement Patching-Remove/Replace HMA, 1 1/2" Depth (6 SY Min) - First Offer | \$33.75 | 6 / square yard | \$202.50 |
| Product Codel Supple Product Code | | | | | |
| Agency Netw Protect of the Second Seco | PSEN-18-0103-24 | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1" Avg Depth - First Offer | \$4.50 | 2000 / square yard | \$9,000.00 |
| PAIN 10-027 Pacemere Vontenance/Presentation Editerre, Milling Size Appli Pay, Fayd L127 Age Days. Fayd Dir Volte Code: Supplier Product Code: Value Code Value Code <t< td=""><td></td><td></td><td></td><td></td><td></td></t<> | | | | | |
| Product Code Supplier Product Code Supp | | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt 11/2" Avg Denth - First Offer | | 1 | \$12,600.00 |
| Parts Hole 2007 (gauge of parts) 2007 (gau | | | | | 12,000.00 |
| Product code Supplier Product Code Supplier Product Code Supplier Product Code Specifier Notes: Supplier Product Code Supplier Product Code Supplier Product Code Specifier Notes: Supplier Product Code Supplier Product Code Supplier Product Code Specifier Notes: Supplier Notes: Supplier Notes: Supplier Product Code Specifier Notes: Supplier Notes: Supplier Notes: Supplier Notes: | | | | 1 | |
| Agency Netstoppint buttoppint butProduct CotParement Maintenance/Preservation Bid Items: High Density Mareal Bond, Asphals Surface A. Roter R. S. Septem Product CoteSuppint Product CotePSIDP-100-2021Parement Maintenance/Preservation Bid Items: High Density Mareal Bond, Asphals Surface Treament. Front OfferS125300.07 (appant yell Aspect Product CoteParts Alor O-2021Parement Maintenance/Preservation Bid Items: High Density Mareal Bond, Asphals Surface Treament. Front OfferS12630.7 (adpant yell Aspect Product CoteParts Alor O-2021Parement Maintenance/Preservation Bid Items: Nation Asphals Surface Treament. Front OfferS10030.7 (adpant yell Aspect Product Cote)Parts Alor O-2021Parement Maintenance/Preservation Bid Items: Nation Asphals Surface Treament. Front OfferS10030.7 (adpant yell Aspect Product Cote)Parts Alor O-2021Parement Maintenance/Preservation Bid Items: Concrete Cuth. Stowald, DrivewayNoS100S0.7 (adpant yell Aspect Product Cote)PSIN 30.10-321Parement Maintenance/Preservation Bid Items: Concrete, Scievals, 4T Thick, Non-Berlfored-Trea CoteSuppint Product CoteParement Maintenance/Preservation Bid Items: Concrete, Scievals, 4T Thick, Non-Berlfored-Trea CoteSuppint Product CoteParement Maintenance/Preservation Bid Items: Concrete, Scievals, 4T Thick, Non-Berlfored-Trea CoteSuppint Product CoteParement Maintenance/Preservation Bid Items: Concrete, Scievals, 4T Thick, Non-Berlfored-Trea CoteSuppint Product CoteParement Maintenance/Preservation Bid Items: Density Suppint Product CoteSuppint Product CoteParement Maintenance/Preservation Bid Items: Nation | | Pavement Maintenance/Preservation Bid Items: Milling Exist Asph Pavt, 1/2" Avg Depth - First Offer | | 1 1 1 | \$9,000.00 |
| Product code: Agency Notes: PSN 3401-0329 Powernert Maintenanco/Preservation Bid Items: High Dernky Mancal Board, Asphaht Surface Treatment - Pro: Offer Agency Notes: PSN 3401-0329 Powernert Maintenanco/Preservation Bid Items: High Dernky Mancal Board, Asphaht Surface Treatment - Pro: Offer Agency Notes: PSN 3401-0329 Powernert Maintenanco/Preservation Bid Items: High Dernky Mancal Board, Asphaht Surface Treatment - Pro: Offer Agency Notes: PSN 3401-0329 Powernert Maintenanco/Preservation Bid Items: Valve Adjust - Pro: Offer Supplier Pro-Nut Code: Supplier Pro-Nut | | | | | |
| Agency Note: Upper Volume 3000 Support 1000000000000000000000000000000000000 | PSEN-18-0103-27 | Pavement Maintenance/Preservation Bid Items: Superpave Asphaltic Concrete, Traffic A, B, Or C - First Offer | \$1.35 | 100 / ton | \$135.00 |
| PickH 301-0238 Pavement Maintenance/Preservation Bid Items: High Density Maneral Bond, Aghabt Surface Trazement - First Offer \$13.5 \$2007 / square yard \$45.5 Agency Notes: Supplier Powers: Supplier Powers: \$13.5 \$2007 / square yard \$45.5 Product Code: Supplier Powers: Supplier Powers: \$13.5 \$2007 / square yard \$45.5 Product Code: Supplier Powers: \$500.00 \$2.7 arch \$13.5 Agency Notes: Supplier Powers: \$500.00 \$2.7 arch \$8.000.00 \$2.7 arch \$8.000.00 Product Code: Supplier Powers: \$500.00 \$2.7 arch \$8.000.00 \$2.7 arch \$2 | | | | | |
| Agency Notes: Supplier Note: | | Pavement Maintenance/Preservation Bid Items: High Density Mineral Bond, Asphalt Surface Treatment - First Offer | | 1 | \$40,500.00 |
| PicN1:30:1-03:20 Pavement Maintenance/Preservation Bid Items: Value Appl. Product Code: Suppler Product Code: Suppler Product Code: PSIN 18:01-03:30 Pavement Maintenance/Preservation Bid Items: Value Appl. Product Code: Suppler Product Code: Suppler Product Code: PSIN 18:01-03:30 Pavement Maintenance/Preservation Bid Items: Value Appl. Product Code: Suppler Product Code: Suppler Product Code: PSIN 18:01-03:31 Pavement Maintenance/Preservation Bid Items: Concrete; Curb, Sidewalk, d' Inki, Non-Reinforced Function Product Code: Suppler Product Code: Suppler Product Code: Agency Notes: PSIN 18:01-03:31 Pavement Maintenance/Preservation Bid Items: Concrete; Subwalk, d' Inki, Non-Reinforced Funct Offer Suppler Product Code: Agency Notes: Suppler Product Code: Suppler Product Code: Suppler Product Code: Agency Notes: Suppler Product Code: Suppler Product Code: Suppler Product Code: Agency Notes: Suppler Product Code: Suppler Product Code: Suppler Product Code: Agency Notes: Suppler Product Code: Suppler Product Code: Suppler Product Code: Agency Notes: Suppler Product Code: Suppler Product Code: Suppler Product Code: PSN 18:01-03:30 | | | | | |
| Product Code: Supplier Product Code: Supplier Product Code: Agency Notes: Supplier Notes: Supplier Product Code: PSN 18-01-03-30 Pavement Maintenance/Preservation Bid Items: Valve Adjust. First Offer \$400.00 20 / cach \$80.00 PSN 18-01-03-31 Pavement Maintenance/Preservation Bid Items: Remove Concrete; Curb, Sidewalk, Driveways Image: Concrete Curb, Type D- First Offer \$15.00 23 / cach \$30.00 PSN 18-01-03-31 Pavement Maintenance/Preservation Bid Items: Concrete Curb, Type D- First Offer \$15.00 23 / cach \$30.00 Paders Notes: Pavement Maintenance/Preservation Bid Items: Concrete Curb, Type D- First Offer \$15.00 23 / cach \$3.00 Paders Notes: Pavement Maintenance/Preservation Bid Items: Concrete, Sidewalk, 6' Thick, Non-Reinforced - First Offer \$17.20 \$1.00 \$3.00 Padvat Code: Supplier Product Code: | | Pavement Maintenance/Preservation Rid Items: Manhole Adjust - First Offer | | 1 | \$13,000.00 |
| PEVH 10-10-30 Pavement Maintenance/Preservation Bid Items: Valve Adjust-First Offer 94000 20 / sch. 94000 Product Code: Agency Notes: Supplier Product Code: Supplier Product Code: Supplier Product Code: Supplier Product Code: PSN 18-01-03-31 Pavement Maintenance/Preservation Bid Items: Concrete, Curb. Sidewalk, Driveways \$16.0 20 / sch. \$3.0 Product Code: Agency Notes: Pavement Maintenance/Preservation Bid Items: Concrete, Sidewalk, AT Thick, Non-Reinforced - First Offer \$4.0 \$0.0 \$2.42 Power Product Code: Agency Notes: Pavement Maintenance/Preservation Bid Items: Concrete, Sidewalk, AT Thick, Non-Reinforced - First Offer \$4.950 \$0.7 spanare yard \$2.42 PSN 180-1-03-33 Povement Maintenance/Preservation Bid Items: Concrete, Sidewalk, AT Thick, Non-Reinforced - First Offer \$49.50 \$0.7 spanare yard \$2.42 PSN 180-1-03-35 Pavement Maintenance/Preservation Bid Items: Concrete, Sidewalk, AT Thick, Non-Reinforced - First Offer \$49.50 \$0.7 spanare yard \$2.7 PSN 180-1-03-35 Pavement Maintenance/Preservation Bid Items: Detectable Warning Surface No \$30.00 No Agency Notes: Supplier Product Code: Supplier Product Code: \$30.00 \$30.00 \$30.00 \$30.00 \$30.00 | · | | | | +15,000100 |
| Product Code: Supplier Product Code: Supplier Product Code: Speny Mores: Supplier Product Code: Supplier Product Code: PSN 18-01-03-32 Pavement Maintenance/Preservation Bid Items: Remove Concrete; Curb, Sidewalk, D'heways \$1,50 207 /Inservation \$3,65 Poduct Code: Supplier Product C | | | | 1 | |
| Agency Notes: Supplier Notes: PSEN1801-0333 Paarment Maintenance/Preservation Bid Items: Remove Concrete; Cuth, Sidewalk, Driveways Supplier Product Code: Su | | Pavement Maintenance/Preservation Bid Items: Valve Adjust - First Offer | | 1 | \$8,000.00 |
| Agency Notes: Supplier Product Code: Supplier Notes: PSEN 18 01-03-32 Pavement Maintenance/Preservation Bid Items: Concrete_Curb, Type D - First Offer \$14.50 250 / Intear foot \$3.62 Agency Notes: Supplier Notes: Supplier Notes: Supplier Notes: Supplier Notes: \$2.47 Poduct Code: Agency Notes: Supplier Notes: Supplier Notes: \$2.47 Poduct Code: Agency Notes: Supplier Notes: Supplier Product Code: Supplier Notes: \$2.47 Poduct Code: Agency Notes: Pavement Maintenance/Preservation Bid Items: Concrete, Sidewalk, 4" Thick, Non-Reinforced - First Offer \$74.25 \$0 / supare yard \$3.71 Poduct Code: Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: Supplier Notes: \$3.72 PSEN18 01-03-36 Pavement Maintenance/Preservation Bid Items: Detectable Warning Surface No \$3.07 Agency Notes: Supplier Product Code: Supplier Notes: \$3.07 \$3.07 No PSEN18 01-03-31 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Sold, 0" No \$3.07 PSEN18 01-03-37 Pavement Maintenance/Preservation Bid Items: Pa | | | | | |
| PEN-180-10-32 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 21 PSEN-180-10-33 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 21 PSEN-180-10-33 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 21 PSEN-180-10-33 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 21 PSEN-180-10-33 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 21 PSEN-180-10-33 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12 PSEN-180-10-33 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12 PSEN-180-10-33 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12 PSEN-180-10-33 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12 PSEN-180-10-33 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12 PSEN-180-10-33 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12 PSEN-180-10-33 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12 PSEN-180-10-33 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12 PSEN-180-10-33 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12 PSEN-180-10-33 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12 PSEN-180-10-33 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12 PSEN-180-10-33 Pavement Maintenance/Preservation Bid Items: Pa | PSEN-18-0103-31 | Pavement Maintenance/Preservation Bid Items: Remove Concrete; Curb, Sidewalk, Driveways | | | No Bids |
| PSN1801-0332 Pavement Maintenance/Preservation Bid Items: Concrete, Urb, Type D - First Offer \$14.50 250 / Inear foot \$3,67 Product Code: Agency Notes: Supplier Notes: Supplier Notes: \$49.50 50 / square yard \$2,47 Potout: Code: Agency Notes: Pavement Maintenance/Preservation Bid Items: Concrete, Sidewalk, 4" Thick, Non-Reinforced - First Offer \$49.50 50 / square yard \$2,47 Potout: Code: Agency Notes: Pavement Maintenance/Preservation Bid Items: Concrete, Sidewalk, 6" Thick, Non-Reinforced - First Offer \$7,425 \$0 / square yard \$3,71 Potout: Code: Agency Notes: Pavement Maintenance/Preservation Bid Items: Concrete, Sidewalk, 6" Thick, Non-Reinforced - First Offer \$7,425 \$0 / square yard \$3,71 PSEN-18-01-03-36 Pavement Maintenance/Preservation Bid Items: Detectable Warning Surface Supplier Notes: \$3,91 PSEN-18-01-03-36 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 6" No \$3,91 Agency Notes: Supplier Notes: Supplier Notes: \$3,91 PSEN-18-01-03-38 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 6" No Agency Notes: Supplier Notes: Supplier Notes: \$3,91 | Agency Notes: | | | | |
| Agency Notes: Supplier Notes: PSEN-180-103-33 Pavement Maintenance/Preservation Bid Items: Concrete, Sidewalk, 4" Thick, Non-Reinforced-First Offer 549.50 50.7 square yard 52.7 Podult Code: Supplier Notes: Supplier Notes: Supplier Notes: Supplier Notes: Supplier Notes: 50.7 | PSEN-18-0103-32 | Pavement Maintenance/Preservation Bid Items: Concrete Curb, Type D - First Offer | | 1 | \$3,625.00 |
| PSEN-13-01-03-33 Pavement Maintenance/Preservation Bid Items: Concrete, Sidewalk, 4" Thick, Non-Reinforced - First Offer \$49.50 \$0 / square yard \$2,47 Product Code: Supplier Notes: Supplier Notes: Supplier Notes: \$3,71 Product Code: Supplier Notes: Supplier Notes: Supplier Notes: \$3,71 Product Code: Agency Notes: Supplier Notes: Supplier Notes: No PSEN-18-01-03-36 Pavement Maintenance/Preservation Bid Items: Detectable Warning Surface No No Agency Notes: Supplier Notes: Supplier Notes: No PSEN-18-01-03-36 Pavement Maintenance/Preservation Bid Items: Marker Pavement Retro-Reflective No Supplier Notes: No PSEN-18-01-03-37 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Sold, 6" No Supplier Notes: Supplier Notes | | | | | |
| Product Code: Supplier Product Code: Supplier Notes: No Agency Notes: Supplier Notes: Supplier Notes: Supplier Notes: No PSEN-18:0-10-3.36 Pavement Maintenance/Preservation Bid Items: Detectable Warning Surface No No Agency Notes: Supplier Notes: Supplier Notes: No PSEN-18:0-10-3.37 Pavement Maintenance/Preservation Bid Items: Marker Pavement Retro-Reflective No No Agency Notes: Supplier Notes: Supplier Notes: Supplier Notes: Supplier Notes: PSEN-18:0-10-3.37 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 6" Supplier Notes: No PSEN-18:0-10-3.38 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12" No Supplier Notes: Supplier Notes: No PSEN-18:0-10-3.39 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 24 No Supplier Notes: Supplier Notes: <td></td> <td>Pavement Maintenance/Preservation Bid Items: Concrete, Sidewalk, 4" Thick, Non-Reinforced - First Offer</td> <td></td> <td>1</td> <td>\$2,475.00</td> | | Pavement Maintenance/Preservation Bid Items: Concrete, Sidewalk, 4" Thick, Non-Reinforced - First Offer | | 1 | \$2,475.00 |
| PSEN-18-01-03-34 Pavement Maintenance/Preservation Bid Items: Concrete, Sidewalk, 6' Thick, Non-Reinforced - First Offer \$74.25 50 / square yard \$3,71 Product Code: Agency Notes: Supplier Notes: Supplier Notes: Supplier Notes: No PSEN-18-01-03-36 Pavement Maintenance/Preservation Bid Items: Detectable Warning Surface No No Agency Notes: Supplier Notes: Supplier Notes: Supplier Notes: Supplier Notes: PSEN-18-01-03-36 Pavement Maintenance/Preservation Bid Items: Marker Pavement Retro-Reflective No No Agency Notes: Supplier Notes: Supplier Notes: Supplier Notes: No PSEN-18-01-03-37 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 6'' No No Agency Notes: Supplier Notes: Supplier Notes: Supplier Notes: No PSEN-18-01-03-38 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12'' No No Agency Notes: Supplier Notes: Supplier Notes: Supplier Notes: Supplier Notes: Supplier Notes: No PSEN-18-01-03-40 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Sta | | | | | |
| Product Code: Supplier Product Code: Supplier Product Code: Agency Notes: Supplier Product Code: Supplier Product Code: PSEN-18-01-03-36 Pavement Maintenance/Preservation Bid Items: Detectable Warning Surface No Agency Notes: Supplier Product Code: Supplier Product Code: PSEN-18-01-03-36 Pavement Maintenance/Preservation Bid Items: Marker Pavement Retro-Reflective No Agency Notes: Supplier Product Code: Supplier Notes: PSEN-18-01-03-37 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 6" No Agency Notes: Supplier Notes: Supplier Notes: Supplier Notes: PSEN-18-0103-38 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12" No Agency Notes: Supplier Notes: Supplier Notes: Supplier Notes: PSEN-18-0103-39 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 24 No Agency Notes: Supplier Notes: Supplier Notes: Supplier Notes: PSEN-18-0103-40 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Silo, 6", 10-30 Or 3-9 Skip No S | | Davament Maintenanco/Preservation Bid Items: Concrete Sidewalk 6" Thick Non Deinferred - First Offer | | 1 | \$3,712.50 |
| PSEN-18-01-03-35 Pavement Maintenance/Preservation Bid Items: Detectable Warning Surface Supplier Product Code: Supplier Notes: PSEN-18-01-03-36 Pavement Maintenance/Preservation Bid Items: Marker Pavement Retro-Reflective No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: PSEN-18-01-03-37 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 6° No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: PSEN-18-01-03-38 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12° No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: PSEN-18-01-03-39 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 24 No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: PSEN-18-01-03-40 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Skip, 6°, 10-30 Or 3-9 Skip No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: PSEN-18-01-03-40 Pavement Maintenance/Pre | | ר מערוורות שמות באחרכאי רפאר אמנטה בוט תבודה. כטהברבה, הנשאמוג, ט דוונג, אטראבו ווטרבע - דווגר טוור | | | \$3,712.30 |
| Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: PSRN-18.01-03-36 Pavement Maintenance/Preservation Bid Items: Marker Pavement Retro-Reflective No Agency Notes: Supplier Product Code: Supplier Product Code: PSRN-18.01-03-37 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 6" No Agency Notes: Supplier Product Code: Supplier Product Code: PSRN-18.01-03-38 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12" No Agency Notes: Supplier Product Code: Supplier Product Code: Supplier Notes: Supplier Notes: Supplier Notes: No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Notes: PSEN-18:01-03-40 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Skip, 6", 10-30 Or 3-9 Skip No Agency Notes: PSEN-18:01-03-41 Pa | Agency Notes: | | | | |
| Supplier Notes: Supplier Notes: PSEN-18-01-03-36 Pavement Maintenance/Preservation Bid Items: Marker Pavement Retro-Reflective Supplier Notes: No Agency Notes: Supplier Product Code: Supplier Product Code: Supplier Product Code: No Agency Notes: Supplier Product Code: Supplier Produ | | Pavement Maintenance/Preservation Bid Items: Detectable Warning Surface | 6 | | No Bids |
| Agency Notes: Supplier Product Code: Supplier Notes: PSEN-18-01-03-37 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 6" No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: PSEN-18-01-03-38 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12" No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: PSEN-18-01-03-39 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 24 No Agency Notes: Supplier Product Code: Supplier Notes: No PSEN-18-01-03-40 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Arrows Supplier Product Code: Supplier Product Code: Supplier Notes: PSEN-18-01-03-41 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 6" - First Offer \$1.000 / linear foot \$4.25 PSEN-18-01-03-43 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 12" - First Offer \$4.00 / J00 / linear | Agency Notes: | | | | |
| Supplier Notes: Supplier Notes: PSEN-18-01-03-37 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 6" Supplier Product Code: Supplier Notes: Supplier Notes: Supplier Notes: PSEN-18-01-03-39 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12" Supplier Product Code: Agency Notes: Supplier Notes: Supplier Notes: Supplier Notes: PSEN-18-01-03-39 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 24 No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Notes: PSEN-18-01-03-40 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Skip, 6", 10-30 Or 3-9 Skip No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Notes: PSEN-18-01-03-40 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Arrows No No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Notes: Supplier Notes: PSEN-18-01-03-41 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 6" - First Offer S2.00 100 / l | PSEN-18-0103-36 | Pavement Maintenance/Preservation Bid Items: Marker Pavement Retro-Reflective | | | No Bids |
| PSEN-18-01-03-37 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 6" Supplier Product Code: Supplier Notes: PSEN-18-01-03-38 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12" No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: No PSEN-18-01-03-39 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 24 No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: No PSEN-18-01-03-40 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Skip, 6", 10-30 Or 3-9 Skip No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: No PSEN-18-01-03-41 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Arrows No No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: No PSEN-18-01-03-41 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 6" - First Offer \$2.50 1000 / linear foot \$2.50 | Agency Notes: | | | | |
| Supplier Notes: Supplier Notes: PSEN-18-01-03-38 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12" No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: No PSEN-18-01-03-39 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 24 Image: Supplier Notes: No Agency Notes: Supplier Notes: Supplier Notes: Supplier Notes: No PSEN-18-01-03-40 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Skip, 6", 10-30 Or 3-9 Skip Image: Notes: No Agency Notes: Supplier Notes: Supplier Notes: Supplier Notes: No PSEN-18-01-03-40 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Skip, 6", 10-30 Or 3-9 Skip Image: No No Agency Notes: Supplier Notes: Supplier Notes: Supplier Product Code: Supplier Notes: Supplier Notes: No PSEN-18-01-03-41 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 6" - First Offer \$2.50 1000 / Inear foot \$2.50 Product Code: Agency Notes: Supplier Product Code:< | PSEN-18-0103-37 | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 6" | | | No Bids |
| PSEN-18-01-03-38 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 12" No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: No PSEN-18-01-03-39 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 24 No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: PSEN-18-01-03-40 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Skip, 6", 10-30 Or 3-9 Skip No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: No PSEN-18-01-03-41 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Arrows No No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: Supplier Notes: PSEN-18-01-03-42 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 6" - First Offer \$2.50 1000 / linear foot \$2.50 Product Code: Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: \$40 | Agency Notes: | | | | |
| Agency Notes: Supplier Product Code: Supplier Notes: PSEN-18-01-03-39 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 24 No Agency Notes: Supplier Product Code: Supplier Product Code: PSEN-18-01-03-40 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Skip, 6", 10-30 Or 3-9 Skip No Agency Notes: Supplier Product Code: Supplier Product Code: PSEN-18-01-03-41 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Arrows Supplier Notes: PSEN-18-01-03-42 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Arrows Supplier Product Code: Supplier Product Code: Supplier Product Code: Supplier Notes: Supplier Notes: PSEN-18-01-03-42 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 6" - First Offer \$2.50 1000 / linear foot \$2.50 Product Code: Supplier Notes: Supplier Notes: Supplier Notes: Supplier Notes: Product Code: Supplier Notes: Supplier Notes: Supplier Notes: Supplier Notes: Supplier Notes: PSEN-18-01-03-43 Pavement Maintenance/Preservation Bid Items: T | PSEN-18-0103-38 | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings. Standard. White Or Yellow. Solid. 12" | Supplier No | | No Bids |
| PSEN-18-0103-39 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 24 Image: Supplier Product Code: Supplier Notes: PSEN-18-0103-40 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Skip, 6", 10-30 Or 3-9 Skip No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: PSEN-18-0103-41 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Arrows Supplier Product Code: Supplier Notes: PSEN-18-0103-41 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Arrows No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: PSEN-18-0103-42 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 6" - First Offer \$2.50 1000 / linear foot \$2.50 Product Code: Agency Notes: Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 12" - First Offer \$4.00 100 / linear foot \$4.00 Product Code: Agency Notes: Supplier Notes: Sup | · | | Supplier Pr | oduct Code: | |
| Agency Notes: Supplier Product Code: Supplier Notes: PSEN-18-0103-40 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Skip, 6", 10-30 Or 3-9 Skip No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: No PSEN-18-0103-41 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Arrows No No Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: No PSEN-18-0103-42 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 6" - First Offer \$2.50 1000 / linear foot \$2.50 Product Code: Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: PSEN-18-0103-43 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 12" - First Offer \$4.00 100 / linear foot \$4.00 Product Code: Agency Notes: Supplier Notes: Supplier Notes: Supplier Notes: Supplier Notes: PSEN-18-0103-43 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 12" - First Offer \$4.00 100 / linear foot \$4.00 | | | Supplier No | otes: | |
| Supplier Notes: PSEN-18-0103-40 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Skip, 6", 10-30 Or 3-9 Skip Supplier Notes: Agency Notes: Supplier Notes: Supplier Notes: PSEN-18-0103-41 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Arrows Image: Code: Supplier Notes: PSEN-18-0103-41 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Arrows Image: Supplier Notes: PSEN-18-0103-42 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 6" - First Offer \$2.50 1000 / linear foot \$2.50 Product Code: Supplier Notes: Supplier Notes: Supplier Notes: Supplier Notes: Supplier Notes: PSEN-18-0103-42 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 12" - First Offer \$4.00 100 / linear foot \$4.00 Product Code: Agency Notes: Supplier Notes: Supplier Notes: Supplier Notes: PSEN-18-0103-43 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 12" - First Offer \$4.00 100 / linear foot \$4.00 Product Code: Agency Notes: Supplier Notes: Supplier | · | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White Or Yellow, Solid, 24 | Supplier Pr | oduct Code: | No Bids |
| Agency Notes: Supplier Product Code: Supplier Notes: PSEN-18-0103-41 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Arrows Image: Notes: Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: PSEN-18-0103-42 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 6" - First Offer \$2.50 1000 / linear foot \$2,50 Product Code: Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: \$2.50 PSEN-18-0103-43 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 12" - First Offer \$4.00 100 / linear foot \$4.00 Product Code: Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: \$4.00 Product Code: Agency Notes: Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 12" - First Offer \$4.00 100 / linear foot \$4.00 Product Code: Agency Notes: Supplier Notes: Supplier Notes: \$2.50 10 / linear foot \$4.00 Product Code: Supplier Notes: Supplier Notes: \$2.50 10 / linear foot \$4.00 Product Code: | | | | | |
| Supplier Notes: PSEN-18-0103-41 Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Arrows Supplier Notes: Agency Notes: Supplier Notes: Supplier Notes: PSEN-18-0103-42 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 6" - First Offer \$2.50 1000 / linear foot \$2,50 Product Code: Agency Notes: Supplier Notes: Supplier Notes: \$2.50 1000 / linear foot \$2,50 Product Code: Agency Notes: Supplier Notes: Supplier Notes: \$2.50 1000 / linear foot \$400 Product Code: Agency Notes: Supplier Notes: Supplier Notes: \$2.50 100 / linear foot \$400 Product Code: Agency Notes: Supplier Notes: \$2.50 100 / linear foot \$400 Product Code: Agency Notes: Supplier Notes: \$2.50 100 / linear foot \$400 Product Code: Agency Notes: Supplier Notes: \$2.50 10 / linear foot \$400 Product Code: Agency Notes: Supplier Notes: \$2.50 10 / linear foot \$400 Product Code: Agency Not | | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Skip, 6", 10-30 Or 3-9 Skip | Cumulia | duat Coder | No Bids |
| Agency Notes: Supplier Product Code: Supplier Notes: PSEN-18-0103-42 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 6" - First Offer \$2,50 Product Code: Agency Notes: Supplier Product Code: Supplier Notes: \$2,50 PSEN-18-0103-43 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 12" - First Offer \$4.00 100 / linear foot \$4.00 Product Code: Agency Notes: Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 12" - First Offer \$4.00 100 / linear foot \$4.00 Product Code: Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: \$2.50 PSEN-18-0103-44 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 24" - First Offer \$5.00 10 / linear foot \$5.00 Product Code: Supplier Product Code: Supplier Notes: \$5.00 10 / linear foot \$5.00 Product Code: Supplier Product Code: Supplier Product Code: \$5.00 10 / linear foot \$5.00 Product Code: Supplier Product Code: \$5.00 10 / linear foot \$5.00 \$5.00 \$5.00 \$5.00 \$5.00 \$ | Agency Notes: | | | | |
| Supplier Notes: PSEN-18-01-03-42 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 6" - First Offer \$2.50 1000 / linear foot \$2,50 Product Code: Agency Notes: Supplier Notes: | PSEN-18-0103-41 | Pavement Maintenance/Preservation Bid Items: Painted Pavement Markings, Standard, White, Arrows | | | No Bids |
| PSEN-18-01-03-42 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 6" - First Offer \$2.50 1000 / linear foot \$2,50 Product Code: Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: \$400 Product Code: Agency Notes: Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 12" - First Offer \$4.00 100 / linear foot \$400 Product Code: Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: \$400 PSEN-18-01-03-44 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 24" - First Offer \$5.00 10 / linear foot \$500 Product Code: Supplier Product Code: Supplier Product Code: \$5.00 10 / linear foot \$500 Product Code: Supplier Product Code: Supplier Product Code: \$5.00 10 / linear foot \$500 Product Code: Supplier Product Code: Supplier Product Code: \$5.00 10 / linear foot \$500 Product Code: Supplier Product Code: Supplier Product Code: \$5.00 10 / linear foot \$500 | Agency Notes: | | | | |
| Agency Notes: Supplier Notes: PSEN-18-0103-43 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 12" - First Offer \$4.00 100 / linear foot \$4.00 Product Code: Supplier Product Code: Supplier Notes: Supplier Notes: PSEN-18-0103-44 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 24" - First Offer \$5.00 10 / linear foot \$5.00 Product Code: Supplier Product Code: Supplier Notes: \$5.00 10 / linear foot \$5.00 | PSEN-18-0103-42 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 6" - First Offer | | 1 | \$2,500.00 |
| PSEN-18-0103-43 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 12" - First Offer \$4.00 100 / linear foot \$4.00 Product Code: Agency Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: Supplier Product Code: Supplier Notes: PSEN-18-0103-44 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 24" - First Offer \$5.00 10 / linear foot \$5.00 Product Code: Supplier Product Code: Supplier Product Code: \$5.00 10 / linear foot \$5.00 | | | | | |
| Agency Notes: Supplier Notes: PSEN-18-0103-44 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 24" - First Offer \$5.00 10 / linear foot \$5 Product Code: Supplier Product Code: \$10 / linear foot \$5 | | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 12" - First Offer | | 1 | \$400.00 |
| PSEN-18-0103-44 Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 24" - First Offer \$5.00 10 / linear foot \$5 Product Code: Supplier Product Code: | | | | | |
| Product Code: Supplier Product Code: | | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White Or Yellow, Solid, 24" - First Offer | | 1 | \$50.00 |
| | | | | | |
| Agency Notes: Supplier Notes: | Agency Notes: | | Supplier No | otes: | |

| PSEN-18-0103-45 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Other Surfaces, White, Skip, 6", 10â30 Skip Or 3â9 Lane Drop - First Offer | \$2.50 | 100 / linear foot | \$250.00 |
|--------------------------------|--|-----------------------------|----------------------|----------------------|
| Product Code: Agency Notes: | | Supplier Pro Supplier No | | |
| PSEN-18-0103-46 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Standard, White, Arrow - First Offer | \$100.00 | 20 / each | \$2,000.00 |
| Product Code: Agency Notes: | | Supplier Pro Supplier No | oduct Code: ites: | |
| PSEN-18-0103-47 | Pavement Maintenance/Preservation Bid Items: Thermoplastic, Remove - Water Blast - First Offer | \$6.80 | 500 / square foot | \$3,400.00 |
| Product Code: Agency Notes: | | Supplier Pro Supplier No | | |
| | | | Lot Total: | \$131,912.00 |
| Item # | Line Item | Unit Price | Qty/Unit | Total Price |
| PSEN-18-0104-01 | Special License Requirements: Hot Plant Mixed Bitum & Flexible Paving Certificate of Qualification from FDOT - First Offer | | 1 / each | |
| Product Code: Agency Notes: | | Supplier Pro Supplier No | | |
| PSEN-18-0104-02 | Special License Requirements: Striping Subcontractor Certificate of Competency from Broward County - First Offer | | 1 / each | |
| Product Code: Agency Notes: | | Supplier Pro Supplier No | | |
| | | | Lot | Total: \$0.00 |

Close

Questions? Contact a BidSync representative: 800-990-9339 or email: support@bidsync.com

| Home | Bid Search | Bids | Orders | Tools | Support | Privacy | Logout | |
|------|------------|------|--------|-------|---------|---------|--------|--|
| | | | in 🎔 | f 🛗 | | | | |

Copyright © 1999-2018 - BidSync - All rights reserved.

Bid #PSEN-18-01 - Asphalt Surface Treatment w/ High Density Mineral Bond (NW 178 Ave. 17 St.)

Bid Comparison Analysis

Main Bid

| | | | | | 1 | | 2 | | 3 | | 4 | |
|-----------------|--------------------------------------|--------|----|----|-------------------------|----|-------------------------|----|--------------------------------------|----|------------|-----------------------|
| | | | | 15 | G Strategic Partners | As | Weekley phalt Paving | С | Whitaker ontracting orporation | Ρ | aveCo, Inc | % Variance (1 & 2) |
| PSEN-18-0101-01 | High Density Mineral | 65,000 | SY | \$ | 221,000 | \$ | 245,700 | \$ | 380,250 | \$ | 87,750 | 11.18% |
| PSEN-18-0101-02 | Repair by Mill and Resurface | 7,050 | SF | \$ | 35,603 | \$ | 35,603 | \$ | 70,500 | \$ | 28,200 | 0.00% |
| PSEN-18-0101-03 | Hot Patch | 2,000 | SF | \$ | 15,000 | \$ | 15,000 | \$ | 30,000 | \$ | 7,500 | 0.00% |
| PSEN-18-0101-04 | Pavement Markings | 1 | LS | \$ | 65,000 | \$ | 95,000 | \$ | 65,000 | \$ | - | 46.15% |
| PSEN-18-0101-05 | Maintenance of Traffic (MOT) | 1 | LS | \$ | 47,500 | \$ | 45,000 | \$ | 15,000 | \$ | 15,000 | -5.26% |
| PSEN-18-0101-06 | Payment & Performance Bond | 1 | LS | \$ | 10,850 | \$ | 10,000 | \$ | 2,500 | \$ | - | -7.83% |
| | | | | \$ | 394,953 | \$ | 446,303 | \$ | 563,250 | \$ | 138,450 | 13.00% |
| | | | | | | | | | | | | |
| Alternate Bid | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| PSEN-18-0102-01 | Mill and Resurface (3/4 inch SP 9.5) | 65,000 | SY | \$ | 633,100 | \$ | 445,250 | \$ | - | \$ | 89,700 | -29.67% |
| PSEN-18-0102-02 | Pavement Markings | 1 | LS | \$ | 62,568 | \$ | 60,000 | \$ | - | \$ | 5,200 | -4.10% |
| PSEN-18-0102-03 | Maintenance of Traffic (MOT) | 1 | LS | \$ | 35,000 | \$ | 40,000 | \$ | - | \$ | 7,500 | 14.29% |
| PSEN-18-0102-04 | Payment & Performance Bond | 1 | LS | \$ | 25,500 | \$ | 9,000 | \$ | - | \$ | - | -64.71% |
| | | | | \$ | 756,168 | \$ | 554,250 | \$ | - | \$ | 102,400 | -26.70% |

% Variance (Main vs. Alternate)

| PSEN-18-0101-01 PSEN-18-0102-01 | High Density Mineral Mill and Resurface (3/4 inch SP 9.5) | 65,000 65,000 | SY SY | 221,000 633,100 | 186% |
|------------------------------------|--|------------------|----------|--------------------|------|
| | | | | | |
| PSEN-18-0101-01 | High Density Mineral | 65,000 | | 245,700 | 81% |
| PSEN-18-0102-01 | Mill and Resurface (3/4 inch SP 9.5) | 65,000 | SY | \$ 445,250 | 01/0 |

% Variance (Main vs. Alternate - Between Bidders 1 & 2)

| PSEN-18-0101-01 | High Density Mineral | 65,000 | SY | \$ 221,000 | 1019/ |
|-----------------|--------------------------------------|--------|----|---------------|-------|
| PSEN-18-0102-01 | Mill and Resurface (3/4 inch SP 9.5) | 65,000 | SY | \$ 445,250 | 101% |

High Density Mineral has an avg. lifespan of 7 years. The following analysis illustrates the projected cost of milling and resurfacing at the end of the High Density Mineral lifespan:

| High Density Mineral Lifespan | 7 | Yrs | | |
|--------------------------------------|--------|-----|---------------|---|
| Mill and Resurface (3/4 inch SP 9.5) | 65,000 | SY | \$ 669,491 | 6% per annum considered for inflation over the 7 years term with a return at the end of the period. |

Note:

The variance between the use of High Density Mineral, versus Asphalt is approximately 101%. However, taking into account the life span of both products, and its comparative cost to date and at the end of the Mineral lifespan, it would be prudent to proceed with the milling and resurfacing operation. Please note this, by no means, discards the use of the Mineral product. I highly recommend its use on any and all areas within the City where the City could extend the serviceability life of its roadways and office lots that have minimal traffic flow.

Attachment

CERTIFICATION PURSUANT TO FLORIDA STATUTE § 287.135

I, Daniel D. Weekley, President, on behalf of Weekley Asphalt Paving, Inc. Print Name and Title Company Name

certify that <u>Weekley Asphalt Paving, Inc.</u> does not: Company Name

- 1. Participate in a boycott of Israel; and
- 2. Is not on the Scrutinized Companies that Boycott Israel List; and
- 3. Is not on the Scrutinized Companies with Activities in Sudan List; and
- 4. Is not on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List; and
- 5. Has not engaged in business operations in Syria.

Submitting a false certification shall be deemed a material breach of contract. The City shall provide notice, in writing, to the Contractor of the City's determination concerning the false certification. The Contractor shall have ninety (90) days following receipt of the notice to respond in writing and demonstrate that the determination of false certification was made in error. If the Contractor does not demonstrate that the City's determination of false certification of false certification was made in error then the City shall have the right to terminate the contract and seek civil remedies pursuant to Florida Statute § 287.135.

Section 287.135, Florida Statutes, prohibits the City from: 1) Contracting with companies for goods or services in any amount if at the time of bidding on, submitting a proposal for, or entering into or renewing a contract if the company is on the Scrutinized Companies that Boycott Israel List, created pursuant to Section 215.4725, F.S. or is engaged in a boycott of Israel; and

2) Contracting with companies, for goods or services over \$1,000,000.00 that are on either the Scrutinized Companies with activities in the Iran Petroleum Energy Sector List, created pursuant to s. 215.473, or are engaged in business operations in Syria.

As the person authorized to sign on behalf of the Contractor, I hereby certify that the company identified above in the section entitled "Contractor Name" does not participate in any boycott of Israel, is not listed on the Scrutinized Companies that Boycott Israel List, is not listed on either the Scrutinized Companies with activities in the Iran Petroleum Energy Sector List, and is not engaged in business operations in Syria. I understand that pursuant to section 287.135, Florida Statutes, the submission of a false certification may subject the company to civil penalties, attorney's fees, and/or costs. I further understand that any contract with the City for goods or services may be terminated at the option of the City if the company is found to have submitted a false certification or has been placed on the Scrutinized Companies with Activities in Sudan list or the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List.

| WEEKLEY ASPHALT PAVING, | NC. |
|-------------------------|-----|
| COMPANY NAME | |
| M | |
| SIGNATURE | |
| Daniel D. Weekley | |
| PRINT NAME | |
| President | |
| TITLE | |

Must be executed and returned with attached proposal to be considered.